

- !Guidao-Oab J, Humavindu MN, Kakukuru E, Ngairorue T, Nghishoongele IO, Nghitila TM, Ngololo EN. 1996. A study of desertification at Engelbrecht. Summer Desertification Project II (SDP 2). (Occasional paper no. 3) Desert Research Foundation of Namibia, Windhoek: 1-73 pp.
- Abrams MM, Jacobson PJ, Jacobson KM, Seely MK. 1997. Survey of soil chemical properties across a landscape in the Namib Desert. *Journal of Arid Environments* 35: 29-38.
- Afrikaner C. 1998. The investigation of fog frequency and occurrence patterns in the Central Namib as a possible alternative source of water supply to the Topnaar community along the Kuiseb River in the Namib Desert. BA (Hons) Geography University of Namibia, Windhoek. 1-16 pp.
- Aghbarieh MR, Cohen Y, Córdova AG, Hijawi A, Kijtiwatchakul K, Matros A, Va D, Yohannes Y. 2002. Generation Jo'burg a new vision for the World Summit for Sustainable Development. World Summit 2002, Heinrich Böll Foundation, Johannesburg. 5-28 pp.
- Aharoni B, Ward D. 1997. A new predictive tool for identifying areas of desertification: a case study from Namibia. *Desertification Control Bulletin*: 12-18.
- Amaambo O. 2002. Onkani, Namibia. Proceedings: Alternative ways to combat desertification: connecting community action with science and common sense. Cape Town, Gobabeb: Desert Research Foundation of Namibia (DRFN): 1-60 pp.
- Amoomo H, Elago P, Gaseb N, Hoveka V, Khairabes M, Mbangula E, Muharukua V, Mukuya S, Ndjeula H, Noongo E, Shinedima R, Zaaruka B. 2000. Determining the water reserve for the Kuiseb River. Summer Desertification Programme 8. (Occasional paper no. 11) Desert Research Foundation of Namibia (DRFN), Windhoek & Gobabeb Training and Research Centre: 1-61 pp.
- Ampueja J. 2006. Gobabeb Times. Gobabeb Training and Research Centre, Gobabeb: Volume 2, Numbers 1, 2, 3 & 4.
- Ampueja J. 2006. IYDD background. NEEN Newsletter (July 2006), Windhoek: page 4.
- Ampueja J. 2006. IYDD boosted financially. Namib Times (June 2006), Walvis Bay: page 4.
- Ampueja J. 2006. Open day at Gobabeb. Informante (12-26 May 2006), Windhoek: page 21.
- Ampueja J. 2006. Why dunes do not cross the Kuiseb River. Namib Times (30 March 2006), Walvis Bay: page 4.
- Ampueja J, Chesnut L, Henschel J. 2006. International environmental conference at Gobabeb. Namib Times (22 August 2006), Walvis Bay: pages 17-18.
- Ampueja J, Maukoner T. 2006. Objectives and mandate of GEO for deserts. Namib Times (2 May 2006), Walvis Bay: page 8.
- André HM, Noti M-I, Jacobson KM. 1997. The soil microarthropods of the Namib Desert: a patchy mosaic. *Journal of African Zoology* 111: 499-517.
- Annegarn HJ, van Grieken RE, Bibby DM, von Blottnitz F. 1983. Background aerosol composition in the Namib Desert, South West Africa (Namibia). *Atmospheric Environment* 17: 2045-2053.
- Annegarn HJ, van Grieken RE, van Espen P, von Blottnitz F, J.P.F. S, Winchester JW, Maenhaut W. 1978. Background aerosol composition at Gobabeb, South West Africa. *Madoqua* 11: 107-118.
- Anonymous. 1959. History of Gobabeb 1959-1985. Bulletin of the Transvaal Museum, Pretoria.
- Anonymous. 1959. Report on Transvaal Museum expedition to Namib Desert May 1959. Transvaal Museum, Pretoria: 1-2.
- Anonymous. 1990. A chronology of some significant events in Namib research. In: Namib ecology 25 years of Namib research. Seely MK, (Editor) Transvaal Museum Pretoria: 1-3.
- Anonymous. 1990. Scientists associated with Gobabeb. In: Namib ecology 25 years of Namib research, Seely MK, (Editor) Transvaal Museum, Pretoria: 209-210.
- Anonymous. 1991. Die Welt der Namib-Wüste. *Naturwissenschaftliche Rundschau* 44: 139-142.

- Anonymous. 1991. Spiders on the strip. Discover, New York: 14.
- Anonymous. 1992. Spinning spiders: pioneers of the wheel. National Geographic, Washington, D.C.: page 132.
- Anonymous. 1995. Die Spinne, die ihren Feinden davonrollt - ein Tier wird zum Rad. P.M. (Peter Moosleitners interessantes Magazin), München/Germany: page 32.
- Anonymous. 1998. Fuel efficient stoves. (Ongwediva/Oshakati). Final Report. Desert Research Foundation of Namibia: 1-8 pp.
- Anonymous. 1999. An evaluation of SIDA support to the ephemeral rivers project. Desert Research Foundation of Namibia, Windhoek: 1-38 pp.
- Anonymous. 1999. Preliminary environmental assessment of the proposed development at the Gobabeb Training and Research Centre. (Gobabeb Trust). Interconsult, Windhoek: 1-32 pp.
- Anonymous. 2001. An evaluation of the impact of the "Oshivale" radio drama series. (Occasional paper no. 13) Desert Research Foundation of Namibia, Windhoek & The Gobabeb Training & Research Centre: 2-158 pp.
- Anonymous. 2002. "Bottom-up" strategy pays dividends. Conservation and the environment in Namibia, Windhoek: pages 6-8.
- Anonymous. 2002. The Gobabeb Centre: Oasis of learning. Namib Times (1 April 2002). Walvis Bay: page 1.
- Anonymous. 2002. The place of the fig tree - centre for research and learning. Conservation and the environment in Namibia, Windhoek: pages 14-15.
- Anonymous. 2003. Desert Research Foundation of Namibia. The Big Issue (Supplement) (September 2003) Windhoek: pages 1-8.
- Anonymous. 2003. FIRM the forum for integrated resource management. NAPCOD, Desert Research Foundation of Namibia, Windhoek: 1-25 pp.
- Anonymous. 2003. Local level monitoring for enhanced decision making. NAPCOD, Desert Research Foundation of Namibia, Windhoek: 1-21 pp.
- Anonymous. 2003. The role of indigenous fruit trees in farming systems in north central region Namibia. Summer Desertification Programme 11, Desert Research Foundation of Namibia, Windhoek: 1-58 pp.
- Anonymous. 2004. Basin management: working together to manage our water and natural resources. The Big Issue, Windhoek: pages 2-10.
- Anonymous. 2004. Degreee inauguration. Gobabeb Training and Research Centre: 2-12 pp.
- Anonymous. 2004. The Desert Margins Programme (Namibia), Desert Research Foundation of Namibia, Windhoek: 1-27 pp.
- Anonymous. 2004. Kuiseb basin soon to provide water. Travel News Namibia (Dec'03-Jan.'04), Windhoek: page 9.
- Anonymous. 2004. Long term floodwater recharge and management of shallow alluvial aquifers in dryland environments (WADE). Proceedings: 5th Waternet / Warfsa. Global Water Partnership, Windhoek: 1-162 pp.
- Anonymous. 2004. New books "INARA fruit for development of the !Khuseb Topnaar". Newsletter of the Namibia Scientific Society 1-3: pages 24-25.
- Anonymous. 2004. Provision of technical services to facilitate farmer organisational development in support of the Oshikoto Livestock Development Project (OLDP/2003/1), Desert Research Foundation of Namibia, Windhoek: 1-154 pp.
- Anonymous. 2005. Gobabeb - not only for international experts. Bay News (August 2005), Walvis Bay: page 14.
- Anonymous. 2005. Gobabeb hosts 6<sup>th</sup> UNAM ecosystem ecology course. Namib Times (9 September 2005), Walvis Bay: page 18.
- Anonymous. 2005. In Gobabeb hat das Solarzeitalter begonnen. Allgemeine Zeitung, Windhoek: page 4.

- Anonymous. 2005. Integrated drought risk management. Towards a regional centre for sub-Saharan Africa. UNESCO (Nairobi) Office, Nairobi: 1-14 pp.
- Anonymous. 2005. Narraville and J.P. Brand primary schools at Gobabeb weather station and river: children learn to combat desertification. Namib Times (22 November 2005), Walvis Bay: page 4.
- Anonymous. 2005. Range survey of communal lands in Oshikoto region: Production of a baseline on grazing areas and condition, incorporating indigenous knowledge. Oshikoto Livestock Development Project (OLDeP), National Agricultural Support Services Programme (NASSP), Desert Research Foundation of Namibia, Windhoek: 2-101 pp.
- Anonymous. 2005. Solving some deep mysteries. Namib Times (15 July 2005), Walvis Bay: page 4.
- Anonymous. 2005. UNAM students research at Gobabeb. Namib Times (9 August 2005), Walvis Bay: page 4.
- Anonymous. 2005. WADEing in the Kuiseb. Namib Times (15 July 2005), Walvis Bay: page 4.
- Anonymous. 2006. Livestock marketing (Ongwediva). Directorate of Forestry, Ministry of Agriculture Water and Forestry, Desert Research Foundation of Namibia, Windhoek: 1-15 pp.
- Anonymous (Photographer) 2005. Mighty Kuiseb hints towards the sea. Namib Times (22 February 2005), Walvis Bay: page 3.
- Anonymous (Photographer) 2005. Wanda. Namib Times (11 May 2005), Walvis Bay: page 4.
- Appleton CC, Brain C. 1992. The gastro-intestinal parasites of the baboon, *Papio cynocephalus ursinus*, in the Namib Desert. Journal of the South African Veterinary Association 63: 85.
- Araki S. 2005. Change in population and land-use intensities in several villages of the four northern regions of Namibia. African Study Monographs Suppl. 30: 77-88.
- Armstrong S. 1990. Fog, wind and heat: life in the Namib Desert. New Scientist 14: 46-50.
- Armstrong S. 1990. Virgin land, ancient ways, new nation. BBC Wildlife (March 1990), Bristol: 148-156.
- Armstrong S. 1991. How baboons survive in world's worst desert. New Scientist 2: 24.
- Armstrong S. 1993. Real monkeys don't drink water. New Scientist (26 June 1993): 34-38.
- Arnold EN. 1990. Why do morphological phylogenies vary in quality? An investigation based on the comparative history of lizard clades. Proceedings of the Royal Society, London B 240: 135-172.
- Arnold EN. 1991. Relationships of the South African lizards assigned to *Aporosaura*, *Meroles* and *Pedioplanis* (Reptilia: Lacertidae). Journal of Natural History 25: 783-807.
- Ars B. 1997. Droog en leeg: Namibië is toch overbevolkt. Internationale Samenwerking, The Netherlands: pages 10-11.
- Atmore JD. 1985. Phylogenetic relationships among beetles within the genus *Onymacris* (Coleoptera: Tenebrionidae): a phenetic versus cladistic approach. M. Sc. University of Cape Town, Department of Zoology, Cape Town. 1-73 pp.
- Austin B. 2003. Lizard telemetry: an exercise in passive monitoring, skulduggery and embargoes. South African Journal of Science 99: 6-8.
- Baijnath H, Singh Y, (Editors). 2002. Rebirth of science in Africa. A shared vision for life and environmental sciences. (1<sup>st</sup> edition). Umdaus Press, Hatfield: 1-246 pp.
- Bao H, Thiemens MH, Heine K. 2001. Oxygen-17 excesses of the central Namib gypcretes: spatial distribution. Earth and Planetary Science Letters 192: 125-135.

- Barnard P, Henschel J. 2002. Monitoring, predicting & adapting to environmental change - a framework for applying SoER indicators through EONN. Proceedings: Environmental Monitoring and Indicators Network. (13-14 June 2002) Ministry of Environment and Tourism, Department of Environmental Affairs, Midgard Lodge: 39-44.
- Barnard P, Robertson M, Zeidler J. 1999. Developing an early warning system for environmental degradation in Namibia. Proceedings: VI International Rangeland Congress (July 19-23, 1999). People and rangeland building the future. Eldridge D, Freudenberger D. (Editors) Townsville, Australia: 662-663.
- Barnard P, Simmons R, K. R, Seely M, Nakanuku L, Kolberg H, Hay C. 2003. An integrated framework for wetland health monitoring in dryland Namibia. Proceedings: Environmental Monitoring and Indicators Network. (13-14 June 2002) Ministry of Environment and Tourism, Department of Environmental Affairs, Midgard Lodge: 59-70.
- Barnard WS. 1973. Duinformasies in die sentrale Namib. Tegnikon 22: 2-13.
- Barnes J. 1999. Barchan dune morphology, migration and management on the Kuiseb River delta, Namibia. M. Sc. St. Catherine's College Department of Geography, Oxford. 1-89 pp.
- Barnett A. 1995. Non-spinning spider. BBC Wildlife (June 1995), London: page 14.
- Bartholomew GA, Lighton JRB, Louw GN. 1985. Energetics of locomotion and patterns of respiration in tenebrionid beetles from the Namib Desert. Journal of Comparative Physiology, B 155: 155-162.
- Bate GC, Walker BH. 1993. Water relations of the vegetation along the Kuiseb River, Namibia. Madoqua 18: 85-91.
- Bauer AM, Russell AP. 1991. Pedal specialisations in dune-dwelling geckos. Journal of Arid Environments 20: 43-62.
- Bean JE, Bornman CH. 1973. Observations on the staining of pectic substances as extracts and in the transfusion tracheids of *Welwitschia*. Journal of South African Botany 39: 23-33.
- Becker P, Jensen RAC, Berry HH. 1974. Broad-billed sandpiper *Limicola falcinellus* in South West Africa. Madoqua, Series I 8: 67-71.
- Beckett RP. 1998. Some aspects of the water relations of the lichen *Xanthomaculina hottentotta* (Ach.) Hale from the Namib desert. South African Journal of Botany 64: 346-349.
- Beery A. 1999. Atmospheric circulations relating to the formation of fog in the Central Namib Desert, Namibia. M. Sc. Oxford University, Oxford: 2-70 pp.
- Beier M. 1962. Pseudoscorpioniden aus der Namib-Wüste. Annals of the Transvaal Museum, Pretoria: 24: 223-230.
- Bellamy CL, Holm E. 1985. Studies in the African Agrilinae, Coraebini I & II (Coleoptera; Buprestidae). Journal of the Entomological Society of Southern Africa 48: 121-134.
- Bergerot S, Robert E. 1995. Where beetles dare. Personality: 42-47.
- Berliner R. 1986. Impressions of a short visit to Gobabeb, Namib Desert. Desert Ecological Research Unit (DERU). Desert Research Foundation of Namibia (DRFN): pages 1-17.
- Bernard RTF. 1998. Citation for the award of the gold medal - 1997. Aardvark: 8-9.
- Berry C. 1991. Nara: unique melon of the desert. Veld & Flora 77(1): 22-23.
- Berry C. 2003. Aspects of phenology and condition of inland and coastal !nara plants in the Namib-Naukluft Park, Namibia. Dinteria 28: 1-18.
- Berry C. 2004. !Nara phenology and fruit production. In: !NARA fruit for development of the !Khuseb Topnaar. Henschel J, Dausab R, Moser P, Pallett J. (Editors). Namibia Scientific Society, Windhoek: 63-68.
- Berry CU. 1997. Frost damage to wild sycamore fig trees in the Namib-Naukluft Park, Namibia. Madoqua 19: 117-119.
- Berry HH, Millar RP, Louw GN. 1979. Environmental cues influencing the breeding biology and circulating levels of various hormones and triglycerides in the Cape cormorant. Comparative Biochemistry and Physiology 62A: 879-884.

- Berry HH, Seely MK, Fryer RE. 1974. The status of the jackass penguin *Spheniscus demersus* on Halifax Island off South West Africa. Madoqua, Series II 3: 27-29.
- Besler H. 1970. Geomorphologie der Wüste. Namib und Meer 1: 59-68.
- Besler H. 1972. Geomorphologie der Dünen. Namib und Meer 3: 25-35.
- Besler H. 1972. Klimaverhältnisse und klimageomorphologische Zonierung der zentralen Namib (Südwestafrika). Stuttgarter Geographische Studien Volume 83. Geographisches Institut der Universität Stuttgart: 1-209 pp.
- Besler H. 1975. Der Namib-Erg und die Südafrikanische Randstufe. In: Die Erde neu entdeckt, Beckel L, Schneider S, (Editors) Mainz: 55.
- Besler H. 1975. Messungen zur Mobilität von Dünensanden am Nordrand der Dünen-Namib (Südwestafrika). Proceedings: Dynamische Geomorphologie. 1. Symposium des Deutschen Arbeitskreises für Geomorphologie, Würzburg: 135-147.
- Besler H. 1976. Wasserüberformte Dünen als Glied in der Landschaftsgenese der Namib. Geomethodica 15: 83-106.
- Besler H. 1977. Untersuchungen in der Dünen-Namib (Südwestafrika): vorläufige Ergebnisse des Forschungsaufenthaltes 1976. Journal of the South West African Scientific Society 31: 33-64.
- Besler H. 1979. Feldversuche zur aktuellen Granitverwitterung und Rindenbildung in der Namib (Südwestafrika/Namibia). Stuttgarter Geographische Studien Volume 93. Geographisches Institut der Universität Stuttgart: 95-106 pp.
- Besler H. 1979. Salinitätsmessungen an Sanden als Hilfsmittel zur Rekonstruktion fossiler Gewässernetze in ariden Räumen. Zeitschrift für Geomorphologie N.F. 23: 192-198.
- Besler H. 1980. Die Dünen-Namib: Entstehung und Dynamik eines Ergs. Stuttgarter Geographische Studien Volume 96. Geographisches Institut der Universität Stuttgart: 13-208 pp.
- Besler H. 1981. Surface structures on Namib dunes caused by moisture. Namib und Meer 9: 11-17.
- Besler H. 1983. The response diagram: distinction between aeolian mobility and stability of sands and aeolian residuals by grain size parameters. Zeitschrift für Geomorphologie 45: 287-301.
- Besler H. 1984. The development of the Namib dune field according to sedimentological and geomorphological evidence. In: Late Cainozoic Palaeoclimates of the Southern Hemisphere. Vogel JC. (Editor) A. A. Balkema, Rotterdam: 445-453.
- Besler H. 1991. Der Namib Erg: Älteste Wüste oder älteste Dünen? Geomethodica 16: 93-122.
- Besler H. 1996. The Tsondab Sandstone in Namibia and its significance for the Namib Erg. South African Journal of Geology 99: 77-87.
- Besler H, Blümel WD, Heine K, Hüser K, Leser H, Rust U. 1994. Geomorphogenese und Paläoklima Namibias. Eine Problemskizze. Die Erde 125: 139-165.
- Besler H, Blümel WD, Heine K, Hüser K, Leser H, Rust U. 1994. Zum Stand der geomorphologischen Forschung in Namibia: Grundzüge eines Langzeitforschungsprogramms. Basler Beiträge zur Physiogeographie 17: 1-24.
- Besler H, Gerster G. 1985. Dünen - die Wogen der Wüste. Bild der Wissenschaft, Stuttgart: 38-47.
- Besler H, Gut S. 1997. Untersuchungen zum Feuchtehaushalt in Dünen am Beispiel der Namib/Namibia. Kölner Geographische Arbeiten Sonderfolge Afrika 13: 39-47.
- Besler H, Marker ME. 1979. Namib sandstone: a distinct lithological unit. Transactions of the Geological Society of South Africa 82: 155-160.
- Besler H, Marker ME, Ollier CD, Selby MJ. 1977. Geomorphological research in the Namib. Namib Bulletin, Gobabeb: 6-8.
- Besler H, Pfeiffer L. 1994. The Tertiary proto-erg of the Namib: depositional environment of the Tsondab Sandstone in Namibia. Journal of the Namibia Scientific Society 44: 7-24.

- Bethune S, Schachtschneider K. 2004. How community action, science and common sense can work together to develop an alternative way to combat desertification. *Environmental Monitoring and Assessment* 99: 161-168.
- Birkhofer K. 2001. Territorial behaviour of *Leucorchestris arenicola* (Araneae: Sparassidae). Diploma. Technische Universität Darmstadt, Darmstadt: 1-99 pp.
- Birkhofer K, Henschel JR, Scheu S. 2006. Spatial-pattern analysis in a territorial spider: evidence for multi-scale effects. *Ecography* 29: 641-648.
- Birkhofer K, Scheu S, Henschel JR. 2006. Does territorial behaviour in the desert-living spider *Leucorchestris arenicola* Lawrence (Araneae: Sparassidae) affect its spatial distribution? *Bulletin of the British arachnological Society* 13: 341-346.
- Blackie R. 1999. Emissions scenarios and mitigation options for Namibia. Alternative ways to combat desertification: connecting community action with science and common sense. Namibia's Country Study on Climate Change, Desert Research Foundation of Namibia, Windhoek: 2-52 pp.
- Blümel W-D. 1976. Kalkkrustenvorkommen in Südwestafrika Untersuchungsmethoden und ihre Aussage. *Geomethodica* 15: 17-50.
- Blümel WD, Hüser K, Eitel B. 2000. Landschaftsveränderungen in der Namib. *Geographische Rundschau*, Braunschweig, Germany: 17-23.
- Böhme E. 2004. Von Galapagos bis Gobabeb. (1<sup>st</sup> Edition). Falb Verlag, Nürnberg: 3-209 pp.
- Böhme E. 2006. From Galapagos to Gobabeb. (1<sup>st</sup> Edition). Falb Verlag, Nürnberg. 2-191 pp.
- Bolton B. 1987. A review of the *Solenopsis* genus-group and revision of Afrotropical *Monomorium* Mayr (Hymenoptera: Formicidae). *Bulletin of the British Museum of Natural History, Entomology Series* 54: 263-452.
- Bolton B, Marsh AC. 1989. The Afrotropical thermophilic ant genus *Ocymyrmex* (Hymenoptera: Formicidae). *Journal of Natural History* 23: 1267-1308.
- Bornman CH. 1972. *Welwitschia mirabilis*: paradox of the Namib Desert. *Endeavour* 31: 95-99.
- Bornman CH. 1977. *Welwitschia mirabilis*: structural and functional anomalies. *Madoqua* 10: 21-31.
- Bornman CH. 1978. *Welwitschia*. Paradox of a parched paradise. (1<sup>st</sup> Edition). C. Struik Publishers, Cape Town: 6-71 pp.
- Bornman CH, Botha CEJ, Nash LJ. 1973. *Welwitschia mirabilis*: observations on movement of water and assimilates under föhn and fog conditions. *Madoqua Series II* 2: 25-31.
- Bornman CH, Burchardt R, Gilliland MG. 1974. Effects of morphactins on *Welwitschia* callus. *Proceedings: Electron Microscopy Society of Southern Africa*. Johannesburg: 43-44.
- Bornman CH, Butler V, Jensen WA. 1979. *Welwitschia mirabilis*: fine structure of the germinating seed I. orientation. *Zeitschrift für Pflanzenphysiologie* 91: 189-196.
- Bornman CH, Butler V, Jensen WA. 1979. *Welwitschia mirabilis*: fine structure of the germinating seed V. the quiescent and imbibed gametophyte interface. *Zeitschrift für Pflanzenphysiologie* 92: 115-132.
- Bornman CH, Butler V, Jensen WA. 1979. *Welwitschia mirabilis*: fine structure of the germinating seed VI. the quiescent embryo. *Zeitschrift für Pflanzenphysiologie* 92: 355-365.
- Bornman CH, Butler V, Jensen WA. 1979. *Welwitschia mirabilis*: fine structure of the germinating seed VIII. interface of the developing feeder. *Zeitschrift für Pflanzenphysiologie* 92: 417-430.
- Bornman CH, Elsworthy JA, Butler V, Botha CEJ. 1972. *Welwitschia mirabilis*: observations on general habit, seed, seedling, and leaf characteristics. *Madoqua Series II* 1: 53-66.
- Bornman CH, Evert RF. 1972. *Welwitschia* - enigma of the Namib. *Scientific Progress* 5: 2.
- Bornman CH, Fanshawe NC. 1976. *Welwitschia mirabilis* callus studies IV. some effects of stress factors. *Zeitschrift für Pflanzenphysiologie* 78: 334-338.

- Bornman CH, Fanshawe NC. 1976. *Welwitschia mirabilis*: callus studies II. some effects of sucrose. *Zeitschrift für Pflanzenphysiologie* 78: 217-221.
- Bornman CH, Marais JP, Butler V. 1976. *Welwitschia mirabilis*: changes in the magagametophyte during early germination. *Zeitschrift für Pflanzenphysiologie* 79: 72-80.
- Bornman CH, Moran ML, Richardson CA, Butler V, Botha CEJ, Nash LJ, Button J. 1974. *Welwitschia mirabilis*: observations on cuticular efficiency. a comparative study. *Madoqua*, Series II 3: 17-25.
- Borsutzky B. 2006. Forschungsstation Gobabeb - Wo die Wüste lebt. *Allgemeine Zeitung* (22 June 2006), Windhoek: pages 6-7.
- Borsutzky B. 2006. Tag der offenen Tür in Gobabeb. *Allgemeine Zeitung* (22 May 2006), Windhoek: page 1.
- Boss ES. 1974. Wonders of Africa's Namib Desert - recollections. *South West Africa Annual Yearbook*, Windhoek: 26-35.
- Botelle A, Kowalski K. 1995. Changing resource use in Namibia's lower Kuiseb River valley: perceptions from the Topnaar community. Institute of Southern African Studies at the University of Lesotho and the Social Sciences Division at the University of Namibia, Desert Research Foundation of Namibia, Windhoek: 1-90 pp.
- Botes A. 2003. From information dissemination to leveraging knowledge to communities: appropriate knowledge management in rural Namibia. *Masters of Business Administration (MBA) Maastricht School of Management*, Maastricht: 1-51 pp.
- Botes A, Henderson J, Nakale T, Nantanga K, Schachtschneider K, Seely M. 2002. Environmental learning and action in the Kuiseb. *Proceedings: 3<sup>rd</sup> WATERnet/WARFSA Symposium on water demand management for sustainable use of water resources.* (30-31 October 2002). Dar Es Salaam: 630-638.
- Botes A, Henderson J, Nakale T, Nantanga K, Schachtschneider K, Seely M. 2003. Ephemeral rivers and their development: testing an approach to basin management committees on the Kuiseb River, Namibia. *Physics and Chemistry of the Earth* 28: 853-867.
- Bothma JdP, Nel JAJ. 1980. Winter food and foraging behaviour of the aardwolf *Proteles cristatus* in the Namib-Naukluft Park. *Madoqua* 12: 141-149.
- Bothma JdP, Nel JAJ, Macdonald A. 1984. Food niche separation between four sympatric Namib Desert carnivores. *Journal of Zoology*, London 202: 327-340.
- Boycott RC, Haacke WD. 1979. Note on the type-locality, distribution and juvenile coloration of *Naja nigricollis woodi* (Serpentes: Elapidae) and an account of the colour-pattern variation in intergrade populations. *Annals of the Cape Provincial Museum* 13: 31-38.
- Boyer D. 1985. Interaction of two *Gerbillurus* species in the Namib (abstract). *South African Journal of Science* 81: 704.
- Boyer DC. 1987. Effect of rodents on plant recruitment and production in the dune area of the Namib Desert. *M. Sc. University of Natal, Pietermaritzburg*: 1-232 pp.
- Boyer DC. 1988. Tree rats in the Namib dunes. *Madoqua* 15: 341-342.
- Boyer DC. 1989. Some characteristics of the plant communities of three dunes situated across a climatic gradient in the Namib Desert. *Madoqua* 16: 141-148.
- Boyer DC, Boyer HJ. 1989. The status of alien invasive plants in the major rivers of the Namib Naukluft Park. *Madoqua* 16: 51-58.
- Boyer HJ. 1987. Larking around - studying birds in the Namib dunes. *Roan News*, Windhoek: 26-27.
- Boyer HJ. 1988. Breeding biology of the dune lark. *Ostrich* 59: 30-37.
- Bradley-Cook J. 2006. The impact of the tourist concession on the environment. *Namib Times* (19 September 2006), Walvis Bay: page 13.
- Brain C. 1988. Water gathering by baboons in the Namib Desert. *South African Journal of Science* 84: 590-591.

- Brain C. 1990. Aspects of drinking by baboons (*Papio ursinus*) in a desert environment. In: Namib ecology 25 years of Namib research. Seely MK. (Editor) Transvaal Museum, Pretoria: 169-172.
- Brain C. 1990. Limited water affects Kuiseb baboons' lives. Namib Bulletin, Gobabeb: 7.
- Brain C. 1990. Spatial usage of a desert environment by baboons (*Papio ursinus*). Journal of Arid Environments 18: 67-73.
- Brain C. 1991. Activity of water-deprived baboons (*Papio ursinus*) during inter-troop encounters. South African Journal of Science 87: 221-222.
- Brain C. 1992. Deaths in a desert baboon troop. International Journal of Primatology 13: 593-599.
- Brain C. 1993. The eco-physiology of baboons living in the Kuiseb River Canyon, Namibia. Ph. D. University of the Witwatersrand, Johannesburg. 1-198 pp.
- Brain C. 2005. The biggest natural laboratory in the oldest desert in the world. Conservation and the environment in Namibia, Windhoek: 8-10.
- Brain C, Bohrmann R. 1992. Tick infestation of baboons (*Papio ursinus*) in the Namib Desert. Journal of Wildlife Diseases 28: 188-191.
- Brain CK. 1960. Observations on the locomotion of the South West African adder, *Bitis peringueyi* (Boulenger), with speculations on the origin of sidewinding. Annals of the Transvaal Museum, Pretoria 24: 19-24.
- Brain CK. 1962. Observations on the temperature tolerance of lizards in the central Namib Desert, South West Africa. Cimbebasia (4): 1-5.
- Brain CK. 1962. A review of the gecko genus *Ptenopus* with the description of a new species. Cimbebasia (1): 1-18.
- Brain CK. 1967. Bone weathering and the problem of bone pseudo-tools. South African Journal of Science 63: 97-99.
- Brain CK. 1967. Hottentot food remains and their bearing on the interpretation of fossil bone assemblages. Scientific Papers of the Namib Desert Research Station: 1-11.
- Brain CK. 1967. New light on old bones. SAMAB 9: 22-27.
- Brain CK. 1969. The contribution of Namib Desert Hottentots to an understanding of Australopithecine bone accumulations. Scientific Papers of the Namib Desert Research Station: 13-22.
- Brain CK. 1974. The use of microfaunal remains as habitat indicators in the Namib. The South African Archaeological Society Goodwin Series: 55-60.
- Brain CK. 1980. Some protozoans from saline pools in the Namib. Namib Bulletin, Gobabeb: 10-13.
- Brain CK. 1984. Comments on the Namib's past. South African Journal of Science 80: 158-159.
- Brain CK. 1990. Twenty-five years of Namib Desert research: a personal perspective. In: Namib ecology 25 years of Namib research. Seely MK. (Editor) Transvaal Museum, Pretoria: 5-12.
- Brain CK, Brain V. 1977. Microfaunal remains from Mirabib: some evidence of palaeo-ecological changes in the Namib. Madoqua 10: 285-293.
- Brain CK, Koste W. 1993. Rotifers of the genus *Proales* from saline springs in the Namib Desert, with the description of a new species. Hydrobiologia 255: 449-454.
- Brain CK, Prozesky OPM. 1962. On the body temperatures of birds collected on the Carp-Transvaal Museum Namib Desert expedition. Cimbebasia (5): 13-20.
- Bridge J, Brown B, Robichaud K, Thistle B. 2006. Enhancing understanding of utility services. B. Sc. Worcester Polytechnic Institute, Desert Research Foundation of Namibia, Windhoek: 1-80 pp.

- Bridges CR, le Roux JM, van Aardt WJ. 1997. Ecophysiological adaptations to dry thermal environments measured in two unrestrained Namibian scorpions, *Parabuthus villosus* (Buthidae) and *Opisthophthalmus flavescens* (Scorpionidae). *Physiological Zoology* 70: 244-256.
- Brinckmann E, von Willert DJ. 1987. Injury and recovery of *Welwitschia mirabilis*. *Dinteria* 19: 69-76.
- Brink M. 2005. Gobabeb se navorsing vereer navorsingstasie geniet hoë aansien op internasionale vlak. Republikein (11 Mei 2005), Windhoek: page 4.
- Bristow CS, Bailey SD, Lancaster N. 2000. The sedimentary structure of linear sand dunes. *Nature* 406: 56-59.
- Bristow CS, Lancaster N. 2004. Movement of a small slipfaceless dome dune in the Namib Sand Sea, Namibia. *Geomorphology* 59: 189-196.
- Bristow CS, Lancaster N, Duller GAT. 2005. Combining ground penetrating radar surveys and optical dating to determine dune migration in Namibia. *Journal of the Geological Society, London* 162: 315-321.
- Brown CJ, Seely MK, Kruger AS, Woehl H. 1999. Namibia's program to combat desertification: a dynamic approach to people and rangelands. *Proceedings: VI International Rangeland Congress. People and rangelands building the future.* Eldridge D, Freudenberger D. (Editors) (July 19-23, 1999) Townsville, Australia: 85-87.
- Brown HD. 1962. The male of *Crypsicerus cubicus* Saussure, 1888 (Orthoptera: Lathiceridae). *Journal of the Entomological Society of South Africa* 25: 192-197.
- Brown HD. 1962. New and interesting grasshoppers from Southern Africa 2 (Orthoptera: Acridoidea). *Scientific Papers of the Namib Desert Research Station*: 3-19.
- Brown HD. 1962. New species of the genus *Acocksacris* (Orthoptera: Acridoidea). *Annals of the Transvaal Museum, Pretoria* 24: 181-196.
- Brownell P, Polis G, (Editors) 2001. *Scorpion biology and research.* (1<sup>st</sup> Edition). Oxford University Press, Oxford: 3-431 pp.
- Buffenstein R. 1984. The importance of microhabitat in thermoregulation and thermal conductance in two Namib rodents - a crevice dweller, *Aethomys namaquensis*, and a burrow dweller, *Gerbillurus paebea*. *Journal of Thermal Biology* 9: 235-241.
- Buffenstein R, Campbell WE, Jarvis JUM. 1985. Identification of crystalline allantoin in the urine of African Cricetidae (Rodentia) and its role in their water economy. *Journal of Comparative Physiology B* 155: 493-499.
- Burke A. 1995. *Geigeria alata* in the Namib desert: seed heteromorphism in an extremely arid environment. *Journal of Vegetation Science* 6: 473-478.
- Burke A. 1997. The impact of large herbivores on floral composition and vegetation structure in the Naukluft Mountains, Namibia. *Biodiversity and Conservation* 6: 1203-1217.
- Burke A. 1997. Is the grass always greener at certain sites? a contribution to patch dynamics in the central Namib Desert. *Tropical Ecology* 38: 125-127
- Burke A, du Toit D, Sguazzin T. 1993. *Let's look at seaweeds.* (1<sup>st</sup> Edition) Desert Research Foundation of Namibia, Ministry of Education and Culture, Windhoek: 5-98 pp.
- Burke A, Jürgens N, Seely MK. 1998. Floristic affinities of an inselberg archipelago in the southern Namib desert - relic of the past, centre of endemism or nothing special? *Journal of Biogeography* 25: 311-317.
- Burns R. 1999. Partnerships for experiential ecological education for sustainable development: a Namibian case study. In: *Education for sustainable development: getting it right.* Development Studies Network, Canberra: 159-164.
- Burns R. 2001. Educating scientists in context: a Namibian case study. *International Journal of Educational Development* 21: 447-461.

- Burrage BR. 1973. Comparative ecology and behaviour of *Chamaeleo pumilis* (Gmelin) and *C. namaquensis* A. Smith (Sauria: Chamaeleonidae). *Annals of the South African Museum* 61: 1-158.
- Buskirk WH, Buskirk RE, Hamilton WJ.III. 1974. Troop-mobilizing behavior of adult male Chacma baboons. *Folia Primatologica* 22: 9-18.
- Butler V. 1975. Ultrastructure of the germinating *Welwitschia mirabilis* seed. M. Sc. University of Natal, Department of Botany, Pietermaritzburg. 1-150 pp.
- Butler V, Bornman CH, Evert RF. 1973. *Welwitschia mirabilis*: morphology of the seedling. *The Botanical Gazette* 134: 52-59.
- Butler V, Bornman CH, Evert RF. 1973. *Welwitschia mirabilis*: vascularization of a four-week-old seedling. *The Botanical Gazette* 134: 59-63.
- Butler V, Bornman CH, Evert RF. 1973. *Welwitschia mirabilis*: vascularization of a one-year-old seedling. *The Botanical Gazette* 134: 63-73.
- Butler V, Bornman CH, Gilliland MG. 1973. The feeder of *Welwitschia mirabilis* embryos. *Proceedings: Electron Microscopy Society of Southern, Pretoria*: 55-56.
- Butler V, Bornman CH, Gilliland MG. 1974. Megagametophyte of *Welwitschia mirabilis*. *Proceedings: Electron Microscopy Society of Southern Africa. Johannesburg*: 39-40.
- Butler V, Bornman CH, Gilliland MG, Carter M, Evert RF. 1971. Ultrastructure of the phloem of *Welwitschia mirabilis*. *Proceedings: Southern African Electron Microscopy Society*: 29-30.
- Butler V, Bornman CH, Jensen WA. 1979. *Welwitschia mirabilis*: fine structure of the germinating seed II. cytochemistry of gametophyte and feeder. *Zeitschrift für Pflanzenphysiologie* 91: 197-210.
- Butler V, Bornman CH, Jensen WA. 1979. *Welwitschia mirabilis*: fine structure of the germinating seed III. the quiescent gametophyte. *Zeitschrift für Pflanzenphysiologie* 91: 399-413.
- Butler V, Bornman CH, Jensen WA. 1979. *Welwitschia mirabilis*: fine structure of the germinating seed IV. the imbibed gametophyte. *Zeitschrift für Pflanzenphysiologie* 92: 95-113.
- Butler V, Bornman CH, Jensen WA. 1979. *Welwitschia mirabilis*: fine structure of the germinating seed IX. inner cells of the developing feeder. *Zeitschrift für Pflanzenphysiologie* 93: 45-61.
- Butler V, Bornman CH, Jensen WA. 1979. *Welwitschia mirabilis*: fine structure of the germinating seed VII. the imbibed embryo. *Zeitschrift für Pflanzenphysiologie* 92: 407-415.
- Button J. 1971. Tissue culture studies on *Citrus* and *Welwitschia*. Ph. D. University of Natal, Pietermaritzburg: 1-65 pp.
- Button J, Bornman CH. 1971. Differentiation in excised *Welwitschia mirabilis* embryos. *Canadian Journal of Plant Physiology* 14: 18-22.
- Cade TJ. 1965. Relations between raptors and columbiform birds at a desert water hole. *The Wilson Bulletin* 77: 340-345.
- Cade TJ. 1965. Survival of the scaly-feathered finch *Sporopipes squamifrons* without drinking water. *The Ostrich*: 131-132.
- Cade TJ, Greenwald LI. 1966. Drinking behavior of mousebirds in the Namib Desert, Southern Africa. *The Auk* 83: 126-128.
- Cade TJ, Willoughby EJ, MacLean GL. 1966. Drinking behaviour of sandgrouse in the Namib and Kalahari Deserts, Africa. *The Auk* 83: 124-126.
- Cagle FRJ. 1975. Evaporite deposits of the central Namib Desert, Namibia. M. Sc. University of New Mexico, Albuquerque. 1-151 pp.

- Carpenter HH. 1996. Vegetation survey of the Wlotzkas Baken lichen fields. (Report) Windhoek: 1-28 pp.
- Cebula T. 2005. Developing new techniques for measuring rock moisture: an application to cavernous weathering in the Central Namib Desert. B.A. University of Oxford, Oxford: 1-95 pp.
- Cerutti H. 1998. Die Nebeltrinker. Neue Zürcher Zeitung-FOLIO (Dezember 1998), Zürich, Switzerland: 66-67.
- Cerutti H. 1999. Auch Tiere haben das Rad erfunden. Neue Zürcher Zeitung-FOLIO (Februar 1999), Zürich, Switzerland: 56-57.
- Cerutti H. 1999. Die Nebelfänger von Gobabeb. Neue Zürcher Zeitung-FOLIO (13 Januar 1999), Zürich, Switzerland: 65.
- Channing A. 1974. Notes on *Phrynomerus annectens*: the red-spotted frog. Namib und Meer 5/6: 33-36.
- Channing AE. 1974. Low-rainfall tolerant South African anurans with particular reference to those of the Namib. M. Sc. University of Natal, Department of Zoology, Pietermaritzburg: 1-69 pp.
- Chesnut L. 2006. Can the UN kit help combat desertification in Namibia? The Namibian (14 November 2006), Windhoek: page 4.
- Chinsamy A, Hanrahan SA, Neto RM, Seely M. 1995. Skeletochronological assessment of age in *Angolosaurus skoogi*, a cordylid lizard in an aseasonal environment. Journal of Herpetology 29: 457-460.
- Christiansson C, Klintonberg P, Schlyter P, Seely M. 2002. Desert Research Foundation of Namibia and Department of Physical Geography and Quaternary Geology, Stockholm University: training and research co-operation (abstract). Proceedings: Alternative ways to combat desertification: connecting community action with science and common sense. (8-20 April 2002) Cape Town, Gobabeb: 1-60 pp.
- Cilliers J. 2006. Investigation into the hybrid renewable energy systems at Gobabeb M. Sc. University of Stellenbosch, Stellenbosch: 1-58 pp.
- Clarke BC. 1992. Water and energy balance in the Namib sand-dune lizard, *Angolosaurus skoogi*. Ph. D. University of Cape Town Department of Zoology, Cape Town: 1-211 pp.
- Cloete G. 1982. The ecology of a desert antelope. Namib Bulletin, Gobabeb: 9-10.
- Cloete G. 1983. Etho-ecological aspects of the steenbok (*Raphicerus campestris* Thunberg, 1811) in the Namib Desert, South West Africa. M. Sc. University of Orange Free State Department of Zoology-Entomology, Bloemfontein: 1-131 pp.
- Cloete G, Kok OB. 1986. Aspects of the water economy of steenbok (*Raphicerus campestris*) in the Namib Desert. Madoqua 14: 375-387.
- Cloete G, Kok OB. 1986. Die verspreiding en digtheid van steenbokke in die Kuisebrivier-canyon. Madoqua 14: 421-424.
- Cloete G, Kok OB. 1990. Aspects of the behaviour of steenbok (*Raphicerus campestris*) in the Kuiseb River Canyon, S.W.A./Namibia. Journal of the Namibia Scientific Society 42: 25-45.
- Cloete J. 2005. Research on impact prevention of sandstorms on photovoltaic panels at Gobabeb. M. Sc. University of Stellenbosch, Stellenbosch: 1-76 pp.
- Cloudsley-Thompson JL. 1965. On the function of the sub-elytral cavity in desert tenebrionidae (Col.). Entomologist's Monthly Magazine 100: 148-151.
- Cloudsley-Thompson JL. 1988. Strategies for survival of desert reptiles. In: Ecophysiology of desert vertebrates. Ghosh PK, Prakash I. (Editors) Scientific Publishers, Jodhpur, India: 187-288.
- Cloudsley-Thompson JL. 1990. Arachnology of the Namib Desert dunes. Newsletter of the British arachnological Society 59: 6-7.
- Cloudsley-Thompson JL. 1990. Dunes of the Namib. Environmental Conservation 17: 70-72.

- Cloudsley-Thompson JL. 1990. Thermal ecology and behaviour of *Physadesmia globosa* (Coleoptera: Tenebrionidae) in the Namib Desert. *Journal of Arid Environments* 19: 317-324.
- Cloudsley-Thompson JL. 1991. A note on the reptiles of the Namib Desert. *Bulletin of the British Herpetological Society*: 7-9.
- Cloudsley-Thompson JL. 1993. Successful desert animals - scorpions, beetles, lizards. *Libyan Studies* 24: 143-156.
- Cloudsley-Thompson JL. 1999. Multiple factors in the evolution of animal coloration. *Naturwissenschaften* 86: 123-132.
- Cloudsley-Thompson JL. 2000. Biological rhythms in arachnida. *Mem. Soc. entomol. ital.* 78: 251-273.
- Cloudsley-Thompson JL. 2001. Ecological analogues and convergence among desert organisms. *Biogeographica* 77: 51-63.
- Cloudsley-Thompson JL. 2001. Thermal and water relations of desert beetles. *Naturwissenschaften* 88: 447-460.
- Cockcroft MJ, Wilkinson MJ, Tyson PD. 1987. The application of a present-day climatic model to the late Quaternary in southern Africa. *Climatic Change* 10: 161-181.
- Coetzee CG. 1969. The distribution of mammals in the Namib Desert and adjoining inland escarpment. *Scientific Papers of the Namib Desert Research Station*: 23-36.
- Coineau Y. 1981. Une taupe qui 'nage' ... *Science et Vie* 770: 75.
- Coineau Y. 1994. Gobabeb - une station d'écologie au coeur du désert du Namib. *Emenir*, Auxerre, France: 8-10.
- Coineau Y, Lancaster N, Prodon R, Seely MK. 1982. Burrowing habits and substrate selection in ultrasammophilous tenebrionid beetles of the Namib Desert. *Vie Milieu* 32: 125-131.
- Coineau Y, Seely MK, 1983. Mise en évidence d'un peuplement de microarthropodes dans les sables fins des dunes du Namib central. In: *New Trends in Soil Biology*. Lebrun P, Andre HM, de Medts A, Gregoire-Wibo C, Wauthy G. (Editors) Dieu-Brichart, Louvain-la-Neuve, Belgium: 652-654 pp.
- Conrad R, Seiler W. 1982. Arid soils as a source of atmospheric carbon monoxide. *Geophysical Research Letters* 9: 1353-1356.
- Cook PA, Henschel JR. 1984. The importance of a primary film of microorganisms on the subsequent establishment of a macrofouling community. *Proceedings: 6th International Congress on Marine Corrosion and Fouling*. Athens, Greece: 211-220.
- Cooper PD. 1982. Water balance and osmoregulation in a free-ranging tenebrionid beetle, *Onymacris unguicularis*, of the Namib Desert. *Journal of Insect Physiology* 28: 737-742.
- Cooper PD, Robinson MD. 1990. Water balance and bladder function in the Namib Desert sand dune lizard, *Aporosaura anchietae* (Lacertidae). *Copeia* 1: 34-40.
- Costa G, Leonardi ME, Petralia A. 1984. First notes on the orientation of *Pachyphaleria capensis* Laporte, an endemic tenebrionid beetle of the south western African coasts. *Monitore Zoologico Italiano* 18: 164-165.
- Costa G, Leonardi M-E, Petralia A. 1984. Orientation of *Pachyphaleria capensis* (Laporte) endemic tenebrionid beetle of South-Western African coasts. *Bolletino delle Sedute dell'Accademia Gioenia di Scienze Naturale in Catania* 17: 7-24.
- Costa G, Leonardi M-E, Petralia A. 1984. Reproductive behaviour of the sandy cricket *Brachytrupes membranaceus* (Drury). *Bolletino delle Sedute dell'Accademia Gioenia di Scienze Naturali in Catania* 17: 43-63.
- Costa G, Leonardi M-E, Petralia A. 1987. Day-time spatial orientation of *Pachyphaleria capensis* (Laporte), an endemic tenebrionid beetle of the South West African coast. *Madoqua* 15: 169-174.
- Costa G, Leonardi M-E, Petralia A. 1987. Reproductive behaviour of the giant cricket *Brachytrupes membranaceus* (Drury) in the Namib. *Madoqua* 15: 217-228.

- Costa G, Petralia A. 1984. Observations on reproductive behaviour of *Brachytrupes membranaceus* (Drury) (Orthoptera Gryllidae) (abstract). Proceedings: Italian Society for the Study of Animal Behaviour. Italian Society of Entomology, Turin: page 166.
- Costa G, Petralia A. 1985. Namib and Sicily: ecological and behavioural convergence in sandy ecosystems. Namib Bulletin, Gobabeb: 9-11.
- Costa G, Petralia A, Conti E. 2000. Population dynamics of stone-ring spiders of the genus *Ariadna* Audouin (Araneae: Segestriidae), in western Namibia. Cimbebasia 16: 223-229.
- Costa G, Petralia A, Conti E, Hänel C. 1995. A 'mathematical' spider living on gravel plains of the Namib Desert. Journal of Arid Environments 29: 485-494.
- Coutchié PA, Crowe JH. 1979. Transport of water vapor by tenebrionid beetles I: kinetics. Physiological Zoology 52: 67-87.
- Coutchié PA, Crowe JH. 1979. Transport of water vapor by tenebrionid beetles. II. regulation of the osmolarity and composition of the hemolymph. Physiological Zoology 52: 88-100.
- Cowlshaw G. 1997. Alarm calling and implications for risk perception in a desert baboon population. Ethology 103: 384-394.
- Cowlshaw G. 1997. Refuge use and predation risk in a desert baboon population. Animal Behaviour 54: 241-253.
- Cowlshaw G. 1997. Trade-offs between foraging and predation risk determine habitat use in a desert baboon population. Animal Behaviour 53: 667-686.
- Cowlshaw G. 1998. The role of vigilance in the survival and reproductive strategies of desert baboons. Behaviour 135: 431-452.
- Cowlshaw G. 1999. Ecological and social determinants of spacing behaviour in desert baboon groups. Behavioural Ecology & Sociobiology 45: 67-77.
- Cowlshaw G, O'Connell SM. 1996. Male-male competition, paternity certainty and copulation calls in female baboons. Animal Behaviour 51: 235-238.
- Cox GW. 1983. Foraging behaviour of the dune lark. The Ostrich 54: 113-120.
- Cox GW. 1987. The origin of vegetation circles on stony soils of the Namib Desert near Gobabeb, South West Africa/Namibia. Journal of Arid Environments 13: 237-244.
- Crawford CS. 1986. The role of invertebrates in desert ecosystems. In: Pattern and process in desert ecosystems, Whitford WG. (Editor) University of New Mexico Press, Albuquerque: 73-91.
- Crawford CS. 1988. Nutrition and habitat selection in desert detritivores. Journal of Arid Environments 14: 111-122.
- Crawford CS, Hanrahan SA, Seely MK. 1990. Scale-related habitat use by *Physadesmia globosa* (Coleoptera: Tenebrionidae) in a riparian desert environment. In: Namib ecology 25 years of Namib research. Seely MK. (Editor) Transvaal Museum, Pretoria: 135-142.
- Crawford CS, Mackay WP, Cepeda-Pizarro JG. 1993. Detritivores of the Chilean arid zone (27-32° S) and the Namib Desert: a preliminary comparison. Revista Chilena de Historia Natural 66: 283-289.
- Crawford CS, McClain EL. 1983. Habitat use during winter relative to water balance in a harpagophorid millipede from the Namib Desert. Madoqua 13: 243-250.
- Crawford CS, Seely MK. 1987. Assemblages of surface-active arthropods in the Namib dunefield and associated habitats. Revue de Zoologie Africaine 101: 397-421.
- Crawford CS, Seely MK. 1993. Dunefield detritus: its potential for limiting population size in *Lepidochora discoidalis* (Gebien) (Coleoptera: Tenebrionidae) in the Namib Desert. Journal of African Zoology 107: 527-533.
- Crawford CS, Seely MK. 1994. Detritus mass loss in the Namib Desert dunefield: influence of termites, gerbils and exposure to surface conditions. Journal of African Zoology 108: 49-54.
- Crawford CS, Taylor EC. 1984. Decomposition in arid environments: role of the detritivore gut. South African Journal of Science 80: 170-176.

- Crawford LM. 2004. Feeding competition - what is the benefit of dominance in chacma baboons (*Papio cynocephalus ursinus*)? M. Sc. Institute of Zoology, London.
- Curtis B. 1982. *Camponotus detritus*. Namib Bulletin, Gobabeb: 9.
- Curtis B. 1990. Life in the dunes. Flamingo 2(13), Johannesburg: 19-23.
- Curtis B. 1991. Notes on the behaviour and potential food plants of the snail, *Trigonephrus haughtoni* Connolly (Mollusca: Dorcasiidae), in the southern Namib Desert. Cimbebasia 13: 99-104.
- Curtis BA. 1983. Ants adapt to desert conditions. Scientific Progress 16: 2-3.
- Curtis BA. 1983. Behavioural and physiological ecology of the Namib desert dune ant, *Camponotus detritus* Emery. M. Sc. University of Cape Town, Cape Town: 1-212 pp.
- Curtis BA. 1985. Activity of the Namib Desert dune ant, *Camponotus detritus*. South African Journal of Zoology 20: 41-48.
- Curtis BA. 1985. The dietary spectrum of the Namib Desert dune ant *Camponotus detritus*. Insectes Sociaux (Paris) 32: 78-85.
- Curtis BA. 1985. Nests of the Namib Desert dune ant *Camponotus detritus* Emery. Insectes Sociaux (Paris) 32: 313-320.
- Curtis BA. 1985. Observations on the natural history and behaviour of the dune ant, *Camponotus detritus* Emery, in the central Namib Desert. Madoqua 14: 279-289.
- Curtis BA. 1985. Temperature tolerances in the Namib Desert dune ant, *Camponotus detritus*. Journal of Insect Physiology 31: 463-466.
- Curtis BA. 1988. Do ant-mimicking *Cosmophasis* spiders prey on their *Camponotus* hosts? Cimbebasia (10): 67-70.
- Curtis BA. 1990. Behaviour and ecophysiology of the Namib dune ant, *Camponotus detritus* (Hymenoptera: Formicidae). In: Namib ecology 25 years of Namib research. Seely MK. (Editor) Transvaal Museum, Pretoria: 129-133.
- Curtis BA, McClain E, Seely MK. 1983. Effects of wind on surface activity of Namib Desert insects (abstract). Proceedings: Fourth Entomological Congress. Entomological Society of South Africa (ESSA) Johannesburg: page 55.
- Curtis BA, Seely MK. 1980. Tenebrionid research. Namib Bulletin, Gobabeb: 8.
- Curtis BA, Seely MK. 1987. Effect of an environmental gradient upon the distribution and abundance of the dune ant, *Camponotus detritus*, in the central Namib Desert. Journal of Arid Environments 13: 259-266.
- Dallas H. 1988. News from the Namib. Rostrum: page 20.
- Dallas HF, Curtis BA. 1991. Shell distribution of the terrestrial snail, *Trigonephrus* sp. (Mollusca: Dorcasiidae) in the southern Namib dunes. Cimbebasia (13): 105-115.
- Dallas HF, Curtis BA, Ward D. 1991. Water exchange, temperature tolerance, oxygen consumption and activity of the Namib Desert snail, *Trigonephrus* sp. Journal of Molluscan Studies 57: 359-366.
- Daneel J. 1990. Concern about vehicle tracks leads to research project. Namib Bulletin, Gobabeb: 10.
- Daneel JL. 1992. The impact of off-road vehicle traffic on the gravel plains of the Central Namib Desert, Namibia. M. Sc. University of Natal, Pietermaritzburg: 1-117 pp.
- Daneel JL. 1992. The visual effects of off-road vehicles on the gravel plains of the Central Namib. Desert Ecological Research Station, Gobabeb: 1-14.
- Danin A. 1991. Plant adaptations in desert dunes. Journal of Arid Environments 21: 193-212.
- Danin A, Orshan G. 1995. Circular arrangement of *Stipagrostis ciliata* clumps in the Negev, Israel and near Gobabeb, Namibia. Journal of Arid Environments 30: 307-313.
- Dausab F. 1993. Die Topnaars van die Kuiseb Rivier. (Unpublished note). Walvis Bay: 1-2.

- Dausab F, Francis G, Jöhr G, Kambatuku J, Molapo M, Shanyengana SE, Swartz S. 1994. Water usage patterns in the Kuiseb catchment area - with emphasis on sustainable use. Summer Desertification Programme (SDP) Jacobson K, Jacobson P, Montgomery S, Seely MK, Thatcher T. (Editors) Desert Research Foundation of Namibia (DRFN), Windhoek: 1-120 pp.
- Dausab R, Jones R. 1997. Report on the Topnaar-Richtersveld exchange. Desert Ecological Research Unit, Desert Research Foundation of Namibia, Gobabeb: 1-17 pp.
- Davis A, Ward V. 2003. Community contact. SADC-DRFN Desertification Interact, Windhoek: 3-54 pp.
- Dawson WR, Pinshow B, Bartholomew GA, Seely MK, Shkolnik A, Shoemaker VH, Teeri JA. 1989. What's special about the physiological ecology of desert organisms? *Journal of Arid Environments* 17: 131-143.
- Day JA. 1990. Environmental correlates of aquatic faunal distribution in the Namib Desert. In: Namib ecology 25 years of Namib research. Seely MK. (Editor) Transvaal Museum, Pretoria: 99-107.
- Day JA. 1993. The major ion chemistry of some southern African saline systems. *Hydrobiologia* 267: 37-59.
- Day JA, Seely MK. 1988. Physical and chemical conditions in an hypersaline spring in the Namib Desert. *Hydrobiologia* 160: 141-153.
- De Villiers PS. 1984. Aspects of the reproductive behaviour of the Namib tenebrionid beetle, *Onymacris unguicularis* (Haag). Ph. D. University of the Witwatersrand, Faculty of Science, Johannesburg: 1-185 pp.
- De Villiers PS, Hanrahan SA. 1991. Sperm competition in the Namib Desert beetle, *Onymacris unguicularis*. *Journal of Insect Physiology* 37: 1-8.
- De Vos M. 1997. Narras, voedsel van die woestyn. *Veld & Flora* 83(4): 118-119.
- De Winter B. 1990. Notes on African plants: Poaceae. two new species of *Stipagrostis* (Aristideae) from the dune-Namib Desert, Namibia. *Bothalia* 20: 82-87.
- Deacon J, Lancaster N. 1988. Late Quaternary palaeoenvironments of southern Africa. (1<sup>st</sup> Edition) Clarendon Press, Oxford: 2-225 pp.
- Dealie FF, Hamata SA, Kambatuku JR, Molapo M, Parenzee L, Soroses FW. 1993. Rainfall in Namibia: what is normal? (Poster & Booklet). Summer Desertification Programme No.1. Desert Research Foundation of Namibia, Windhoek: 1-13.
- Dednam H. 1988. Species occurrence and densities of rodents at Visnara in the Namib Desert. Gobabeb Training and Research Institute, Cape Technikon, Gobabeb: 2-22 pp.
- Dempster ER, Perrin MR. 1989. A comparative study of agonistic behaviour in hairy-footed gerbils (genus *Gerbillurus*). *Ethology* 83: 43-59.
- Dempster ER, Perrin MR. 1989. Male-female interactions in hairy-footed gerbils (genus *Gerbillurus*). *Ethology* 83: 326-334.
- Dempster ER, Perrin MR. 1989. Maternal behaviour and neonatal development in three species of Namib Desert rodents. *Journal of Zoology, London* 218: 407-419.
- Dempster ER, Perrin MR. 1990. A preliminary description of body maintenance behaviour of four *Gerbillurus* species. *Madoqua* 17: 41-45.
- Dempster ER, Perrin MR, Downs CT, Griffin M. 1998. *Gerbillurus setzeri*. *Mammalian Species* 598: 1-4.
- Dentlinger U. 1977. An ethnobotanical study of the !nara plant among the Topnaar hottentots of Namibia. *Munger Africana Library Notes* 38: 3-39.
- Dentlinger U. 1983. Social and spatial mobility along the Kuiseb River in the Namib Desert, Namibia. B.A. (Hons.) University of Cape Town, Cape Town: 1-231pp.
- Deutsch C. 2003. Asking Namibian farmers to discuss desertification. *Ruminations*: 1/8-8-11.
- Devas FS. 2005. The influence of social relationships on foraging success in chacma baboons (*Papio ursinus*). Ph. D. St. John's College, London.

- Dickinson WW, Ward JD. 1990. Initial porosity and pore space reduction in aeolian sands (abstract). Proceedings: Geological Society of New Zealand. Annual Conference, Napier: 9.
- Dickinson WW, Ward JD. 1994. Low depositional porosity in eolian sands and sandstones, Namib Desert. *Journal of Sedimentary Research* A64: 226-232.
- Dickman CR, Mannheimer C, Pallett J. 1995. Dietary selectivity of the spotted eagle owl *Bubo africanus* in the western Kalahari. *Cimbebasia* 14: 31-36.
- Dietz-Elbraechter G. 1973. Protozoen der Wüstengewässer. *South West African Annual Yearbook*, Windhoek: 87.
- Digby-Clarke N. 2006. Gobabeb moving toward, building capacity all the while. *Tourismus – Journal* (October 2006), Windhoek: page 11.
- Digby-Clarke N. 2006. Gobabeb: meeting funding challenges. *Namibia Economist* (16 June 2006), Windhoek: pages 4-5.
- Dippenaar-Schoeman AS. 1990. A revision of the African spider genus *Seothyra* Purcell (Araneae: Eresidae). *Cimbebasia* (12): 135-160.
- Dixon JEW. 1974. A note on *Leptotyphlops* Fitzinger in South West Africa. *Madoqua Series II* 3: 33-35.
- Dixon JEW, Blom MJ. 1974. Some aquatic vertebrates from the Namib Desert, South West Africa. *Madoqua, Series II* 3: 31-32.
- Dixon JEW, Louw GN. 1978. Seasonal effects on nutrition, reproduction and aspects of thermoregulation in the Namaqua sandgrouse (*Pterocles namaqua*). *Madoqua* 11: 19-29.
- Downs CT. 1989. The ecophysiology of four *Gerbillurus* species with special reference to their temperature and water regulation. Ph. D. University of Natal, Department of Zoology, Pietermaritzburg. 1-210 pp.
- Downs CT, Perrin MR. 1989. An investigation of the macro- and micro-environments of four *Gerbillurus* species. *Cimbebasia* (11): 41-54.
- Downs CT, Perrin MR. 1991. Urinary concentrating ability of four *Gerbillurus* species of southern African arid regions. *Journal of Arid Environments* 20: 71-81.
- Dowsett L. 2004. An investigation of producer-scrounger foraging strategies in *Papio ursinus* (chacma baboons). M. Sc. Institute of Zoology, London.
- Drausnick V. 2003. Gobabeb Training and Research Centre, Desert Research Foundation of Namibia, Gobabeb: 1-21 pp.
- Du Pisani E. 1973. Die sosiaal-ekonomiese lewe van Soutrivier - 'n Namasprekende nedersetting aan die Kuiseb. M. Sc. 1-62 pp.
- Du Pisani E. 1981. 'N Topnaar-gemeenskap in die Kuiseb-vallei: sosiale komposisie en alledaagse lewe. *Khoisis*: 19-32.
- Du Pisani E. 1983. Past and present plant utilization in Namaland and the lower Kuiseb River valley, South West Africa (Namibia). a preliminary report. *Khoisis* 4: 1-19.
- Du Plessis P. 1999. Sources and sinks of greenhouse gases in Namibia, Desert Research Foundation of Namibia, Windhoek: 1-37 pp.
- Du Toit CA. 1972. Dr. Charles Koch in memorium. *Madoqua Series II* 1: 5.
- Du Toit D, Karita A, Sguazzin T. 1992. Burning the candle at both ends ... (1<sup>st</sup> Edition) Desert Research Foundation of Namibia, Ministry of Education and Culture, Windhoek: 1-179 pp.
- Du Toit D, Karita A, Sguazzin T. 1993. Sink or swim. (1<sup>st</sup> Edition) Desert Research Foundation of Namibia, Ministry of Education and Culture, Windhoek: 1-216 pp.
- Du Toit D, Karita A, Sguazzin T. 1994. Lives in the balance. (1<sup>st</sup> Edition) Desert Research Foundation of Namibia, Ministry of Education and Culture, Windhoek: 1-221 pp.
- Du Toit D, Sguazzin T. 1995. A beginner's guide to outdoor teaching. (1<sup>st</sup> Edition) Desert Research Foundation of Namibia, Ministry of Education and Culture, Windhoek: 1-23 pp.

- Du Toit D, Sguazzin T. 1995. My land my life. (1<sup>st</sup> Edition) Desert Research Foundation of Namibia, Ministry of Education and Culture, Windhoek: 4-117 pp.
- Du Toit D, Sguazzin T. 1995. Playing with fire. (1<sup>st</sup> Edition) Desert Research Foundation of Namibia, Ministry of Education and Culture, Windhoek: 1-208 pp.
- Du Toit D, Sguazzin T. 1995. Tools of the trade. (1<sup>st</sup> Edition) Desert Research Foundation of Namibia, Ministry of Education and Culture, Windhoek: 4-205 pp.
- Du Toit D, Sguazzin T, Günster A. 1995. Our growing wealth. (1<sup>st</sup> Edition) Desert Research Foundation of Namibia, Ministry of Education and Culture, Windhoek: 4-88 pp.
- Du Toit D, Tworeck D. 1992. Water is life. *Flamingo* 4(32), Johannesburg: 30-33.
- Eckardt F. 1996. The distribution and origin of gypsum in the Central Namib Desert, Namibia. Ph. D. University of Oxford, Hertford College, Oxford: 1-320 pp.
- Eckardt F, White K. 1997. Human induced disruption of stone pavement surfaces in the Central Namib Desert, Namibia: observations from Landsat Thematic Mapper. *International Journal of Remote Sensing* 18: 3305-3310.
- Eckardt FD. 1998. The chemistry of Namib Desert fog in comparison with coastal desert fog of Chile and Oman. *Proceedings: 1st Conference on Fog and Fog Collection*. International Development Research Centre. Vancouver, Canada: 187-189.
- Eckardt FD. 2001. The origin of sulphates: an example of sulphur isotopic applications. *Progress in Physical Geography* 25: 512-519.
- Eckardt FD, Drake N, Goudie AS, White K, Viles H. 2001. The role of playas in pedogenic gypsum crust formation in the central Namib Desert: a theoretical model. *Earth Surface Processes and Landforms* 26: 1177-1193.
- Eckardt FD, Schemenauer RS. 1998. Fog water chemistry in the Namib Desert, Namibia. *Atmospheric Environment* 32: 2595-2599.
- Eckardt FD, Spiro B. 1999. The origin of sulphur in gypsum and dissolved sulphate in the Central Namib Desert, Namibia. *Sedimentary Geology* 123: 255-273.
- Eckardt FD, Washington R, Wilkinson MJ. 2001. The origin of dust on the West Coast of Southern Africa. In: *Palaeoecology of Africa and the surrounding islands*. Heine C. (Editor). A. A. Balkema, Lisse, The Netherlands: 207-219.
- Eckardt FD, Wilkinson MJ, Lulla KP. 2000. Using digitized handheld Space Shuttle photography for terrain visualization. *International Journal of Remote Sensing* 21: 1-5.
- Edney EB. 1971. The body temperature of tenebrionid beetles in the Namib Desert of southern Africa. *Journal of Experimental Biology* 55: 253-272.
- Edney EB. 1971. Some aspects of water balance in tenebrionid beetles and a thysanuran from the Namib Desert of southern Africa. *Physiological Zoology* 44: 61-76.
- Eichler H. 1990. Von Wasser und Wind in der zentralen Namib (Namibia) - Bemerkungen zum wenig beachteten Feuchtehaushalt in den Dünensanden einer Nebelwüste. *Mainzer Geographische Studien* 34: 61-76.
- Eisinger D, Jeltsch F, Henschel J, Ulbrich K, Lubin Y, Wissel C. 1998. Das lokale Ausbreitungsmuster der Wüstenspinne *Seothyra henscheli* - ein räumlich-explizites gitterbasiertes Simulationsmodell. *Verhandlungen der Gesellschaft für Ökologie* Band 28: 141-150.
- Eltayeb MAH, Van Grieken RE, Maenhaut W, Annegarn HJ. 1993. Aerosol-soil fractionation for Namib Desert samples. *Atmospheric Environment* 27A: 669-678.
- Enders M. 2006. Gobabeb - Oase des Wissens Praktische Forschung in Africa. *Biologen Heute*, München: 20-23.
- Enders M, Henschel J. 2000. Nebel Wasserquelle in der Wüste. *Spektrum der Wissenschaft*, Germany: 38-41.

- Enders MM. 1990. Sexual selection sheds light on evolution of dimorphism. *Namib Bulletin*, Gobabeb: 3.
- Enders MM. 1995. Size-assortative mating in a tenebrionid beetle of the Namib Desert. *Journal of Arid Environments* 29: 469-484.
- Enders MM. 1997. Innere Konflikte bei Wüstenbewohnern. *Frankfurter Allgemeine Zeitung* (12 November 1997), Frankfurt, Germany.
- Enders MM, Schüle H. 1993. Age identification of a Namib Desert tenebrionid beetle. *Journal of Arid Environments* 24: 211-214.
- Enders MM, Schüle H, Henschel JR. 1998. Sexual dimorphism, fighting success and mating tactics of male *Onymacris plana* Péringuey (Coleoptera: Tenebrionidae) in the Namib Desert. *Ethology* 104: 1003-1019.
- Endrödy-Younga S. 1982. Dispersion and translocation of dune specialist tenebrionids in the Namib area. *Cimbebasia Series A*(5): 257-271.
- Endrödy-Younga S, 1982. The evidence of Coleoptera in dating the Namib Desert re-examined. In: *Palaeoecology of Africa and the surrounding islands*. Volume 15. Coetzee JA, van Zinderen Bakker EM.Sr. (Editors) A. A.Balkema, Rotterdam: 217-224 pp.
- Eppley SM, Wenk EH. 2001. Reproductive biomass allocation in the dioecious perennial *Acanthosicyos horrida*. *South African Journal of Botany* 67: 10-14.
- Evert RF, Bornman CH, Butler V, Gilliland MG. 1973. Structure and development of sieve areas in leaf veins of *Welwitschia*. *Protoplasma* 76: 23-34.
- Evert RF, Bornman CH, Butler V, Gilliland MG. 1973. Structure and development of the sieve-cell protoplast in leaf veins of *Welwitschia*. *Protoplasma* 76: 1-21.
- Faulkner DK. 1988. Environment Southwest: Africa. The central Namib Desert. *Environment Southwest*: 8-11.
- Fennessy JT, Leggett K, Schneider S. 2003. Distribution and status of the desert-dwelling giraffe (*Giraffa camelopardalis angolensis*) in northwestern Namibia. *African Zoology* 38: 184-188.
- Fennessy S, Fennessy J. 2004. Hoanib River catchment. (1<sup>st</sup> Edition) Hamilton B, Montgomery S. (Editors) Desert Research Foundation of Namibia, Windhoek: 1-40 pp.
- Fenwick GA. 1990. Origin and surface form of the Tsondab sandstone formation, Central Namib Desert. M. Sc. University of the Witwatersrand, Johannesburg: 1-127 pp.
- Fenwick GA. 1991. Grain size and easterly wind influences on dunes of the north central Namib Desert. *Zeitschrift für Geomorphologie N.F.* 35: 283-292.
- Ferguson JWH. 1989. Summer activity patterns of the riparian desert beetle *Physadesmia globosa*. *Madoqua* 16: 9-13.
- Ferguson JWH. 1992. Mate following in desert tenebrionid beetles revisited: why do males spend so much time in courtship? *Journal of the Kansas Entomological Society* 65: 125-133.
- Fiebiger M. 2003. Evaluation of crop cultivation potentials at the brim of rain fed agriculture by means of an agro-ecological crop-simulation model. Diploma. University of Trier, Trier.
- Fielden LJ. 1989. Selected aspects of the adaptive biology and ecology of the Namib Desert golden mole (*Eremitalpa granti namibensis*). Ph. D. University of Natal, Department of Zoology & Entomology, Pietermaritzburg: 1-247 pp.
- Fielden LJ. 1991. Home range and movements of the Namib desert golden mole, *Eremitalpa granti namibensis* (Chrysochloridae). *Journal of Zoology*, London 223: 675-686.
- Fielden LJ, Hickman GC, Perrin MR. 1992. Locomotory activity in the Namib Desert golden mole *Eremitalpa granti namibensis* (Chrysochloridae). *Journal of Zoology*, London 226: 329-344.
- Fielden LJ, Perrin MR, Hickman GC. 1990. Feeding ecology and foraging behaviour of the Namib Desert golden mole, *Eremitalpa granti namibensis* (Chrysochloridae). *Journal of the Zoological Society*, London 220: 367-389.

- Fielden LJ, Perrin MR, Hickman GC. 1990. Water metabolism in the Namib Desert golden mole, *Eremitalpa granti namibensis* (Chrysochloridae). *Comparative Biochemistry and Physiology* 96A: 227-234.
- Fielden LJ, Waggoner JP, Perrin MR, Hickman GC. 1990. Thermoregulation in the Namib Desert golden mole, *Eremitalpa granti namibensis* (Chrysochloridae). *Journal of Arid Environments* 18: 221-237.
- Fitter J, Kruger B, Fuller B, Hangula L, Seely M. 1996. Namibian case study. Proceedings: Global change and subsistence rangelands in southern Africa: the impacts of climatic variability and resource access on rural livelihoods. GCTE. Odada E, Totolo O, Stafford Smith M, Ingram J. (Editors) Canberra, Australia: 80-84.
- Fitzsimons V. 1961. Probing the mysteries of the Namib Desert. *C.S.I.R. Research Review* 11: 111-112.
- Fitzsimons V. 1962. A new worm snake (*Leptotyphlops*) from South West Africa. *Annals of the Transvaal Museum, Pretoria* 24: 239-240.
- Fitzsimons V. 1963. The Namib Desert. *African Wildlife* 17: 215-227.
- Fitzsimons V. 1972. A tribute to the late Dr. Charles Koch. *Madoqua Series II* 1: 7-12.
- Flower C. 1998. Water conservation in action. Proceedings: National Water Conservation Workshop, Department of Water Affairs. Gaborone, Botswana: 25-26.
- Forbes Irving T. 1996. Cuvelai. (1<sup>st</sup> Edition) Managing water points and grazing areas in Namibia. Ohangwena, Omusati, Oshana and Oshikoto regions. Seely M, Montgomery S. (Editors) Desert Research Foundation of Namibia (DRFN), Ministry of Agriculture, Water and Rural Development (MAWRD). Windhoek: 3-101 pp.
- Forbes Irving T, Ward V. 1999. Erongo. (1<sup>st</sup> Edition) Managing water points and grazing areas in Namibia. Seely M. (Editor) Desert Research Foundation of Namibia (DRFN), Ministry of Agriculture, Water and Rural Development (MAWRD), Windhoek: 3-102 pp.
- Forbes Irving T, Ward V. 1999. Northern Kunene. (1<sup>st</sup> Edition) Managing water points and grazing areas in Namibia. Seely M, Dentlinger L. (Editors) Desert Research Foundation of Namibia (DRFN), Ministry of Agriculture, Water and Rural Development (MAWRD), Windhoek: 1-101 pp.
- Fox B, Groepe MA. 1990. Alien invaders of the botanical kind. *Namib Bulletin, Gobabeb*: 4.
- Fox B, Groepe MA. 1990. Education, tourism increase in importance for DERU. *Namib Bulletin, Gobabeb*: 5-6.
- Francis G. 1994. Research Foundation sets an example: patterns of the water consumption in the Kuiseb River. *Namib Times* (28 January 1994), Walvis Bay: page 1.
- Franklin C. 1995. Pair in a lair on a hair. *BBC Wildlife, London, Great Britain*: page 12.
- Fröhlich GL. 2004. Towards supporting tutoring in a semi-distance environmental education course: A Namibian case study. *Master of Education - with specialisation in environmental education. University of South Africa, Pretoria*: 1-145 pp.
- Fröhlich GL, le Roux C. 2004. Supporting tutoring within a Namibian environmental education course. *Southern African Journal of Environmental Education* 21: 120-133.
- Fryberger SG, Hesp P, Hastings K. 1992. Aeolian granule ripple deposits, Namibia. *Sedimentology* 39: 319-331.
- Fujioka Y. 2005. Vegetation changes and use of palms as a building material by Ovambo agro-pastoralists in north-central Namibia. *African Study Monographs Suppl.* 30: 89-105.
- Gabriel M. 1993. The impact of stock along a defined stretch of the lower Kuiseb River, Central Namib Desert: a first attempt at quantification. *Desert Ecological Research Unit (DERU), Desert Research Foundation of Namibia (DRFN), Gobabeb: Survey report.*
- Gäde G. 1994. Isolation and structure elucidation of a neuropeptide from three species of Namib desert tenebrionid beetles. *South African Journal of Zoology* 29: 11-18.

- Gamble FM. 1980. Rainfall in the Namib Desert Park. *Madoqua* 12: 175-180.
- Gardiner M, Siteketa V, Henschel J. 2006. Water at Gobabeb: quite a story! Roan News, 40 years special anniversary edition. Windhoek: 30-32.
- Gardiner M, Siteketa V, Henschel J. 2006. Water research at Gobabeb. Bay News (June 2006), Walvis Bay: 6-7.
- Garton RCE. 1997. Jointing control on bornhardt evolution in Southwest Africa. B.A. Honours University of Durham, Department of Geography, Durham: 2-69 pp.
- Gasc JP, Jouffroy FK, Renous S, von Blottnitz F. 1986. Morphofunctional study of the digging system of the Namib Desert golden mole (*Eremitalpa granti namibensis*): cinefluorographical and anatomical analysis. *Journal of Zoology, London (A)* 208: 9-35.
- Gericke MD, Hofmeyr JM, Louw GN. 1978. The effect of capture stress and haloperidol therapy on the physiology and blood chemistry of springbok. *Madoqua* 11: 5-18.
- Gerneke D, McClain L. 1981. SEM study of wax blooms in tenebrionid beetles from the Namib Desert. *Electron Microscopy* 2: 101-102.
- Getzin S. 2005. The suitability of the degradation gradient method in arid Namibia. *African Journal of Ecology* 43: 340-351.
- Giess W. 1962. Some notes on the vegetation of the Namib Desert with a list of plants collected in the area visited by the Carp-Transvaal Museum expedition during May 1959. *Cimbebasia* (2): 3-35.
- Giess W. 1968. A short report on the vegetation of the Namib coastal area from Swakopmund to Cape Frio. *Scientific Papers of the Namib Desert Research Station*: 13-29.
- Gilbertas B, Grünwald O. 2001. Dans les sables vivants du Namib. *Grands Reportages* (December 2001), Grenoble, France: 54-63.
- Gilliland MG, Bornman CH, Carter M, Evert RF. 1971. Ultrastructure of transfusion tracheids of *Welwitschia mirabilis*. *Proceedings: Southern African Electron Microscopy Society, Pretoria*: 31-32.
- Glajchen DM. 1984. Temperature measurement in biotelemetry - a novel application for microwave dielectric resonators. *Elektron* (August 1984), Johannesburg: 10-13.
- Goelst K, Seely MK, Mitchell D. 1993. Temperature dependence of metabolic rates of five species of Namib desert beetle (abstract). *Proceedings: Thermal physiology*. Milton AS. (Editor) International Union of Physiological Sciences Thermal Physiology Commission, Aberdeen: page 35.
- Goldberg SR, Robinson MD. 1979. Reproduction in two Namib Desert lacertid lizards (*Aporosaura anchietae* and *Meroles cuneirostris*). *Herpetologica* 35: 169-175.
- Goodman E. 2003. Investigating producer-scrounger dynamics in social foraging chacma baboons (*Papio ursinus*). M. Sc. University of York, Institute of Zoology, London.
- Goudie A. 1970. Notes on some major dune types in southern Africa. *The South African Geographical Journal* 52: 93-101.
- Goudie A. 1972. Climate, weathering, crust formation, dunes, and fluvial features of the central Namib Desert, near Gobabeb, South West Africa. *Madoqua Series II* 1: 15-31.
- Goudie A. 1972. On the definition of calcrete deposits. *Zeitschrift für Geomorphologie N.F.* 16: 464-468.
- Goudie AS, Cooke RU, Doornkamp JC. 1979. The formation of silt from quartz dune sand by salt-weathering processes in deserts. *Journal of Arid Environments* 2: 105-112.
- Goudie AS, Eckardt FD. 1999. The evolution of the morphological framework of the central Namib Desert, Namibia, since the early Cretaceous. *Geografiska Annaler* 81A: 443-458.
- Goudie AS, Migón P. 1997. Weathering pits in the Spitzkoppe area, central Namib Desert. *Zeitschrift für Geomorphologie N.F.* 41: 417-444.
- Goudie AS, Parker AG. 1998. Experimental simulation of rapid rock block disintegration by sodium chloride in a foggy coastal desert. *Journal of Arid Environments* 40: 347-355.

- Goudie AS, Viles HA, Parker AG. 1997. Monitoring of rapid salt weathering in the central Namib Desert using limestone blocks. *Journal of Arid Environments* 37: 581-598.
- Gowtage-Sequeira S. 2004. The importance of jackals and domestic dogs for the transmission of generalist canid pathogens to sympatric carnivores in Namibia. Ph. D. The University of Edinburgh and The Institute of Zoology, London: 1-318 pp.
- Gray V. 1980. Fog precipitation in the Central Namib Desert: a short-term project. *Namib Bulletin, Gobabeb*: 6-8.
- Griffin E. 1990. Seasonal activity, habitat selection and species richness of Solifugae (Arachnida) on the gravel plains of the central Namib Desert. In: *Namib ecology 25 years of Namib research*. Seely MK. (Editor) Transvaal Museum, Pretoria: 77-82.
- Griffin E, Dippenaar-Schoeman AS. 1991. A checklist of, and references to, the Namibian spider fauna (Arachnida, Araneae). *Cimbebasia* (13): 155-181.
- Griffin M. 1990. A review of taxonomy and ecology of gerbilline rodents of the central Namib Desert, with keys to the species (Rodentia: Muridae). In: *Namib ecology 25 years of Namib research*. Seely MK. (Editor) Transvaal Museum, Pretoria: 83-98.
- Grobbelaar JU. 1976. Some limnological properties of an ephemeral waterbody at Sossus Vlei, Namib Desert, South West Africa. *Journal of the Limnological Society of southern Africa* 2: 51-54.
- Grobbelaar JU, Seely MK. 1980. The composition of water collected from the Kuiseb River, Namib Desert, at Gobabeb. *Journal of the Limnological Society of southern Africa* 6: 46-48.
- Grousset FE, Biscaye PE, Revel M, Petit J-R, Pye K, Joussaume S, Jouzel J. 1992. Antarctic (Dome C) ice-core dust at 18 k.y. B.P.: isotopic constraints on origins. *Earth and Planetary Science Letters* 111: 175-182.
- Grube S. 1993. Untersuchungen zum Wassergleichgewicht bei Termiten in ariden Lebensräumen am Beispiel von *Psammotermes allocerus* Silvestri. Diploma. Freie Universität Berlin, Berlin: 6-69 pp.
- Grube S. 1994. Unsichtbar, aber effizient: termiten in der Namibwüste. *Namibia Magazin*. Department of Soil Science & Agrometeorology, University of Natal, Göttingen, Germany: 12-13.
- Grube S, Rudolph D. 1995. Termites in arid environments: the waterbalance of *Psammotermes allocerus* Silvestri. *Mitteilungen der Deutschen Gesellschaft für allgemeine und angewandte Entomologie* 10: 665-668.
- Grunewald O, Gilbertas B. 2003. *Namibie. Le désert de la vie* (1<sup>st</sup> Edition) Publisher: Nathan, Paris: 6-190 pp.
- Gruntkowski N. 2001. Landschaftswahrnehmung und Ressourcennutzung verschiedener kultureller Gruppen am Kuiseb, Zentralnamibia. Diploma. Universität zu Köln, Köln: 1-127 pp.
- Gruntkowski N, Henschel J. 2004. !Nara in Topnaar history. In: !NARA fruit for development of the !Khuseb Topnaar. Henschel J, Dausab R, Moser P, Pallett J. (Editors). *Namibia Scientific Society*, Windhoek: 39-48.
- Günster A. 1990. Plant research leads to computer modeling. *Namib Bulletin, Gobabeb*: 4.
- Günster A. 1992. Aerial seed banks in the central Namib: distribution of serotinous plants in relation to climate and habitat. *Journal of Biogeography* 19: 563-572.
- Günster A. 1992. Masters of minimum moisture. *Flamingo, Johannesburg*: 31-33.
- Günster A. 1993. Does the timing and intensity of rain events affect resource allocation in serotinous desert plants? *Acta Oecologica* 14: 153-159.
- Günster A. 1993. Dune plants. *Flamingo, Johannesburg*: 16-19.
- Günster A. 1993. Fairy circles. *Flamingo, Johannesburg*: 13-15.
- Günster A. 1993. Microhabitat differentiation among serotinous plants in the Namib desert. *Journal of Vegetation Science* 4: 585-590.

- Günster A. 1993. Seed bank dynamics of serotinous plants in the Central Namib. Ph. D. Westfälischen Wilhelms-Universität Münster, Münster: 1-112 pp.
- Günster A. 1994. Fatal attraction. Flamingo, Johannesburg: 24-29.
- Günster A. 1994. A Namibian fairy story. Getaway (December 1994).
- Günster A. 1994. Phenological niches of coexisting serotinous plants in the Namib Desert. Journal of Tropical Ecology 10: 531-544.
- Günster A. 1994. Seed bank dynamics - longevity, viability and predation of seeds of serotinous plants in the central Namib Desert. Journal of Arid Environment 28: 195-205.
- Günster A. 1994. Variability in life history parameters of four serotinous plants in the Namib Desert. Vegetatio 114: 149-160.
- Günster A. 1995. *Codon royenii* - a multiseasonal desert plant. Cimbebasia (14): 23-30.
- Günster A. 1995. Grass cover distribution in the central Namib - a rapid method to assess regional and local rainfall patterns of arid regions? Journal of Arid Environments 29: 107-114.
- Günster A. 1995. Journey through time. Flamingo, Johannesburg: 8-13.
- Günster A, Hadley NF, Mitchell D, Nobel PS, Seely M. 1994. Form and function. In: Deserts. Seely M. (Editor) Weldon Owen Production, McMahons Point, NSW, Australia: 66-79.
- Günther A. 1995. Untersuchungen zum Mischungsverhältnis von Ammoniumsalm-Aerosol und Ammoniak im atmosphärischen Mehrphasensystem. Diploma. Johann Wolfgang Goethe-University, Frankfurt/Main: 1-77 pp.
- Gut S. 1987. Moisture in the dunes of the Namib Desert. Namib Bulletin, Gobabeb: 12.
- Gut S. 1988. Study of the moisture budget of the dunes of the central Namib Desert. M. Sc. Geographisches Institut der Universität Zürich, Zürich: 1-125 pp.
- 
- Haacke WD. 1963. First find of the Namib golden mole (*Eremitalpa granti namibensis*). IUCN Bulletin 9: page 8.
- Haacke WD. 1964. Description of two new species of lizards and notes on *Fitzsimonsia brevipes* (Fitzsimons) from the central Namib Desert. Scientific Papers of the Namib Desert Research Station: 1-15.
- Haacke WD. 1965. Additional notes on the herpetology of South West Africa with descriptions of two new subspecies of Geckos. Cimbebasia (11): 1-39.
- Haacke WD. 1968. A taxonomic and ecological study of the burrowing geckos of southern Africa. M. Sc. University of Pretoria, Faculty of Science, Pretoria: 1-201 pp.
- Haacke WD. 1969. The call of the barking geckos (Gekkonidae: Reptilia). Scientific Papers of the Namib Desert Research Station: 83-93.
- Haacke WD. 1970. New herpetological records from South West Africa. Annals of the Transvaal Museum, Pretoria 26: 277-283.
- Haacke WD. 1974. Die Bellgeckos des südlichen Afrika. Natur und Museum 104: 273-279.
- Haacke WD. 1975. The burrowing geckos of southern Africa, 1 (Reptilia: Gekkonidae). Annals of the Transvaal Museum, Pretoria 29: 197-243.
- Haacke WD. 1975. Herpetological investigations in the sand sea of the southern Namib. Bulletin of the Transvaal Museum, Pretoria: 8-10.
- Haacke WD. 1976. The burrowing geckos of southern Africa, 2 & 3 (Reptilia: Gekkonidae). Annals of the Transvaal Museum, Pretoria 30: 13-39.
- Haacke WD. 1976. The burrowing geckos of southern Africa, 4. (Reptilia: Gekkonidae). Annals of the Transvaal Museum, Pretoria 30: 53-70.
- Haacke WD. 1976. The burrowing geckos of southern Africa, 5 (Reptilia: Gekkonidae). Annals of the Transvaal Museum, Pretoria 30: 71-89.

- Haacke WD. 1982. Distribution patterns of reptiles as indicators of geomorphological events in the Namib Desert. In: Palaeoecology of Africa and the surrounding islands. Volume 15. Coetzee JA, van Zinderen Bakker EM.Sr. (Editors) A. A.Balkema, Rotterdam: 225-226 pp.
- Haacke WD. 1986. Description of a new species of *Typhlosaurus* Wiegman, 1834 (Reptilia: Scincidae) from the west coast of southern Africa, with new records of related species. Annals of the Transvaal Museum, Pretoria 34: 227-235.
- Haacke WD, Odendaal FJ. 1981. The distribution of the genus *Rhoptropus* (Reptilia, Gekkonidae) in the central Namib Desert. Madoqua 12: 199-215.
- Haase-Mühlner A. 1994. Grundmuster und Evolution der Solifugen (Chelicerata, Arachnida). M. Sc. University of Hamburg, Institute and Museum of Zoology, Hamburg: 1-91 pp.
- Hachfeld B. 1996. Vegetationsökologische Transektanalyse in der nördlichen Zentralen Namib. M. Sc. University of Hamburg, Hamburg: 137 pp.
- Hachfeld B. 2000. Rain, fog and species richness in the Central Namib Desert in the exceptional rainy season of 1999/2000. Dinteria 26: 113-146.
- Hachfeld B, Jürgens N. 2000. Climate patterns and their impact on the vegetation in a fog driven desert: the Central Namib Desert in Namibia. Phytocoenologia 30: 567-589.
- Hadley NF. 1993. Beetles make their own waxy sunblock. Natural History: 44-45.
- Hadley NF. 1994. Ventilatory patterns and respiratory transpiration in adult terrestrial insects. Physiological Zoology 67: 175-189.
- Hadley NF, Louw GN. 1980. Cuticular hydrocarbons and evaporative water loss in two tenebrionid beetles from the Namib Desert. South African Journal of Science 76: 298-301.
- Hale MEJ, Vobis G. 1978. Santessonia, a new lichen genus from Southwest Africa. Botaniska Notiser 131: 1-5.
- Hamilton WJ.III. 1971. Competition and thermoregulatory behavior of the Namib Desert tenebrionid beetle genus *Cardiosis*. Ecology 52: 810-822.
- Hamilton WJ.III. 1973. Life's color code. (1<sup>st</sup> Edition) Publisher: McGraw-Hill Book Company, New York: 5-238 pp.
- Hamilton WJ.III. 1975. Coloration and its thermal consequences for diurnal desert insects. In: Environmental physiology of desert organisms. Hadley NF. (Editor) Dowden, Hutchinson & Ross, Inc., Stroudsburg, Pennsylvania: 67-89.
- Hamilton WJ.III. 1983. The living sands of the Namib. National Geographic, Washington, D.C.: 364-377.
- Hamilton WJ.III. 1985. Demographic consequences of a food and water shortage to desert Chacma baboons, *Papio ursinus*. International Journal of Primatology 6: 451-462.
- Hamilton WJ.III. 1986. Namib Desert chacma baboon (*Papio ursinus*) use of food and water resources during a food shortage. Madoqua 14: 397-407.
- Hamilton WJ.III., Buskirk R, Buskirk WH. 1977. Intersexual dominance and differential mortality of gemsbok *Oryz gazella* at Namib Desert waterholes. Madoqua 10: 5-19.
- Hamilton, WJ.III., Buskirk RE, Buskirk WH. 1975. Chacma baboon tactics during intertroop encounters. Journal of Mammalogy 56: 857-870.
- Hamilton WJ.III., Buskirk RE, Buskirk WH. 1975. Defensive stoning by baboons. Nature 256: 488-489.
- Hamilton WJ.III., Buskirk RE, Buskirk WH. 1976. Defense of space and resources by chacma (*Papio ursinus*) baboon troops in an African desert and swamp. Ecology 57: 1264-1272.
- Hamilton WJ.III., Buskirk RE, Buskirk WH. 1976. Social organization of the Namib Desert tenebrionid beetle *Onymacris rugatipennis*. The Canadian Entomologist 108: 305-316.
- Hamilton WJ.III., Buskirk RE, Buskirk WH. 1978. Omnivory and utilization of food resources by chacma baboons (*Papio ursinus*). American Naturalist 112: 911-924.

- Hamilton WJ.III., Coetzee CG. 1969. Thermoregulatory behaviour of the vegetarian lizard *Angolosaurus skoogi* on the vegetationless northern Namib Desert dunes. Scientific Papers of the Namib Desert Research Station: 95-103.
- Hamilton WJ.III., Henschel JR, Seely MK. 2003. Fog collection by Namib Desert beetles. South African Journal of Science 99(3/4): 181.
- Hamilton WJ.III., Penrith M-L. 1977. Description of an individual possible hybrid tenebrionid beetle and the habitat preference of the parental species. The Canadian Entomologist 109: 701-710.
- Hamilton WJ.III., Seely MK. 1976. Fog basking by the Namib Desert beetle, *Onymacris unguicularis*. Nature 262: 284-285.
- Hamilton WJ.III., Seely MK. 1976. Fog trap construction and fog basking by Namib Desert tenebrionid beetles. Bulletin of the Ecological Society of America 57(1): page 57.
- Hamilton WJ.III., Tilson RL. 1982. Solitary male Chacma baboons in a desert canyon. American Journal of Primatology 2: 149-158.
- Hamilton WJ.III., Tilson RL, Frank LG. 1985. Sexual monomorphism in spotted hyenas, *Crocuta crocuta*. Zeitschrift für Tierpsychologie 66: 231-243.
- Hamilton WR, van Couvering JA. 1977. Lower Miocene mammals from South West Africa. Namib Bulletin, Gobabeb: 9-11.
- Hamukwaya PN. 1998. Historical and present land management and land-uses at three selected farms in southern Kunene region. 3rd year in-service training project report in community development studies, Department of Natural Resource Management, Polytechnic of Namibia & Desert Research Foundation of Namibia, Windhoek: 1-37 pp.
- Hänel C. 1994. Hedgehog amongst beetles ... new Namib discovery. Namib Times (3 June 1994), Walvis Bay: page 1.
- Hänel C. 1994. Signs of rain. Flamingo, Johannesburg: 24-29.
- Hänel C. 1995. Rivers of life. Flamingo, Johannesburg: 8-10.
- Hänel C. 1996. Footprints in the sand. Flamingo, Johannesburg: 24-31.
- Hanrahan SA. 1983. Observations on cell division in midgut regions of *Onymacris plana* (Coleoptera: Tenebrionidae) in relation to feeding and temperature (abstract). Proceedings: Fourth Congress of the Entomological Society of Southern Africa, Johannesburg: 54-55.
- Hanrahan SA, Chemaly G, McClain E. 1983. Preliminary report on changes in elytron structure of tenebrionid beetles as a result of ageing. Proceedings: Electron Microscopy Society of Southern Africa: 1-2.
- Hanrahan SA, Kirchner WH. 1994. Acoustic orientation and communication in desert tenebrionid beetles in sand dunes. Ethology 97: 26-32.
- Hanrahan SA, Kirchner WH. 1997. The effect of wind on foraging activity of the tenebrionid beetle *Lepidochora discoidalis* in the sand dunes of the Namib Desert. South African Journal of Zoology 32: 136-139.
- Hanrahan SA, McClain E, Gernecke D. 1984. Dermal glands concerned with production of wax blooms in desert tenebrionid beetles. South African Journal of Science 80: 176-181.
- Hanrahan SA, McClain E, Warner SJC. 1987. Protein component of the surface 'wax' bloom of a desert tenebrionid, *Zophosis testudinaria*. South African Journal of Science 83: 495-497.
- Hanrahan SA, Nicolson SW. 1987. Ultrastructure of the malpighian tubules of *Onymacris plana plana* Peringuey (Coleoptera: Tenebrionidae). International Journal of Insect Morphology and Embryology 16: 99-119.
- Hanrahan SA, Seely MK. 1990. Food and habitat use by three tenebrionid beetles (Coleoptera) in a riparian desert environment. In: Namib ecology 25 years of Namib research. Seely MK. (Editor) Transvaal Museum, Pretoria: 143-147.

- Hanrahan SA, Yeaton RI. 1987. Population estimates of *Onymacris bicolor* (Coleoptera: Tenebrionidae) in the dunefields of the Skeleton Coast Park, South West Africa/Namibia. *Madoqua* 15: 175-181.
- Hardaker T. 2005. The Namibia palaeolithic field research project (NAMPAL) 2002. *South African Archaeological Bulletin* 1-8.
- Harington A. 1981. Diurnalism in *Parabuthus villosus* (Peters) (Scorpiones, Buthidae). *The Journal of Arachnology* 10: 85-86.
- Harmse JT. 1980. Die noordwaartse begrensing van die duinsee van die sentrale Namib langs die benede-Kuiseb. Ph. D. University of Stellenbosch, Stellenbosch: 1-229 pp.
- Hartman A. 2006. Experience the secret of the desert. *Namib Times* (2 May 2006), Walvis Bay: page 8.
- Hartman A. 2006. Kuiseb River influences "dune travel". *Namib Times* (3 March 2006), Walvis Bay: page 19.
- Hattingh J. 1984. Body fluid composition in dehydrated and hydrated fog baskers and trench diggers (Coleoptera: Tenebrionidae) (abstract). *South African Journal of Science* 80: 191.
- Hattingh J, Ganhao M, Naidu SG. 1984. Haemolymph composition in Namib Desert tenebrionid beetles. *Comparative Biochemistry and Physiology* 78 A: 541-545.
- Hauffe HC. 1989. Speciation in *Onymacris rugatipennis*, an adesmiine tenebrionid from the central Namib Desert - a multiple approach. Honours. Oxford University, Oxford: 1-88 pp.
- Hauffe HC, Pietruszka RD, Seely MK. 1988. Observations on the behaviour of *Onymacris laeviceps* Gebien (Coleoptera: Tenebrionidae : Adesmiini) in the central Namib Desert dunes. *The Journal of the Entomological Society of Southern Africa* 51: 183-192.
- Hauffe HC, Searle JB, Seely MK. 1994. The taxonomic status of two morphotypes of the tenebrionid *Onymacris rugatipennis*: indications from behavioural and genetical studies. *Journal of Zoology, London* 233: 193-201.
- Hauffe HC, Seely MK. 1995. The taxonomic status of two morphotypes of the tenebrionid *Onymacris rugatipennis* (Haag): indications from morphological, geographical and physiological studies. *Cimbebasia* 14: 85-97.
- Healy T, Katjiua M, Forbes-Irving T. 1993. Kunene. (1<sup>st</sup> Edition) Managing water points and grazing areas in Namibia. Seely M. (Editor) Desert Research Foundation of Namibia (DRFN), Ministry of Agriculture, Water and Rural Development (MAWRD), Windhoek: 1-41 pp.
- Heatwole H. 2001. Realized ant assemblages in the Namib, Kalahari and Kara-kum deserts. (1<sup>st</sup> Edition) *Ecology of desert environments*. Prakash I. (Editor) Scientific Publishers, (Jodhpur India): 301-332 pp.
- Hebeler F. 2000. Structural and ecophysiological shoot features of the leafless cucurbit *Acanthosicyos horridus*, a keystone endemic of the Namib desert. Diploma. Justus-Liebig-Universität, Institut für Allgemeine Botanik und Pflanzenphysiologie, Gießen, Germany: 1-104 pp.
- Hebeler F, Botha C, van Bel A. 2004. Water, photosynthesis and transpiration of !nara. In: !NARA fruit for development of the !Khuiseb Topnaar. Henschel J, Dausab R, Moser P, Pallett J. (Editors) Namibia Scientific Society, Windhoek: 93-98.
- Hein T. 2006. A 'FIRM' approach against desertification. *New Agriculturist on-line*. Reporting agriculture for the 21st century. London.
- Heine K. 1983. Preliminary reconstruction of the late Quaternary climatic history of the central Namib Desert, SW Africa, based on new <sup>14</sup>C dates. *Proceedings: Paleolimnology of Lake Biwa and the Japanese Pleistocene*. Horie S. (Editor) Regensburg: 41-55.

- Heine K. 1985. Late Quaternary development of the Kuiseb River valley and adjacent areas, central Namib Desert, South West Africa/Namibia, and palaeoclimatic implications. *Zeitschrift für Gletscherkunde und Glazialgeologie* 21: 151-157.
- Heine K. 1987. Jungquartäre fluviale Geomorphodynamik in der Namib, Südwestafrika/Namibia. *Zeitschrift für Geomorphologie* 66: 113-134.
- Heine K. 1990. Klimaschwankungen und klimagenetische Geomorphologie am Beispiel der Namib. *Berliner Geographische Studien* 30: 221-234.
- Heine K. 1992. On the ages of humid Late Quaternary phases in southern African arid areas (Namibia, Botswana). In: *Palaeoecology of Africa and the surrounding islands*, Heine K. (Editor) A. A. Balkema, Rotterdam: 149-164.
- Heine K. 1998. Climate change over the past 135.000 years in the Namib Desert (Namibia) derived from proxy data. In: *Palaeoecology of Africa and the surrounding islands*, Heine K. (Editor) A. A. Balkema, Rotterdam: 171-198.
- Heine K. 1998. Late Quaternary climate changes in the Central Namib Desert, Namibia. In: *Quaternary Deserts and Climatic Change*. Alsharhan AS, Glennie KW, Whittle GL, Kendall CGStC. (Editors) *Proceedings of the International Conference on Quaternary Deserts and Climatic Change*. A. A. Balkema, Rotterdam: 293-304.
- Heine K. 2004. Flood reconstructions in the Namib Desert, Namibia and Little Ice Age climatic implications: evidence from slackwater deposits and desert soil sequences. *Journal Geological Society of India* 64: 535-547.
- Heine K. 2004. Little Ice Age climatic fluctuations in the Namib Desert, Namibia, and adjacent areas: evidence of exceptionally large floods from slack water deposits and desert soil sequences. In: *Palaeoecology of Quaternary drylands (lecture notes in earth sciences 102)*, Smykatz W, Felix-Henningsen P. (Editors) Springer Verlag, Berlin: 137-165.
- Heine K. 2005. Holocene climate of Namibia: a review based on geoarchives. *African Study Monographs Suppl.* 30: 119-133.
- Heine K, Heine C, Kühn T. 2000. Slackwater deposits of the Namib Desert (Namibia) and paleoclimatic implications. *Zeitblatt Geologischer Paläontologie Teil I* 5/6: 587-613.
- Heine K, Heine JT. 2002. A paleohydrologic reinterpretation of the Homeb silts, Kuiseb River, central Namib Desert (Namibia) and paleoclimatic implications. *Catena* 48: 107-130.
- Heine K, Walter R. 1996. Die Gipskrustenböden der zentralen Namib (Namibia) und ihr paläoklimatischer Aussagewert. *Petermanns Geographische Mitteilungen* 140: 237-253.
- Heine K, Walter R. 1996. Gypcretes of the central Namib Desert, Namibia. In: *Palaeoecology of Africa and the surrounding islands*. Volume 24. Heine K. (Editor) A. A. Balkema, Rotterdam: 173-201 pp.
- Henschel I. 1997. Communication in our feathered friends. *Lanioturdus* 30: 13-15.
- Henschel IA. 2006. Die wissenschaftliche Bibliothek in Gobabeb. *Society for Scientific Development* 38: 9-10.
- Henschel J. 1991. A closer look at spiders. *Roan News*, Windhoek: 16.
- Henschel J. 1991. The hot world of the spoor spider. *Flamingo*, Johannesburg: 41-47.
- Henschel J. 1994. Pithy pits: population dynamics of Namib tenebrionid beetles. *Namib Bulletin*, Issue 11, Windhoek: pages 4-5.
- Henschel J. 1995. Ein handliches Vakuumsammelgerät für die Erfassung von Spinnen und Insekten - A handy vacuum collector for catching spiders and insects. *Arachnologische Mitteilungen* 9: 67-70.
- Henschel J. 1996. Subsidisation empoverishes local resources and increases dependency of local consumers: a lesson from spiders and aquatic insects. *Namib Bulletin*, Issue 13, Windhoek: page 13.
- Henschel J. 1997. Fog harvesting. *Namib Bulletin*, Issue 14, Windhoek: page 9.
- Henschel J. 1997. What's happened to Deru? *Namib Bulletin*, Issue 14, Windhoek: pages 4-5.

- Henschel J. 2000. Verbunden durch die !Nara. Deutsch-Namibische Entwicklungsgesellschaft e.V. Jahresbericht 2000: 8-9.
- Henschel J. 2003. Gobabeb Training and Research Centre. Aardvark Newsletter of the Zoological Society of Southern Africa, Pretoria: 79-82.
- Henschel J. 2006. Gobabeb Training and Research Centre. Newsletter of the Arachnological Society of Africa, Pretoria: 8.
- Henschel J. 2006. Workshop in Gobabeb on resources management Namib Times (29 September 2006), Walvis Bay: page 20.
- Henschel J, Dausab R, Moser P, Pallett J. 2004. Community-based resource management of !nara: a baseline study. In: !NARA fruit for development of the !Khuseb Topnaar. Henschel J, Dausab R, Moser P, Pallett J. (Editors) Namibia Scientific Society, Windhoek: 107-129.
- Henschel J, Dausab R, Moser P, Pallett J. 2004. (Editors). (1<sup>st</sup> Edition) !NARA fruit for development of the !Khuseb Topnaar. Namibia Scientific Society, Windhoek: 5-168 pp.
- Henschel J, Dausab R, Moser P, Pallett J. 2004. !Nara: culture, nature and nurture. In: !NARA fruit for development of the !Khuseb Topnaar. Henschel J, Dausab R, Moser P, Pallett J. (Editors) Namibia Scientific Society, Windhoek: 33-38.
- Henschel J, Dausab R, Moser P, Pallett J. 2004. NARA: which way forward? In: !NARA fruit for development of the !Khuseb Topnaar. Henschel J, Dausab R, Moser P, Pallett J. (Editors). Namibia Scientific Society, Windhoek: 131-140.
- Henschel J, Henschel I, Moser P. 2004. Literature citations and bibliography on !Nara and Topnaar. In: !NARA fruit for development of the !Khuseb Topnaar. Henschel J, Dausab R, Moser P, Pallett J. (Editors) Namibia Scientific Society, Windhoek: 141-157.
- Henschel J, Mahsberg D, Stumpf H. 1996. Mass-length relationships of spiders and harvestmen (Araneae and Opiliones). *Revue Suisse de Zoologie hors série*: 265-268.
- Henschel J, Moser P. 2004. !Nara ecology - an introduction. In: !NARA fruit for development of the !Khuseb Topnaar. Henschel J, Dausab R, Moser P, Pallett J. (Editors) Namibia Scientific Society, Windhoek: 55-61.
- Henschel J, Mtuleni V, Gruntkowski N, Seely M, Shanyengana SE. 1998. NAMFOG: Namibian application of fog-collecting systems phase I: evaluation of fog water harvesting. (Occasional paper no. 8) Desert Research Foundation of Namibia (DRFN), Windhoek & Gobabeb Training and Research Centre: 1-82 pp.
- Henschel J, Mtuleni V, Gruntkowski N, Seely MK, Shanyengana E. 1999. (1<sup>st</sup> Edition) Namibian application of fog-collecting systems. In : Advances in planning and management of watersheds and wetlands in Eastern and Southern Africa. (Environmental capacity enhancement project. (Environmental roundtable series) FitzGibbon JE, Devlin J. (Editors) Weaver Press, Harare, Zimbabwe & Guelph, Canada: 91-110 pp.
- Henschel J, Pauw J, Banyikwa F, Brito R, Chabwela H, Palmer T, Ringrose S, Santos L, Siteo A, van Jaarsveld A. 2003. Developing the Environmental Long-Term Observatories Network of Southern Africa (ELTOSA). *South African Journal of Science* 99: 100-108.
- Henschel J, Seely M. 2004. Gobabeb Environmental Observatories Network. Gobabeb Training and Research Centre. (Poster presentation)
- Henschel J, Stumpf H, Mahsberg D. 1996. Increase of arachnid abundance and biomass at water shores. *Revue Suisse de Zoologie hors série*: 269-278.
- Henschel JR. 1977. Energy requirements, food utilization and specializations of the digestive systems in three species of Namib desert rodents. B. Sc. Honours University of Cape Town, Cape Town: 1-39 pp.
- Henschel JR. 1984. The spotted hyaena - beauty or beast? *African Wildlife*: 39-43.
- Henschel JR. 1986. The socio-ecology of a spotted hyaena *Crocuta crocuta* clan in the Kruger National Park. D.Sc. Zoology University of Pretoria, Pretoria: 1-215 pp.

- Henschel JR. 1987. Sand-burrowing spiders: how do they do it? *Namib Bulletin*, Gobabeb: page 11.
- Henschel JR. 1989. Arachnology in the Namib. *Namib Bulletin*, Gobabeb: pages 3-4.
- Henschel JR. 1989. Hyaena vocalization. International Union for Conservation of Nature and Natural Resources, Species Survival Commission, Hyaena Specialist Group Newsletter 4: 49-51.
- Henschel JR. 1989. Of spoons and spiders. *Namib Bulletin*, Gobabeb: pages 12-13.
- Henschel JR. 1989. A question of webs. *The Spider Club News*, Parkhurst, South Africa: 12-13.
- Henschel JR. 1990. The biology of *Leucorchestris arenicola* (Araneae: Heteropodidae), a burrowing spider of the Namib dunes. In: *Namib ecology 25 years of Namib research*. Seely MK. (Editor) Transvaal Museum, Pretoria: 115-127.
- Henschel JR. 1990. Desert spider silk rivals fine crochet-work. *Namib Bulletin*, Gobabeb: page 2.
- Henschel JR. 1990. Genus *Crocota Crocota crocota* spotted hyaena gevlekte hiëna. In: *The Mammals of the Southern African Subregion*. Skinner JD, Smithers RHN. (Editors) University of Pretoria, Pretoria: 383-391.
- Henschel JR. 1990. Spiders wheel to escape. *South African Journal of Science* 86: 151-152.
- Henschel JR. 1991. A trap to capture burrowing arachnids. *The Journal of Arachnology* 19: 150-152.
- Henschel JR. 1992. Dancers of the dunes. *Flamingo*, Johannesburg: 10-11.
- Henschel JR. 1992. Is solitary life an alternative for the social spider *Stegodyphus dumicola*? *Journal of the Namibia Scientific Society* 43: 71-79.
- Henschel JR. 1992. Keeping spiders in your home. *Newsletter of the Namibian Scientific Society*, Windhoek (33): 131-137.
- Henschel JR. 1992. A silken point of view. *Cimbazine*, Windhoek: pages 11-12.
- Henschel JR. 1992. Spiders come with a silken lining. *The Spider Club News*, Roodepoort, South Africa: pages 4-5.
- Henschel JR. 1994. Diet and foraging behaviour of huntsman spiders in the Namib dunes (Araneae: Heteropodidae). *Journal of Zoology*, London 234: 239-251.
- Henschel JR. 1994. Group-living reduces risk of predation in the social spider *Stegodyphus dumicola* in Namibia (abstract). *Proceedings: 12th Congress of the Union for the Study of Social Insects*. International Union for the Study of Social Insects. Paris, France: page 1.
- Henschel JR. 1994. The Namibian wheel spider. In: *Deserts, The illustrated library of the earth*. Seely M. (Editor) Weldon Owen Production, McMahons Point, Australia: 93.
- Henschel JR. 1995. Spider revolutions. *Natural History*: 36-39.
- Henschel JR. 1995. Tool use by spiders: stone selection and placement by corolla spiders *Ariadna* (Segestriidae) of the Namib Desert. *Ethology* 101: 187-199.
- Henschel JR. 1996. AC-DC spider. *Nature Australia* 25: 11-12.
- Henschel JR. 1997. Psammophily in Namib desert spiders. *Journal of Arid Environments* 37: 695-707.
- Henschel JR. 1998. Dune spiders of the Negev Desert with notes on *Cerbalus psammodes* (Heteropodidae). *Israel Journal of Zoology* 44: 243-251.
- Henschel JR. 1998. International research cooperation with the Desert Research Foundation of Namibia (DRFN) benefits the natural environment in Namibia. In: *Wissenschaftler Austausch und Entwicklungszusammenarbeit vor der Jahrtausendwende Bestandsaufnahme, Probleme und Perspektiven*. Alexander von Humboldt-Stiftung, Bonn-Bad Godesberg: 401-406.
- Henschel JR. 1998. Predation on social and solitary individuals of the spider *Stegodyphus dumicola* (Araneae, Eresidae). *The Journal of Arachnology* 26: 61-69.

- Henschel JR. 1999. Namibia moving towards networking. LTER. Annual General Meeting of the International Long Term Ecological Research Network. (August 1999) Skukuza, South Africa. (Oral presentation)
- Henschel JR. 2000. Long-term ecological research: from Gobabeb to Namibia to SADC to the world. Namib Bulletin, Windhoek: pages 18-19.
- Henschel JR. 2000. Namib dune stamp sheetlet. Flamingo, Johannesburg: 1-3.
- Henschel JR. 2000. Namibian long-term ecological research network. The International Long Term Ecological Research Network 2000 & The U.S. Long Term Ecological Research Network Office, Albuquerque, New Mexico: 107-109 pp.
- Henschel JR. 2000. Namibian LTER: the beginning of a regional network in Africa. LTER-All Scientists Meeting, Snowbird, Utah, U.S.A. (2-4 August 2000). (Oral presentation)
- Henschel JR. 2001. Long-distance movements by males of the Dancing White Lady spider (*Leucorchestris arenicola*, Sparassidae) across Namib dunes (abstract). Proceedings: 15th International Congress of Arachnology, Badplaas, South Africa: 1.
- Henschel JR. 2001. Longterm ecological research: local, regional and global networks of environmental observatories. Proceedings: Environmental monitoring and indicators network (EMIN) for Namibia's state of the environment reporting. (11-12 June 2001) Nakanuku L, linana E, Zeidler J, Katjiua, M. (Editors) Midgard Lodge: 26-27.
- Henschel JR. 2001. The LTER network in southern Africa: discussion forum of the Environmental Long-Term Observatories of southern Africa. International Conference on Detecting Environmental Change, London. (Oral presentation)
- Henschel JR. 2002. Long-distance wandering and mating by the dancing white lady spider (*Leucorchestris arenicola*) (Araneae, Sparassidae) across Namib dunes. The Journal of Arachnology 30: 321-330.
- Henschel JR. 2002. Networking on local, national, regional and global levels by the Environmental Observatories Network of Namibia (EONN). Proceedings: Environmental Monitoring and Indicators Network. (Ministry of Environment and Tourism (MET)). Noongo N, Reinikainen T, Smit W, Hashiyana E. (Editors) Midgard Resort (13-14 June 2002): 129-131.
- Henschel JR. 2004. Subsidized predation along river shores affects terrestrial herbivore and plant success. In: Food webs at the landscape level. Polis GA, Power ME, Huxel GR. (Editors) The University of Chicago Press, Chicago: 189-199.
- Henschel JR. 2006. Experiences and lessons learnt from ICS and long term environmental monitoring (position paper). Proceedings: Role of information circulation systems in scientific and practical approaches to combat desertification: AIDCCD International Seminar (4-6 April 2006) Ondangwa: University of Sassari.
- Henschel JR. 2006. Sustaining life and livelihood along an ephemeral river. Geographische Rundschau, International Edition 2: 28-33.
- Henschel JR, Barnard P, Brown C, Kruger B, MacGregor J, Simmons R, Strohbach B, Zeidler J. 2000. The Namibian long-term ecological research network (Na-LTER). LTER-All Scientists Meeting, Snowbird, Utah, U.S.A. (2-4 August 2000). (Poster presentation)
- Henschel JR, Branch GM, Cook PA. 1990. The colonization of artificial substrata by marine sessile organisms in False Bay. 2. Substratal material. South African Journal of Marine Science 9: 299-307.
- Henschel Jr, Burke A, Seely M. 2005. Temporal and spatial variability of grass productivity in the central Namib Desert. African Study Monographs Suppl. 30: 43-56.
- Henschel JR, Cook PA. 1990. The development of a marine fouling community in relation to the primary film of microorganisms. Biofouling 2: 1-11.
- Henschel JR, Cook PA, Branch GM. 1990. The colonization of artificial substrata by marine sessile organisms in False Bay. 1. Community development. South African Journal of Marine Science 9: 289-297.

- Henschel JR, David JHM, Jarvis JUM. 1982. Age determination and age structure of a striped fieldmouse, *Rhabdomys pumilio*, population from the Cape Flats. South African Journal of Zoology 17: 134-142.
- Henschel JR, Jocqué R. 1994. Bauble spiders: a new species of *Achaearanea* (Araneae: Theridiidae) with ingenious spiral retreats. Journal of Natural History 28: 1287-1295.
- Henschel JR, Louw GN. 1978. Capture stress, metabolic acidosis and hyperthermia in birds. South African Journal of Science 74: 305-306.
- Henschel JR, Lubin YD. 1992. Environmental factors affecting the web and activity of a psammophilous spider in the Namib Desert. Journal of Arid Environments 22: 173-189.
- Henschel JR, Lubin YD. 1994. Foraging behaviour of the Namib dune spider *Seothyra* (Eresidae) in relation to prey availability. Proceedings: Abstracts of the 15th European Colloquium of Arachnology, České Budějovice. Czech. Republic.
- Henschel JR, Lubin YD. 1997. A test of habitat selection at two spatial scales in a sit-and-wait predator: a web spider in the Namib desert dunes. Journal of Animal Ecology 66: 401-413.
- Henschel JR, Lubin YD, Schneider J. 1995. Sexual competition in an inbreeding social spider, *Stegodyphus dumicola* (Araneae: Eresidae). Insectes Sociaux 42: 419-426.
- Henschel JR, Mahsberg D, Stumpf H. 2001. Allochthonous aquatic insects increase predation and decrease herbivory in river shore food webs. Oikos 93: 429-438.
- Henschel JR, Mendelsohn JM, Simmons R. 1991. Is the association between the Gabar Goshawks and social spiders *Stegodyphus* mutualism or theft? Gabar 6: 57-60.
- Henschel JR, Mtuleni V, Pallett J, Seely MK. 2003. The surface-dwelling arthropod fauna of Gobabeb with a description of the long-term pitfall trapping project. Journal of the Namibia Scientific Society 51: 65-92.
- Henschel JR, Pallett J, Berry C, Griffin M, Hachfeld B, Makuti O, Seely MK. 2006. Checklists of the flora and vertebrates of Gobabeb. Journal of the Namibia Scientific Society 54: 31-58.
- Henschel JR, Pauw JC. 2002. Environmental observatories: LTER à-la-Africa. In: Contributions to the African Renais-Science Conference. Durban Botanical Gardens Visitor's Complex: African Renais-Science: 149-159.
- Henschel JR, Robertson MB, Seely MK. 2001. Animal ecophysiology in the Namib Desert: coping with little water, scarce food and elevated temperatures. In: Ecology of desert environments. (1<sup>st</sup> Edition) Prakash I. (Editor) Scientific Publishers, Jodhpur, India: 423-457 pp.
- Henschel JR, Schneider J, Lubin YD. 1995. Dispersal mechanisms of *Stegodyphus* (Eresidae): do they balloon? The Journal of Arachnology 23: 202-204.
- Henschel JR, Schneider J, Meikle T. 1996. Does group-living or aggregation of spiders of the genus *Stegodyphus* affect parasitism by pompilid wasps? Bulletin of the British arachnological Society 10: 138-140.
- Henschel JR, Seely MK. 1997. Mass-length relationships of Namib tenebrionids. Madoqua 19: 159-160.
- Henschel JR, Seely MK. 2000. Developing fog harvesting in Namibia. Conference paper: Biennial congress of the African division of the International Association of Hydraulic Research. Windhoek (7-9 June 2000).
- Henschel JR, Seely MK. 2000. Long-term growth patterns of *Welwitschia mirabilis*, a long-lived plant of the Namib Desert (including a bibliography). Plant Ecology 150: 7-26.
- Henschel JR, Seely MK. 2004. First approximation of the ecophysiology of fog and dew - a tribute to Gideon Louw. Proceedings: The third international conference on fog, fog collection and dew. (11-15 October 2004). "Fog and Fog Collection" Rautenbach H. (Editor) Cape Town: 1-4.

- Henschel JR, Seely MK, Polis GA. 1998. Long term population dynamics of tenebrionid beetles in the Namib Desert (abstract). Proceedings: INTECOL: VII International Congress of Ecology. Florence, Italy (July 1998).
- Henschel JR, Seely MK, Zeidler J. 2000. Long-term ecological research at Gobabeb in the Namib Desert: gaining and applying knowledge about a highly variable environment. LTER-All Scientists Meeting, Snowbird, Utah, U.S.A.(2-4 August 2000). (Poster presentation)
- Henschel JR, Seely MK, Zeidler J. 2000. Long-term ecological research at Gobabeb: gaining and applying knowledge about a highly variable environment. *Journal of the Namibia Scientific Society* 48: 89-114.
- Henschel JR, Simmons RE, Mendelsohn JM. 1992. Gabar Goshawks and social spiders revisited: untangling the web. *Gabar* 7: 49-50.
- Henschel JR, Skinner JD. 1984. Conservation of spotted hyaenas in the Kruger National Park. International Union for Conservation of Nature and Natural Resources, Species Survival Commission, Hyaena specialist Group Newsletter: 5-10.
- Henschel JR, Skinner JD. 1987. Social relationships and dispersal patterns in a clan of spotted hyaenas *Crocuta crocuta* in the Kruger National Park. *South African Journal of Zoology* 22: 18-24.
- Henschel JR, Skinner JD. 1990. The diet of the spotted hyaenas *Crocuta crocuta* in Kruger National Park. *African Journal of Ecology* 28: 69-82.
- Henschel JR, Skinner JD. 1990. Parturition and early maternal care of spotted hyaenas *Crocuta crocuta*: a case report. *Journal of Zoology, London* 222: 702-704.
- Henschel JR, Skinner JD. 1991. Territorial behaviour by a clan of spotted hyaenas *Crocuta crocuta*. *Ethology* 88: 223-235.
- Henschel JR, Stumpf H, Mahsberg D. 1998. The influence of aquatic insect imagoes on the predator-prey relationships of river shore spiders towards terrestrial insects (abstract). Proceedings: INTECOL: VII International Congress of Ecology. Florence, Italy (July 1998).
- Henschel JR, Tilson R, von Blottnitz F. 1979. Implications of a spotted hyaena bone assemblage in the Namib Desert. *South African archaeological Bulletin* 34: 127-131.
- Henschel JR, Tilson RL. 1988. How much does a spotted hyaena eat: perspective from the Namib Desert. *African Journal of Ecology* 26: 247-255.
- Henschel JR, Todd Davies V, Dickman CR. 1995. The slit spider (Araneae: Clubionoidea) that constructs fissures in the sand dunes of the Simpson Desert, central Australia. *Journal of Natural History* 29: 137-145.
- Henschel JR, Ward D, Lubin Y. 1992. The importance of thermal factors for nest-site selection, web construction and behaviour of *Stegodyphus lineatus* (Araneae: Eresidae) in the Negev Desert. *Journal of Thermal Biology* 17: 97-106.
- Henwood K. 1974. I. A field tested thermoregulation model for two diurnal desert tenebrionid beetles. II. Infrared reflectivity as an alternative thermal strategy to colour change. Ph. D. University of California, Davis: 1-60 pp.
- Henwood K. 1975. A field-tested thermoregulation model for two diurnal Namib Desert tenebrionid beetles. *Ecology* 56(6): 1329-1342.
- Henwood K. 1975. Infrared transmittance as an alternative thermal strategy in the desert beetle *Onymacris plana*. *Science* 189: 993-994.
- Hesp PA. 1991. Ecological processes and plant adaptations on coastal dunes. *Journal of Arid Environments* 21: 165-191.
- Hesp PA, Hastings K. 1998. Width, height and slope relationships and aerodynamic maintenance of barchans. *Geomorphology* 22: 193-204.
- Hewett SS. 1996. High magnitude flood deposits of the Kuiseb: an analysis of driftwood deposition on an ephemeral river. B.A. Honours Jesus College, Oxford. 1-55 pp.

- Heyns J, Coomans A. 1989. Three *Monhystrella* species from inland waters in South West Africa-Namibia (Nematoda: Monhysteridae). *Nematologica* 35: 1-14.
- Heyns P, Montgomery S, Pallett J, Seely M. (Editors) 1998. Namibia's water. (1<sup>st</sup> Edition) The Department of Water Affairs, Ministry of Agriculture, Water and Rural Development and The Desert Research Foundation of Namibia, Windhoek: 1-173 pp.
- Hicks E, Johnson J, Torilli M. 2003. Water management in the upper catchment of the Kuiseb River Basin (Interactive qualifying project). Worcester Polytechnic Institute and The Desert Research Foundation of Namibia, Windhoek: 1-159 pp.
- Hildebrandt M. 2003. Akademischer Einsiedler mitten in der Wüste Namib. *Allgemeine Zeitung* (10 June 2003), Windhoek: page 3.
- Hildebrandt M. 2003. Die Wasser-Geister der Namib. *Allgemeine Zeitung* (30 May 2003), Windhoek: page 1.
- Hill RA, Cowlshaw G. 2002. Foraging female baboons exhibit similar patterns of antipredator vigilance across two populations. In: Eat or be eaten, Miller LE. (Editor) Cambridge University Press, Cambridge: 187-204.
- Hinsley SA. 1992. Bioenergetics of a desert specialist, the double-banded sandgrouse, and the problem of stress induced by experimental conditions. *Comparative Biochemistry and Physiology* 102A: 433-439.
- Hodgson AN, Hänel C, Loveridge AJ. 1994. The reproductive cycle of the pulmonate snail *Xerocerastus minutus* from the Namib Desert. *Journal of Mollusc Studies* 60: 355-358.
- Hoffman MT, Cowling RM, Douie C, Pierce SM. 1989. Seed predation and germination of *Acacia erioloba* in the Kuiseb River Valley, Namib Desert. *South African Journal of Botany* 55: 103-106.
- Hoffmann L. 1988. Life history notes: *Aspidelaps lubricus infuscatus*: distribution, behaviour and feeding. *Journal of the Herpetological Association of Africa* 34: 46.
- Hoffmann LAC. 1988. Note on the ecology of the horned adder *Bitis caudalis* (A. Smith) from Gobabeb, Namib-Naukluft Park. *Journal of the Herpetological Association of Africa* 35: 33-34.
- Hofmann E. 2003. Nach Käfern und Hyänen folgt Energieforschung. *Allgemeine Zeitung* (7 February 2003), Windhoek: page 9.
- Hofmann E. 2005. Bis alles klebt. *Allgemeine Zeitung* (February 2005), Windhoek: page 4.
- Hofmann E. 2006. Umweltforschung von Gobabeb schafft die Grundlage für Beschlüsse. *Allgemeine Zeitung* (27 October 2006), Windhoek: page 7.
- Holm E. 1969. Contribution to the knowledge of the biology of the Namib Desert golden mole, *Eremitalpa granti namibensis* Bauer & Niethammer 1959. *Scientific Papers of the Namib Desert Research Station*: 37-42.
- Holm E. 1970. The influence of climate on the activity patterns and abundance of xerophilous Namib Desert dune insects. M. Sc. University of Pretoria (Department of Entomology), Pretoria: 1-44 pp.
- Holm E. 1973. The influence of constant temperatures upon the circadian rhythm of the Namib Desert dune lizard *Aporosaura anchietae* Bocage. *Madoqua, Series II* 2: 33-41.
- Holm E. 1988. Environmental restraints and life strategies: a habitat templet matrix. *Oecologia* (Berlin) 75: 141-145.
- Holm E. 1990. Notes on faunas bordering on the Namib desert. In: Namib ecology 25 years of Namib research. Seely, MK. (Editor) Transvaal Museum, Pretoria: 55-60.
- Holm E, Edney EB. 1973. Daily activity of Namib Desert arthropods in relation to climate. *Ecology* 54: 45-56.
- Holm E, Kirsten JF. 1979. Pre-adaptation and speed mimicry among Namib Desert scarabaeids with orange elytra. *Journal of Arid Environments* 2: 263-272.
- Holm E, Scholtz CH. 1980. Structure and pattern of the Namib Desert dune ecosystem at Gobabeb. *Madoqua* 12: 3-39.

- Holtzhausen JA. 1985. The Namib Desert Research Institute - Gobabeb. *Archimedes*, Pretoria 27(1): 14-15.
- Hongslo E, Benjaminsen TA. 2002. Turning landscapes into 'nothing': a narrative on land reform in Namibia. *Forum for Development Studies*: 321-347.
- Hövermann J. 1978. Formen und Formung in der Pränamib (Flächen-Namib). *Zeitschrift für Geomorphologie N.F.* 30: 55-73.
- Hövermann J. 1988. The Sahara, Kalahari and Namib Deserts: a geomorphological comparison. *Proceedings: Symposium on the geomorphology of Southern Africa*. (8-11 April 1988) Geomorphological Society, Umtata: 71-83.
- Hughes D, Hughes C. 1978. Filming in the desert. *South West Africa Annual*, Windhoek: page 87.
- Hughes D, Hughes C. 1979. Spuren in der Todeszone. *GEO*. Verlag Gruner & Jahr AG, Hamburg: 106-108.
- Hughes JJ. 1990. Predation risk and competition in a desert rodent community. M. Sc. University of Natal, Pietermaritzburg: 1-97 pp.
- Hughes JJ, Ward D. 1993. Predation risk and distance to cover affect foraging behaviour in Namib Desert gerbils. *Animal Behaviour* 46: 1243-1245.
- Hughes JJ, Ward D, Perrin MR. 1994. Predation risk and competition affect habitat selection and activity of Namib Desert gerbils. *Ecology* 75: 1397-1405.
- Hughes JJ, Ward D, Perrin MR. 1995. Effects of substrate on foraging decisions by a Namib Desert gerbil. *Journal of Mammalogy* 76: 638-645.
- Huntley BJ. 1985. (Editor) *The Kuiseb environment: the development of a monitoring baseline*. Council for Scientific and Industrial Research, South African National Scientific Programmes, Pretoria: 1-138 pp.
- lileka M. 2006. Getting to grips with ways to beat back desertification. *The Namibian* (20 April 2006). Windhoek: page 6.
- lipinge JN. 2004. Productivity of detritus in the different ecosystems and factors affecting decomposition rate in the Kuiseb River. Diploma. Gobabeb Training and Research Centre (In-house training report) and Polytechnic of Namibia, Windhoek: 2-18 pp.
- Immelmann K, Immelmann G. 1968. Zur Fortpflanzungsbiologie einiger Vögel in der Namib. *Bonner Zoologische Beiträge* 3-4: 329-339.
- Irish J. 1990. Namib biogeography, as exemplified mainly by the Lepismatidae (Thysanura: Insecta). In: *Namib ecology 25 years of Namib research*. Seely MK. (Editor) Transvaal Museum, Pretoria: 61-66.
- Irwin ME. 2001. Species composition and seasonal flight periodicity of stiletto flies (Diptera: Therevidae) occurring along the Kuiseb River, Gobabeb, Namibia. *Cimbebasia* (17): 169-175.
- Isaacson L, Nicolson S. 1989. A reappraisal of the oil-gap technique for the measurement of transtubular potentials in insect epithelia. *Journal of Experimental Biology* 141: 429-440.
- Isaacson LC, Nicolson SW, Fisher DW. 1989. Electrophysiological and cable parameters of perfused beetle Malpighian tubules. *American Journal of Physiology* 257: R1190-R1198.
- Ito M. 2005. Changes in the distribution of the !nara plant that affect the life of the Topnaar people in the lower Kuiseb River, Namib Desert. *African Study Monographs Suppl.* 30: 65-75.
- Iwanek S. 2004. Kulturell differente Property Rights Regime Namibias im Konflikt und Wandel: am Beispiel der Verfügungsrechte über Land und die natürliche Ressource !nara durch die #Aonin. Diploma. Johann Wolfgang Goethe-Universität, Frankfurt/Main: 1-136 pp.

- Jabs C. 1990. Alien invaders of the botanical kind. Namib Bulletin, Gobabeb: page 4.
- Jabs C. 1991. Alien invasives in the Kuiseb River, Namib Desert, Namibia. B. Sc. University of Oxford, Oxford: 1-43 pp.
- Jacobson K. 1990. Interest in desert fungi 'mushrooms'. Namib Bulletin, Windhoek: page 9.
- Jacobson KM. 1992. Factors affecting VA-mycorrhizal community structure in the Namib dune field; and the population biology of an ectomycorrhizal Basidiomycete: *Suillus granulatus*. Ph. D. Virginia Polytechnic Institute, Virginia State University, Blacksburg USA.
- Jacobson KM. 1994. Fungi in the desert. Namib Bulletin, Windhoek: pages 9-12.
- Jacobson KM. 1996. Macrofungal ecology in the Namib Desert: a fruitful or futile study? *McIlvainea Journal of American Amateur Mycology* 12: 21-32.
- Jacobson KM. 1997. Fungal ecology in the Etosha National Park. *Madoqua* 20: 149-155.
- Jacobson KM. 1997. Moisture and substrate stability determine VA-mycorrhizal fungal community distribution and structure in an arid grassland. *Journal of Arid Environments* 35: 59-75.
- Jacobson KM. 1997. An overview of research issues relating to sustainable natural resource management in drylands. (Report). Desert Research Foundation of Namibia, Windhoek: 1-149 pp.
- Jacobson KM, Jacobson PJ. 1998. Rainfall regulates decomposition of buried cellulose in the Namib Desert. *Journal of Arid Environments* 38: 571-583.
- Jacobson KM, Jacobson PJ, Miller OKJ. 1993. The mycorrhizal status of *Welwitschia mirabilis*. *Mycorrhiza* 3: 13-17.
- Jacobson KM, Jacobson PJ, Miller OKJ. 1999. The autecology of *Battarrea stevenii* in ephemeral rivers of southwestern Africa. *Mycological Research* 103: 9-17.
- Jacobson KM, Lester E. 2003. A first assessment of genetic variation in *Welwitschia mirabilis* Hook. *Journal of Heredity* 94: 212-217.
- Jacobson KM, Marsh AC, U.N. S. 1994. Behavior and ecology. In: *Deserts The illustrated library of the earth*. Seely M. (Editor) Weldon Owen Production, McMahons Point, NSW, Australia: 82-92.
- Jacobson P. 1994. The ephemeral rivers of the Namib. Namib Bulletin, Windhoek: pages 7-9.
- Jacobson P, Jacobson K. 1995. Floods, water and awareness: resource management in the western catchments. *Roan News*, Windhoek: 24-25.
- Jacobson PJ. 1997. An ephemeral perspective of fluvial ecosystems: viewing ephemeral rivers in the context of current lotic ecology. Ph. D. Virginia Polytechnic Institute and State University, Blacksburg, Virginia: 1-132 pp.
- Jacobson PJ, Jacobson KM, Angermeier PL, Cherry DS. 1999. Transport, retention, and ecological significance of woody debris within a large ephemeral river. *Journal of the North American Benthological Society* 18: 429-444.
- Jacobson PJ, Jacobson KM, Angermeier PL, Cherry DS. 2000. Hydrologic influences on soil properties along ephemeral rivers in the Namib Desert. *Journal of Arid Environments* 45: 21-34.
- Jacobson PJ, Jacobson KM, Angermeier PL, Cherry DS. 2000. Variation in material transport and water chemistry along a large ephemeral river in the Namib Desert. *Freshwater Biology* 44: 481-491.
- Jacobson PJ, Jacobson KM, Seely MK. 1995. Ephemeral rivers and their catchments. Sustaining people and development in western Namibia (1<sup>st</sup> Edition). Desert Research Foundation of Namibia, Windhoek: 3-160 pp.
- Jarrold J. 2001. The impacts of off-road traffic on the lichen fields of the central Namib Desert. Honours. University of Oxford, Department of Geography, Oxford: 1-199 pp.
- Jäschke UU. 1994. Gobabeb - Wüstenforschung und Umweltschutz. Namibia Magazin, Göttingen, Germany: page 14.

- Jenkins T, Brain CK. 1967. The peoples of the lower Kuiseb Valley, South West Africa. Scientific Papers of the Namib Desert Research Station: 3-24.
- Jensen RAC. 1970. Across the waterless Namib dunes. Geographical Magazine, London: 728-732.
- Jensen RAC. 1979. Ornithological research in South West Africa. Journal of the South West African Scientific Society 33: 85-94.
- Jensen RAC, Jensen MK. 1969. On the breeding biology of southern African cuckoos. Ostrich 40: 163-181.
- Jensen RAC, Jensen MK. 1970. First breeding records of the Herero chat *Namibornis herero*, and taxonomic implications. Ostrich Supplement 8: 105-116.
- Jobst P, Kakukuru E, Kambatuku JR, D. M, Netha L, Nghitila TM, Shanyengana ES. 1995. An investigation into the biophysical aspects and socio-economics of desertification in north-western Namibia. Summer Desertification Project 1994/1995 (Occasional paper no. 2) Desert Research Foundation of Namibia, Windhoek & Gobabeb Training & Research Centre: 1-84 pp.
- John H. 1969. Eine neue Spezies von *Thorictus* Germ. (Thorictidae, Col.- Staphylinoidae). Scientific Papers of the Namib Desert Research Station: 117-118.
- Johr G. 1993. Usage of water: catchment project of Kuiseb River. Namib Times, Walvis Bay: page 1.
- Jones B. 1992. Preliminary report on the socio-ecological survey of the lower Kuiseb valley. Unpublished report: 1-15.
- Jonker C. 1991. Die Namib. Prisma, Cape Town: 43-45.
- Jonker C. 1991. Fossiel van die Namib. Prisma, Cape Town: 42-43.
- Joubert CSW, Maclean GL. 1973. The structure of the water-holding feathers of the Namaqua sandgrouse. Zoologica Africana 8: 141-152.
- Joubert DF, Ryan PG. 1999. Differences in mammal and bird assemblages between commercial and communal rangelands in the Succulent Karoo, South Africa. Journal of Arid Environments 43: 287-299.
- Joubert E, Louw GN. 1976. Preliminary observations on the digestive and renal efficiency of Hartmann's zebra *Equus zebra hartmannae*. Madoqua 10: 119-121.
- Joubert M. 1990. Dr Mary Seely - 22 years of desert research. Sciencetech (FRD), Pretoria: 16-17.
- Jürgens N, Burke A, Seely MK, Jacobson KM. 1997. Desert. In: Vegetation of Southern Africa, Cowling RM, Richardson DM, Pierce SM. (Editors) Cambridge University Press, Cambridge: 189-214.
- Käab G. 2006. Oase der Bildung. Forschungsstation in Namibia sucht Unterstützer. Verband deutscher Biologen und biowissenschaftlicher Fachgesellschaften e.V., München: 1-2.
- Kaaronda DU. 2005. The spatial distribution of tree species across the Kuiseb river channel in relation to watercourse. Diploma. Gobabeb Training and Research Centre (In-house training report) and Polytechnic of Namibia, Windhoek: 1-18 pp.
- Kakujaha-Matundu O. 1996. "Subsistence farmers' perception of environmental problems and monetary estimates of agricultural and non-agricultural resources in the Okakarara area". (Occasional paper no. 5) Desert Research Foundation of Namibia, Windhoek: 1-21 pp.
- Kambatuku J. 1993. Many claims on waters of Kuiseb River: comprehensive study being carried out. Namib Times (10 December 1993), Walvis Bay: page 1.
- Kambatuku J. 1995. Swedish Prime Minister brings welcome rain to Gobabeb. Roan News (July 1995), Windhoek: pages 7-8.

- Kambatuku JR. 1996. Historical profiles of farms in former Damaraland. "Towards building a baseline for Namibia's Programme to Combat Desertification (NAPCOD)" (Occasional paper no. 4). Desert Research Foundation of Namibia, Windhoek: 1-58 pp.
- Kambatuku JR. 1997. Aquifer recharge and plant water status in the Oanob river downstream of the Oanob dam. M. Sc. University of Wales, Bangor, Wales (England). 1-88 pp.
- Kambatuku JR. 2004. Environmental sustainability. Linking sustainable water use with sustainable land use (Component 5) March 2004. Desert Research Foundation of Namibia, Windhoek: 1-42 pp.
- Kambuli R. 2006. Investigating the potentials of growing benches and effective microorganisms in arid environment: the Namib Desert. Gobabeb Training and Research Centre (In-house training report) and Polytechnic of Namibia, Windhoek: 37-57 pp.
- Kamwi JA. 1997. Overview of environmental issues in former "Damaraland". (Occasional paper no. 7) Desert Research Foundation of Namibia, Windhoek: 1-57 pp.
- Kanzler S-E. 2004. Mary Seely: die Weise Dame der Namib. Allgemeine Zeitung (15 September 2004), Windhoek: page 2.
- Kanzler S-E. 2004. Tour in die Natur der Namib. Namibia Magazin, Göttingen: pages 20-21.
- Kapalanga T. 2006. Evaluation of effective micro-organisms (EM) in controlling ticks in goats *Capra hircus* of the Topnaar community. Gobabeb Training and Research Centre (In-house training report) and Polytechnic of Namibia, Windhoek: 106-147 pp.
- Kartusch B, Kartusch R. 1999. Darstellung der Beobachtungen und Ergebnisse in der Station Gobabeb der DRFN. Institut für Pflanzenphysiologie, Universität Wien: 1-34 pp.
- Kartusch R, Kartusch B. 1999. Protokolle einiger Vorbereitungseminare zum geplanten Kurs in der Namibwüste (Station Gobabeb) im September 1999. Institut für Pflanzenphysiologie, Universität Wien: 1-20 pp.
- Kaseba S. 2000. Water use of standard fog collectors (SFC's). Diploma. Gobabeb Training and Research Centre (In-house training report) and Polytechnic of Namibia, Windhoek: 2-17 pp.
- Kasoana M. 2004. Tree distribution, vegetative and regenerative growth of seedlings at two selected sites in the Kuiseb River. Roan News, Windhoek: 18-25.
- Kaszab Z. 1969. Eine neue *Paractenodia*-Art (Col. Meloidae) aus der Wüste Namib. Scientific Papers of the Namib Desert Research Station: 119-120.
- Katamila T. 2005. Namibia can lead way in harnessing power potential of the sun: Konjore. The Namibian (27 October 2005), Windhoek: page 4.
- Katjiua M, Healey T, Forbes-Irving T. 1993. Otjozondjupa. (1<sup>st</sup> Edition) Omananeno wotukondua tozondjombo nomario moNamibia. Seely M. (Editor) Desert Research Foundation of Namibia and Ministry of Agriculture, Water and Rural Development, Windhoek: 1-37 pp.
- Katjiua M, Healy T, Forbes Irving T. 1993. Kavango. (1<sup>st</sup> Edition) Kugendesa nombora nomavega gokulisira moNamibia. Seely M. (Editor) Desert Research Foundation of Namibia (DRFN) and Ministry of Agriculture, Water and Rural Development, Windhoek: 1-43 pp.
- Katjiua M, Healy T, Forbes Irving T. 1993. Okavango. (1<sup>st</sup> Edition) Managing boreholes and grazing areas in Namibia. Seely M. (Editor) Desert Research Foundation of Namibia (DRFN) and Ministry of Agriculture, Water and Rural Development, Windhoek: 1-41 pp.
- Katjiua M, Healy T, Forbes Irving T. 1993. Otjozondjupa. (1<sup>st</sup> Edition) Managing boreholes and grazing areas in Namibia. Seely M. (Editor) Desert Research Foundation of Namibia (DRFN) and Ministry of Agriculture, Water and Rural Development, Windhoek: 1-37 pp.
- Katjiua M, Healy T, Forbes-Irving T. 1993. Kunene. (1<sup>st</sup> Edition) Kugendesa nombora nomavega gokulisira moNamibia. Seely M. (Editor) Desert Research Foundation of Namibia (DRFN) and Ministry of Agriculture, Water and Rural Development, Windhoek: 1-41 pp.

- Katoma L-N. 1989. A comparative analysis of the sand-trapping potential of two Namib desert shrubs: a case-study at Gobabeb. B. Sc. Honours University of Fort Hare, Fort Hare: 1-84 pp.
- Kayser K. 1970. Namib-Studien: Beobachtungen und Überlegungen auf einer Fahrt vom Naukluft-Gebirge zum Kuiseb und der Wüstenforschungsstation Gobabeb. Deutsche Geographische Forschung in der Welt von Heute: 181-192.
- Kers LE. 1967. The distribution of *Welwitschia mirabilis* Hook.F. Svensk Botanisk Tidskrift 61: 97-125.
- Kilian JW. 1995. The ecology of gemsbok (*Oryx gazella gazella*) in the southern Namib. Ministry of Environment and Tourism (MET and Gobabeb Training and Research Centre. (June 1995) Windhoek. (Internal report)
- Kimura K. 2005. Origin of the fog in Namib Desert in dry season. African Study Monographs Suppl. 30: 57-64.
- Kinahan J, Pallett J, Vogel J, Ward J, Lindeque M. 1991. The occurrence and dating of elephant tracks in the silt deposits of the lower !Kuiseb River, Namibia. Cimbebasia (13): 37-43.
- Klärner D. 2006. Heimkehr in tiefer Nacht Greifen Wüstenspinnen auf einen Sternenkompas zurück? Frankfurter Allgemeine Zeitung, Frankfurt am Main: page 4.
- Klintonberg P. 2001. Analysis of the development of indicators in SoE reports for Namibia for the period 1998-2000. Proceedings: Environmental monitoring and indicators network (EMIN) for Namibia's state of the environment reporting. (11-12 June 2001) Ministry of Environment and Tourism. Nakanuku L, linana E, Zeidler J, Katjiua M. (Editors) Midgard Lodge: 21-22.
- Klintonberg P. 2001. Analysis of the development of indicators in State of the Environment reports (SoER) for Namibia compiled between 1998-200. SoE report, Desert Research Foundation of Namibia, Windhoek. 1-32 pp.
- Klintonberg P. 2002. The importance of networking: an example from the establishment of a national level desertification monitoring system in Namibia (abstract). Proceedings: Alternative ways to combat desertification: connecting community action with science and common sense. (8-20 April 2002) Cape Town, Gobabeb: 24.
- Klintonberg P. 2004. Environmental monitoring in Namibia. Licentiate thesis Stockholms Universitet Institutionen för Naturgeografi, Stockholm. 1-95 pp.
- Klintonberg P. 2005. Case studies of benchmark & indicator operational monitoring initiatives at various scales. Proceedings: Local & regional desertification indicators in a global perspective. AIDCCD - active exchange of experience on indicators and development of perspectives in the context of UNCCD. (16-18 May 2005) Beijing-China: 186-194.
- Klintonberg P, //Gaseb N, Kruger B. 2002. Namibia's Programme to Combat Desertification - Napcod phase III (abstract). Proceedings: Alternative ways to combat desertification: connecting community action with science and common sense. (8-20 April 2002) Cape Town, Gobabeb: 1-60.
- Klintonberg P, Gustad G. 2002. Monitoring desertification in Namibia. Proceedings: Environmental Monitoring and Indicators Network. (11-12 June 2001) Ministry of Environment and Tourism, Directorate of Environmental Affairs. Nakanuku L, linana E, Zeidler J, Katjiua M. (Editors) Midgard Lodge: 24-26.
- Klintonberg P, Gustad G, Kruger AS, Seely MK. 2003. Monitoring desertification in Namibia: a tool for improved natural resource management. Proceedings: International Rangeland Congress. (26 July-1 August 2003). Range & Forage Science. Palmer AR, Scogings PF. (Editors) Durban: 122.
- Klintonberg P, Mbangula E, Noongo E. 2001. Background to the first approximation of desertification in Namibia. Draft for review by the technical working group, Desert Research Foundation of Namibia, Windhoek: 1-106 pp.

- Klintonberg P, Seely M. 2004. Land degradation monitoring in Namibia: a first approximation. *Environmental Monitoring and Assessment* 99: 5-21.
- Klintonberg P, Seely M. 2005. State of the art on existing indicators and their use for desertification monitoring and CCD implementation in southern Africa. Proceedings: AIDCCD - active exchange of experience on indicators and development of perspectives in the context of UNCCD. Enne G, Yeroyanni M. (Editors) European Commission, Sassari: 95-118.
- Klopatek JM, Stock WD. 1994. Partitioning of nutrients in *Acanthosicyos horridus*, a keystone endemic species in the Namib Desert. *Journal of Arid Environments* 26: 233-240.
- Koch C. 1950. The Tenebrionidae of Southern Africa 1: First account of the Tenebrionidae collected on the University of California-Transvaal Museum expedition, 1948. *Annals of the Transvaal Museum, Pretoria* 21: 273-367.
- Koch C. 1952. The Tenebrionidae of Southern Africa. 12: Supplementary notes to preliminary articles Nos. I, III, V and VIII. *Annals of the Transvaal Museum, Pretoria* 22: 79-196.
- Koch C. 1953. The Tenebrionidae of Southern Africa. 21: On some new endemic *Opatrinae* from the Namib Desert. *Annals of the Transvaal Museum, Pretoria* 22: 231-252.
- Koch C. 1955. The fauna of the Namib Desert. *Bulletin of the Transvaal Museum, Pretoria*: 4-5.
- Koch C. 1955. The Tenebrionidae of Southern Africa. 25: New, forgotten or palaeartic genera and species of *Opatrinae*. *Annals of the Transvaal Museum, Pretoria* 22: 419-476.
- Koch C. 1959. Die Namibdünen und ihre Tierwelt. *Der Kreis, Windhoek*: 198-200.
- Koch C. 1959. The Tenebrionidae of Southern Africa 28: On a new faunistical link between the African Continent and the Cape Verde Islands (*Ammidium* Erichson). *Novos Taxa Entomológicos*: 3-15.
- Koch C. 1960. The tenebrionid beetles of South West Africa. *South African Museums Association Bulletin* 7: 73-85.
- Koch C. 1961. Die Dünentenebrioniden der Namibwüste mit besonderer Berücksichtigung ihrer Ökologie (und Physiologie). Proceedings: XI International Congress of Entomology. Vienna: 655-657.
- Koch C. 1961. Some aspects of abundant life in the vegetationless sand of the Namib Desert dunes positive psammotropism in tenebrionid-beetles. *Journal S.W.A. Scientific Society* 15: 9-34.
- Koch C. 1962. The Tenebrionidae of Southern Africa. 31: Comprehensive notes on the tenebrionid fauna of the Namib Desert. *Annals of the Transvaal Museum, Pretoria* 24: 61-106.
- Koch C. 1962. The Tenebrionidae of southern Africa. 32: New psammophilous species from the Namib Desert. *Annals of the Transvaal Museum, Pretoria* 24: 107-159.
- Koch C. 1962. Zur Ökologie der Dünen-Tenebrioniden der Namibwüste Südwest-Afrikas und Angolas. *Lunds Universitets Arsskrift N.F.* 58: 3-25.
- Koch C. 1963. An illustrated account of a major flood in the Kuiseb River. *Der Kreis* 6: 39-51.
- Koch C. 1963. The Tenebrionidae of Southern Africa 29: *Luebbertia plana* gen. et spec.nov., with a dichotomic analysis of Stizopina (Opatrini). *Scientific Papers of the Namib Desert Research Station*: 1-87.
- Koch C. 1967. Beetles from the Namib Desert. *African Wildlife* 21: 305-312.
- Koch C. 1969. The Tenebrionidae of Southern Africa (Col.) part LIII: *Cardiosis hamiltonuli* a new ultra-psammophilous species from the dunes in the Namib Desert. *Scientific Papers of the Namib Desert Research Station*: 129-138.
- Koch C. 1970. Living sands. *S.W.A. Annual, Windhoek*: 190-199.
- Kok OB. 1980. Voedselinnome van volstruise in die Namib-Naukluftpark, Suidwes-Afrika. *Madoqua* 12: 155-161.
- Kok OB, Grobbelaar JU. 1980. Chemical properties of water-holes in the Kuiseb River Canyon, Namib Desert. *Journal of the Limnological Society of southern Africa* 6: 82-84.

- Kok OB, Nel JAJ. 1996. The Kuiseb river as a linear oasis in the Namib desert. *African Journal of Ecology* 34: 39-47.
- Kok OB, van Wyk AJ. 1982. Boomklimmende klipspringers in die Namibwoestyn. *Madoqua* 13: 89-96.
- Kolb H. 2005. (Photographer) Extreme weather nature's awesome face. *Namib Times* (18 February 2005), Walvis Bay: page 1.
- Krug CB. 2002. Adaptations of the four-striped field mouse (*Rhabdomys pumilio*, Sparman 1784) to the Namib Desert. Ph. D. Rheinische Friedrich-Wilhelms-Universität, Bonn: 1-180 pp.
- Krug CB. 2007. Reproduction of *Rhabdomys pumilio* in the Namib Desert: pattern and possible control. *Basic and Applied Dryland Research* 1: 67-85.
- Krug CB, Esler KJ, Hoffman MT, Henschel J, Schmiedel U, Jürgens N. 2006. North-South cooperation through BIOTA: an interdisciplinary monitoring programme in arid and semi-arid southern Africa. *South African Journal of Science* 102: 187-190.
- Kruger AS, Gaseb N, Klintenber P, Seely M, Werner W. 2003. Towards community-driven natural resource management in Namibia: the FIRM example. *Proceedings: International Rangeland Congress. (26 July-1 August 2003). Range & Forage Science. Palmer AR, Scogings PF. (Editors) Durban: 212.*
- Kruger AS, Ngaujake T, Werner W. 2006. A conceptual framework for land reform in Namibia. Desert Research Foundation of Namibia. (Unpublished presentation).
- Kruger B. 2002. Bush encroachment research, monitoring and management project (Bio-physical and socio-economic impact of bush encroachment in the communal areas of Namibia BERMMP). Desert Research Foundation of Namibia, Windhoek: 1-49 pp.
- Kühnelt G. 1969. On the biology and temperature accommodation of *Lepidochora argentogrisea* Koch (Col. Tenebrionidae). *Scientific Papers of the Namib Desert Research Station: 121-128.*
- Kühnelt W. 1963. Die ökologischen Verhältnisse der Namib-Wüste (Südwestafrika). *Proceedings: Comunicacion al Coloquio "Aportacion de las Investigaciones Ecologicas y Agricolas a la lucha del mundo contra el hambre". Madrid, Spain: 1-20.*
- Kühnelt W. 1965. Nahrungsbeziehungen innerhalb der Tierwelt der Namibwüste (Südwestafrika). *Österreichische Akademie der Wissenschaften I* 174(5/6): 185-190.
- Kutschera L, Lichtenegger E, Sobotik M, Haas D. 1997. Die Wurzel das neue Organ. (1<sup>st</sup> Edition) Eigenverlag: Pflanzensoziologisches Institut, Klagenfurt/Austria: 1-94 pp.
- Kutschera Mitter L, Lichtenegger E, Sobotik M, Haas D. 1997. Die Wurzel - Hilfe für das Überleben von *Welwitschia mirabilis* und anderer Arten der Namib. *Palmengarten, Frankfurt/Main: 31-40.*
- Lalley JS. 2005. Lichen-dominated soil crusts in the hyper-arid Namib Desert: anthropogenic impacts and conservation implications. Ph. D. University of Oxford, Oxford: 1-264 pp.
- Lalley JS, Viles HA. 2004. Terricolous lichens in the northern Namib Desert of Namibia: distribution and community composition. *The Lichenologist* 36:
- Lalley JS, Viles HA. 2006. Do vehicle track disturbances affect the productivity of soil-growing lichens in a fog desert? *Functional Ecology* 20: 548-556.
- Lalley JS, Viles HA, Henschel JR, Lalley V. 2006. Lichen-dominated soil crusts as arthropod habitat in warm deserts. *Journal of Arid Environments* 67: 579-593.
- Lamoral BH. 1972. New and little known scorpions and solifuges from the Namib Desert, South West Africa. *Madoqua Series II* 1: 117-131.
- Lancaster IN. 1979. Quaternary environments in the arid zone of southern Africa. *Environmental Studies Occasional Paper: 1-77.*
- Lancaster J. 1980. Climatological research in the Namib Desert. *Namib Bulletin, Gobabeb: 9-10.*

- Lancaster J, Lancaster N, Seely MK. 1984. Climate of the central Namib Desert. *Madoqua* 14: 5-61.
- Lancaster N. 1980. Dune forms and processes in the Namib Sand Sea. *Namib Bulletin, Gobabeb*: 3-4.
- Lancaster N. 1980. Dune systems and palaeoenvironments in southern Africa. *Palaeontology of Africa* 23: 185-189.
- Lancaster N. 1980. The formation of seif dunes from barchans - supporting evidence for Bagnold's model from the Namib Desert. *Zeitschrift für Geomorphologie N.F.* 24: 160-167.
- Lancaster N. 1981. Aspects of the morphometry of linear dunes of the Namib Desert. *South African Journal of Science* 77: 366-368.
- Lancaster N. 1981. Grain size characteristics of Namib Desert linear dunes. *Sedimentology* 28: 115-122.
- Lancaster N. 1981. Palaeoenvironmental implications of fixed dune systems in southern Africa. *Palaeogeography, Palaeoclimatology, Palaeoecology* 33: 327-346.
- Lancaster N. 1982. Dunes on the Skeleton Coast, Namibia (South West Africa): geomorphology and grain size relationships. *Earth Surface Processes and Landforms* 7: 575-587.
- Lancaster N. 1982. Linear dunes. *Progress in Physical Geography* 6: 475-504.
- Lancaster N. 1982. Spatial variations in linear dune morphology and sediments in the Namib sand sea. In: *Palaeoecology of Africa and the surrounding islands*. Coetzee JA, van Zinderen Bakker EM.Sr. (Editors) A. A. Balkema, Rotterdam: 173-182.
- Lancaster N. 1983. Controls of dune morphology in the Namib sand sea. In: *Eolian sediments and processes*. Brookfield ME, Ahlbrandt TS. (Editors) Elsevier Science Publishers B.V., Amsterdam: 261-289 pp.
- Lancaster N. 1983. Linear dunes of the Namib sand sea. *Zeitschrift für Geomorphologie N.F.* 45: 27-49.
- Lancaster N. 1984. Aeolian sediments, processes and land forms. *Journal of Arid Environments* 7: 249-254.
- Lancaster N. 1984. Aridity in southern Africa: age, origins and expression in landforms and sediments. In: *Late Cainozoic Palaeoclimates of the Southern Hemisphere*. Proceedings of an International Symposium by the South African Society for Quaternary Research. Vogel, J.C. (Editor) A. A. Balkema, Rotterdam: 433-444.
- Lancaster N. 1984. Characteristics and occurrence of wind erosion features in the Namib Desert. *Earth Surface Processes and Landforms* 9: 469-478.
- Lancaster N. 1984. Late Cenozoic fluvial deposits of the Tsondab Valley, central Namib Desert. *Madoqua* 13: 257-269.
- Lancaster N. 1984. Palaeoenvironments in the Tsondab Valley, central Namib Desert. In: *Palaeoecology of Africa and the surrounding islands Volume 16*. Coetzee JA, van Zinderen Bakker EM.Sr. (Editors) A. A. Balkema, Rotterdam: 411-419 pp.
- Lancaster N. 1985. Variations in wind velocity and sand transport on the windward flanks of desert sand dunes. *Sedimentology* 32: 581-593.
- Lancaster N. 1985. Winds and sand movements in the Namib Sand Sea. *Earth Surface Processes and Landforms* 10: 607-619.
- Lancaster N. 1988. Controls of eolian dune size and spacing. *Geology* 16: 972-975.
- Lancaster N. 1988. The development of large aeolian bedforms. *Sedimentary Geology* 55: 69-89.
- Lancaster N. 1988. On desert sand seas. *Episodes* 11: 12-16.
- Lancaster N. 1989. *The Namib sand sea. Dune forms, processes and sediments.* (1<sup>st</sup> Edition) A. A. Balkema, Rotterdam: 1-180 pp.
- Lancaster N. 1989. Star dunes. In: *Progress in Physical Geography*. Edward Arnold (Publishers) Limited, London: 67-91.

- Lancaster N. 1990. Palaeoclimatic evidence from sand seas. *Palaeogeography, Palaeoclimatology, Palaeoecology* 76: 279-290.
- Lancaster N. 1990. Regional aeolian dynamics in the Namib. In: *Namib ecology 25 years of Namib research*. Seely MK. (Editor) Transvaal Museum, Pretoria: 39-46.
- Lancaster N. 1995. *Geomorphology of desert dunes*. (1<sup>st</sup> Edition) Routledge Physical Environment Series. Volume 9. Richards K. (Editor) Routledge, London & New York: 1-290 pp.
- Lancaster N. 1996. Desert environments. In: *The physical geography of Africa*. Adams WM, Goudie AS, Orme AR. (Editors) Oxford University Press, Oxford: 211-237.
- Lancaster N. 1996. Field studies of sand patch initiation processes on the northern margin of the Namib Sand Sea. *Earth Surface Processes and Landforms* 21: 947-954.
- Lancaster N. 1996. The role of field experiments in studies of dune dynamics and morphology. *Annals of Arid Zone* 35: 171-186.
- Lancaster N. 1998. Dune morphology, chronology, and Quaternary climatic change. In: *Quaternary Deserts and Climatic Change*. Proceedings of the International Conference on Quaternary Deserts and Climatic Change. Alsharhan AS, Glennie KW, Whittle GL, Kendall CGStC. (Editors) A. A. Balkema, Rotterdam: 339-349.
- Lancaster N. 2002. How dry was dry? - late Pleistocene palaeoclimates in the Namib Desert. *Quaternary Science Review* 21: 769-782.
- Lancaster N, Goudie AS. 1994. Desert landforms. In: *Deserts, The illustrated library of the earth*. Seely M. (Editor) Weldon Owen Production, McMahons Point, Australia: 26-32.
- Lancaster N, Ollier CD. 1983. Sources of sand for the Namib Sand Sea. *Zeitschrift für Geomorphologie N.F.* 45: 71-83.
- Lancaster N, Schaber GG, Teller JT. 2000. Orbital radar studies of paleodrainages in the Central Namib Desert. *Remote Sensing of the Environment* 71: 216-225.
- Lancaster N, Seely M. 1999. Cenozoic landforms and deposits of the western Kalahari and central Namib Desert, Namibia. *International Quaternary Association Field Trip, Desert Research Foundation of Namibia, Windhoek*: 1-59 pp.
- Lancaster N, Teller JT. 1988. Interdune deposits of the Namib Sand Sea. *Sedimentary Geology* 55: 91-107.
- Lang A, Filser J, Henschel JR. 1999. Predation by ground beetles and wolf spiders on herbivorous insects in a maize crop. *Agriculture, Ecosystems and Environment* 72: 189-199.
- Lange J. 2005. Dynamics of transmission losses in a large arid stream channel. *Journal of Hydrology* 306: 112-126.
- Lange OL, Meyer A, Zellner H, Heber U. 1994. Photosynthesis and water relations of lichen soil crusts: field measurements in the coastal fog zone of the Namib Desert. *Functional Ecology* 8: 253-264.
- Lawrence R. 1965. Sun-spiders. *Animals* 6: 232-235.
- Lawrence RF. 1959. The sand-dune fauna of the Namib Desert. *South African Journal of Science* 55: 233-239.
- Lawrence RF. 1960. The Namib Desert Biological Station. *South African Journal of Science* 56: 90.
- Lawrence RF. 1962. Solifuges, scorpions and Chilopoda of the Namib Desert. *Scientific Papers of the Namib Desert Research Station*: 213-222.
- Lawrence RF. 1962. Spiders of the Namib Desert. *Annals of the Transvaal Museum, Pretoria* 24: 197-211.
- Lawrence RF. 1963. The Solifugae of South West Africa. *Cimbebasia* 1-28.
- Lawrence RF. 1965. Dune spiders of the Namib Desert. *Animals*: 260-263.
- Lawrence RF. 1965. New and little known Arachnida from the Namib Desert, South West Africa. *Scientific Papers of the Namib Desert Research Station*: 1-12.

- Lawrence RF. 1966. New and little known scorpions and solifuges from the Namib Desert and South West Africa. *Scientific Papers of the Namib Desert Research Station*: 1-11.
- Lawrence RF. 1966. New dune spiders (Sparassidae) from the Namib Desert, South West Africa. *Cimbebasia* (17): 3-15.
- Lawrence RF. 1967. Additions to the fauna of South West Africa: solifuges, scorpions and pedipalpi. *Scientific Papers of the Namib Desert Research Station*: 1-19.
- Lawrence RF. 1969. A new genus of psammophile scorpion and new species of *Opisthophthalmus* from the Namib Desert. *Scientific Papers of the Namib Desert Research Station*: 105-116.
- Lawrence RF. 1969. V.F. FitzSimons, a biographical appreciation. *Scientific Papers of the Namib Desert Research Station*: 1-4.
- Lawrence RF. 1970. A new centipede from the Namib desert, South West Africa, and a new record of *Cryptops rhodesianus* (Scolopendromorpha: Scolopendridae). *Journal of the Entomological Society of Southern Africa* 33: 89-90.
- Lawrence RF. 1972. New psammophilous Solifugae, chiefly from desert regions of the Kalahari and South West Africa. *Madoqua Series II* 1: 97-116.
- Lawrence RF. 1975. The Chilopoda of South West Africa. *Cimbebasia Series A* 4: 35-45.
- Lawrence RF. 1977. A history of the Namib Desert Research Station to 1970. *Namib Bulletin, Gobabeb*: pages 3-5.
- Lawrence RF. 1981. Duel in the desert. *South West African Annual Yearbook, Windhoek*: 29-34.
- Lawrence RF, Seely MK. 1979. Gobabeb - Namib Desert Research Station. *South West Africa Annual Yearbook, Windhoek*: 117-125.
- Laycock PA. 1975. A brief gerbil trapping survey in an inter-dune valley in the Namib Desert. *Madoqua Series II* 4: 95-97.
- Le Roux GJ. 1970. The microbiology of sand-dune ecosystems in the Namib Desert. M. Sc. University of Stellenbosch, Stellenbosch: 1-97 pp.
- Leggett K, Fennessy J, Schneider J. 2004. A study of animal movement in the Hoanib River catchment, northwestern Namibia. *African Zoology* 39: 1-11.
- Leggett K, Fennessy J, Schneider J. 2005. Flood-borne sediment analysis of the Hoanib River, northwestern Namibia. *Journal of Arid Environments* 62: 587-596.
- Leggett K, Fennessy J, Schneider S. 2001. Hoanib River catchment study, northwestern Namibia: Soil. (Occasional paper no. 14) Desert Research Foundation of Namibia, Windhoek & The Gobabeb Training & Research Centre: 1-35 pp.
- Leggett K, Fennessy J, Schneider S. 2001. Hoanib River catchment study, northwestern Namibia: Water. (Occasional paper no. 15) Desert Research Foundation of Namibia, Windhoek & The Gobabeb Training & Research Centre: 1-85 pp.
- Leggett K, Fennessy J, Schneider S. 2001. Hoanib River catchment study, northwestern Namibia: Fauna. (Occasional paper no. 16) Desert Research Foundation of Namibia, Windhoek & The Gobabeb Training & Research Centre: 1-177 pp.
- Leggett K, Fennessy J, Schneider S. 2001. Hoanib River catchment study, northwestern Namibia: Vegetation. (Occasional paper no. 17) Desert Research Foundation of Namibia, Windhoek & The Gobabeb Training & Research Centre: 1-131 pp.
- Leggett K, Fennessy J, Schneider S. 2003. Does land use matter in an arid environment? a case study from the Hoanib River catchment, north-western Namibia. *Journal of Arid Environments* 53: 529-543.
- Leggett K, Fennessy J, Schneider S. 2003. Seasonal distributions and social dynamics of elephants in the Hoanib River catchment, northwestern Namibia. *Journal of Arid Environments* 38: 305-316.

- Leggett K, Fennessy J, Schneider S. 2003. Seasonal vegetation changes in the Hoanib River catchment, north-western Namibia: a study of a non-equilibrium system. *Journal of Arid Environment* 53: 99-113.
- Lengoasa JR, Lindsay JA, van Nierop AM. 1993. The influence of a synoptic-scale disturbance on topographically induced boundary layer circulations over the central Namib Desert. *Madoqua* 18: 71-78.
- Lifalaza M. 2006. A socio-economic analysis of the lives and livelihoods of the Kuiseb Topnaar. Gobabeb Training and Research Centre (In-house training report) and Polytechnic of Namibia, Windhoek: 6-22 pp.
- Lighton JRB. 1990. Slow discontinuous ventilation in the Namib dune-sea ant *Camponotus detritus* (Hymenoptera, Formicidae). *Journal of experimental Biology* 151: 71-82.
- Lighton JRB. 1991. Ventilation in Namib Desert tenebrionid beetles: mass scaling and evidence of a novel quantized flutter-phase. *Journal of Experimental Biology* 159: 249-268.
- Lindsay JA, Tyson PD. 1990. Climate and near-surface airflow over the central Namib. In: *Namib ecology 25 years of Namib research*. Seely M. (Editor) Transvaal Museum, Pretoria: 27-37.
- Lindsay JA, Tyson PD. 1990. Thermo-topographically induced boundary layer oscillations over the central Namib, southern Africa. *International Journal of Climatology* 10: 63-77.
- Livingstone I. 1982. Dynamics of Namib linear dunes. *Namib Bulletin, Gobabeb*: 10-11.
- Livingstone I. 1985. The dynamics of sand transport on a Namib linear dune. Ph. D. University of Oxford, Oxford: 1-318 pp.
- Livingstone I. 1986. Geomorphological significance of wind flow patterns over a Namib linear dune. In: *Aeolian geomorphology*. Nickling WG. (Editor) Chapter 6. Allen & Unwin, Boston: 97-112.
- Livingstone I. 1987. Grain-size variation on a 'complex' linear dune in the Namib Desert. In: *Desert sediments: ancient and modern* Frosdick L, Reid I. (Editors) Geological Society special publication no. 35: 281-291 pp.
- Livingstone I. 1987. Photographic evidence of seasonal change in a secondary form on a 'complex' linear dune. *Madoqua* 15: 237-241.
- Livingstone I. 1987. Using the response diagram to recognise zones of aeolian activity: a note on evidence from a Namib dune. *Journal of Arid Environments* 13: 25-30.
- Livingstone I. 1988. New models for the formation of linear sand dunes. *Geography* 73: 105-115.
- Livingstone I. 1989. Applying Besler's response diagram: a comment. *Zeitschrift für Geomorphologie N.F.* 33: 499-502.
- Livingstone I. 1989. Monitoring surface change on a Namib linear dune. *Earth Surface Processes and Landforms* 14: 317-332.
- Livingstone I. 1989. Temporal trends in grain-size measures on a linear sand dune. *Sedimentology* 36: 1017-1022.
- Livingstone I. 1990. Desert sand dune dynamics: review and prospect. In: *Namib ecology 25 years of Namib research*. Seely M. (Editor) Transvaal Museum, Pretoria: 47-53.
- Livingstone I. 1993. A decade of surface change on a Namib linear dune. *Earth Surface Processes and Landforms* 18: 661 - 664.
- Livingstone I. 2003. A twenty-one-year record of surface change on a Namib linear dune. *Earth Surface Processes and Landforms* 28: 1025-1031.
- Lockey KH. 1982. Hydrocarbons of adult *Onymacris plana* (Péringuey) and *Onymacris rugatipennis* (Haag) (Coleoptera: Tenebrionidae). *Insect Biochemistry* 12: 69-81.
- Lockey KH. 1982. Hydrocarbons of adult *Physadesmia globosa* (Haag) and *Stenocara gracilipes* (Haag) (Coleoptera: Tenebrionidae). *Insect Biochemistry* 12: 331-342.

- Lockey KH. 1984. Hydrocarbons of adult *Zophosis (Gyrosis)* species and *Zophosis (Onychosis) gracilipes* (Deyrolle) (Coleoptera: Tenebrionidae). *Journal of Insect Biochemistry* 14: 645-656.
- Lockey KH. 1984. Hydrocarbons of *Metriopus depressus* (Haag) and *Renatiella scrobipennis* (Haag) (Coleoptera: Tenebrionidae). *Insect Biochemistry* 14(1): 65-75.
- Lockey KH. 1985. Cuticular hydrocarbons of adult *Eurychora* sp. (Coleoptera: Tenebrionidae). *Comparative Biochemistry and Physiology* 81B: 223-227.
- Lockey KH. 1985. Cuticular hydrocarbons of adult *Lepidochora discoidalis* Gebien and *Lepidochora eberlanzi* Koch (Coleoptera: Tenebrionidae). *Comparative Biochemistry and Physiology* 80B: 633-640.
- Lockey KH. 1991. Cuticular hydrocarbons of adult *Onymacris bicolor* (Haag) and *Onymacris boschimana* (Péringuey) (Coleoptera: Tenebrionidae). *Comparative Biochemistry and Physiology* 98B: 151-163.
- Lockey KH. 1992. Insect hydrocarbon chemotaxonomy: cuticle hydrocarbons of adult and larval *Epiphysa* species Blanchard and adult *Onymacris unguicularis* (Haag) (Tenebrionidae: Coleoptera). *Comparative Biochemistry and Physiology* 102B: 451-470.
- Logan RF. 1960. The Central Namib Desert South West Africa (1<sup>st</sup> Edition) Publication 758. National Academy of Sciences - National Research Council, Washington, D.C: 1-162 pp.
- Lombard AT. 1989. The thermal implications and ecological consequences of coloration in selected species: Tenebrionid beetles (*Onymacris bicolor* and *Onymacris unguicularis*) Cape gannets (*Morus capensis*) and Cape comorants (*Phalacrocorax capensis*). Ph. D. University of Cape Town, Cape Town: 1-205 pp.
- Loris K. 1990. Zur Problematik der Wasserversorgung von *Arthraerua leubnitziae* in der Äußeren Namib, mit Daten des Nebelniederschlags. *Proceedings: Symposium zum Gedenken an Prof. Dr. h.c. H. Walter*. Stuttgart-Hohenheim, University of Stuttgart-Hohenheim: 1-15.
- Loutit BD, Louw GN, Seely MK. 1987. First approximation of food preferences and the chemical composition of the diet of the desert-dwelling black rhinoceros, *Diceros bicornis* L. *Madoqua* 15: 35-54.
- Louw G. 1993. *Physiological animal ecology*. (1<sup>st</sup> Edition) Longman Scientific and Technical Publisher, Essex: 1-288 pp.
- Louw G, Seely M. 1982. *Ecology of desert organisms*. (1<sup>st</sup> Edition) Longman Group Limited, London and New York. 1-194 pp.
- Louw GN. 1971. Water economy of certain Namib Desert animals. *South African Journal of Science* 67: 119-123.
- Louw GN. 1972. The role of advective fog in the water economy of certain Namib Desert animals. *Proceedings: Comparative physiology of desert animals*. Maloiy GMO. (Editor) Symposium of the Zoological Society, London: 297-314.
- Louw GN. 1983. Water & desert survival. *Rössing Magazine*, Windhoek: 16-20.
- Louw GN. 1984. Water deprivation in herbivores under arid conditions. In: *Herbivore nutrition in the Tropics and Sub-Tropics*. Gilchrist F. (Editor) Science Press, Johannesburg: 106-126.
- Louw GN. 1990. Physiological studies on the Namib fauna: a brief critique. In: *Namib ecology 25 years of Namib research*. Seely MK. (Editor) Transvaal Museum, Pretoria: 203-207.
- Louw GN, Belonje PC, Coetzee HJ. 1969. Renal function, respiration, heart rate and thermoregulation in the ostrich (*Struthio camelus*). *Scientific Papers of the Namib Desert Research Station*: 43-54.
- Louw GN, Hamilton WJ.III. 1972. Physiological and behavioural ecology of the ultrapsammophilous Namib Desert tenebrionid, *Lepidochora argentogrisea*. *Madoqua Series II* 1(58): 87-95.

- Louw GN, Holm E. 1972. Physiological, morphological and behavioural adaptations of the ultrapsammophilous Namib Desert lizard *Aporosaura anchietae* (Bocage). Madoqua Series II 1: 67-85.
- Louw GN, Nicolson SW, Seely MK. 1986. Respiration beneath desert sand: carbon dioxide diffusion and respiratory patterns in a tenebrionid beetle. *Journal of Experimental Biology* 120: 443-447.
- Louw GN, Seely MK. 1980. Exploitation of fog water by a perennial Namib dune grass, *Stipagrostis sabulicola*. *South African Journal of Science* 76: 38-39.
- Louw GN, Seely MK. 1984. Labelled water in desert survival patterns. *Nuclear Active*: 11-14.
- Louw GN, Seely MK, Gerneke D. 1990. Photosynthesis, transpiration and stomatal morphology in the leafless, desert cucurbit, *Acanthosicyos horrida*. (Unpublished note) Desert Ecological Research Unit, Gobabeb: 1-13.
- Lovegrove B. 1993. The living deserts of southern Africa. (1<sup>st</sup> Edition) Fernwood Press, Cape Town. 11-224 pp.
- Lubin Y, Henschel J. 1996. The influence of food supply on foraging behaviour in a desert spider. *Oecologia* 105: 64-73.
- Lubin Y, Henschel JR, Baker MB. 2001. Costs of aggregation: shadow competition in a sit-and-wait predator. *Oikos* 95: 59-68.
- Lubin YD, Henschel JR. 1990. Foraging at the thermal limit: burrowing spiders (*Seothyra*, Eresidae) in the Namib desert dunes. *Oecologia* 84: 461-467.
- Machin J, O'Donnell MJ. 1991. Rectal complex ion activities and electrochemical gradients in larvae of the desert beetle, *Onymacris*: comparisons with *Tenebrio*. *Journal of Insect Physiology* 37: 829-838.
- Makuti O. 2000. Sustainability of water use at Soutrivier, a Topnaar village in the Namib Desert. Gobabeb Training and Research Centre (In-house training report) and Polytechnic of Namibia, Windhoek: 1-14 pp.
- Makuti O. 2004. Pod production of *Acacia erioloba* and *Acacia albida* at Gobabeb and Swartbank in the Kuiseb River. Btech Diploma. Gobabeb Training and Research Centre and Polytechnic of Namibia: 1-24 pp.
- Makuti O, Henschel JR, Kolb H, Mtuleni V, Siteketa V, Shanyengana ES. 2004. Testing fog collectors in the Namib Desert. Proceedings: The third international conference on fog, fog collection and dew. (11-15 October 2004) Fog and Fog Collection. Rautenbach H. (Editor) Cape Town: 1-4.
- Malan F. 1987. Modern instrumentation at Gobabeb. *Namib Bulletin*, Gobabeb: 3-4.
- Malan M. 1977. Miracle of the Namib. *Scientiae* 18: 22-32.
- Mamili P. 2005. Plant moisture stress and the water content of tree leaves at different times during the day in the Kuiseb River flood plain. Gobabeb Training and Research Centre (In-house training report) and Polytechnic of Namibia, Windhoek: 1-11pp.
- Mannheimer C, Jacobson K. 1998. Fungal diversity in Namibia. In: *Biological Diversity in Namibia - a country study*, Barnard P. (Editor) Namibian National Biodiversity Task Force, Windhoek: 110-113.
- Manning N. 2004. FIRM base: forum for integrated resource management in ephemeral basins - the FIRM way to basin management. Proceedings: 5th Waternet / Warfsa. Global Water Partnership (2-4 November 2004) Windhoek: 73.
- Manning N, Hoveka V, Seely M. 2004. Basin management in the Kuiseb ephemeral river, Namibia. Proceedings: 5th Waternet / Warfsa. Global Water Partnership (2-4 November 2004) Windhoek: 72.
- Manning N, Pallett J. 2004. Kuiseb Basin Management Committee - the first of its kind in Namibia. *Conservation and the environment in Namibia*, Windhoek: 26-27.

- Manning N, Seely M. 2005. Forum for integrated resource management (FIRM) in ephemeral basins: putting communities at the centre of the basin management process. *Physics and Chemistry of the Earth* 30: 886-893.
- Mansell MW. 1990. The Myrmeleontidae of southern Africa: tribe Palparini. introduction and description of *Pamares* gen. nov., with four new species (Insecta: Neuroptera). *Journal of the Entomological Society of southern Africa* 53: 165-189.
- Marcuzzi G. 1970. In memoria di Carlo Koch. *Memorie della Societa Entomologica Italiana* 49: 153-155.
- Marcuzzi G, Lafisca MT. 1977. The digestive enzymes of some psammophilous tenebrionid beetles from South West Africa. *Madoqua* 10: 191-193.
- Marden JH. 1987. In pursuit of females: following and contest behavior by males of a Namib Desert tenebrionid beetle, *Physadesmia globosa*. *Ethology* 75: 15-24.
- Marker ME. 1977. Aspects of the geomorphology of the Kuiseb River, South West Africa. *Madoqua* 10: 199-206.
- Marker ME. 1977. A long-return geomorphic event in the Namib Desert, South West Africa. *Area* 9: 209-213.
- Marker ME. 1979. Relict fluvial terraces on the Tsondeb Flats, Namibia. *Journal of Arid Environments* 2: 113-117.
- Marker ME. 1981. The geomorphological significance of some central Namib materials. *Journal of the SWA Scientific Society* 35: 49-55.
- Marker ME. 1982. Aspects of Namib geomorphology: a doline karst. In: *Palaeoecology of Africa and the surrounding islands*, Coetzee JA, van Zinderen Bakker EM.Sr. (Editors) A. A.Balkema, Rotterdam: 187-199.
- Marker ME. 1983. Fluvial deposits of the middle Kuiseb valley, Namibia. *Journal of Arid Environments* 6: 333-348.
- Marker ME, Müller D. 1978. Relict vleis silts of the middle Kuiseb River valley, South West Africa. *Madoqua* 11: 151-162.
- Marsh A. 1983. Structure and function of a Namib desert ant (Hymenoptera: Formicidae) community (abstract). *Proceedings: Entomological Congress.* (6-8 September 1983) Entomological Society of southern Africa, Johannesburg: 3-4.
- Marsh A. 1995. *Namibia: environmental degradation and the future.* (1<sup>st</sup> Edition) Published by: Swedish International Development Authority, Windhoek: 1-20 pp.
- Marsh A, Amakali P. 1995. *Trees: threatened lifeline of northern Namibia.* (1<sup>st</sup> Edition) Gamsberg Macmillan Publishers, Windhoek: 1-72 pp.
- Marsh A, Seely M. 1992. (Editors) *Oshanas. Sustaining people environment and development in central Owambo, Namibia* (1<sup>st</sup> Edition) Published by: Desert Research Foundation of Namibia (DRFN) and Swedish International Development Authority (SIDA), Windhoek: 1-55 pp.
- Marsh AC. 1982. The ants of the Namib Desert. *Namib Bulletin, Gobabeb*: 7-8.
- Marsh AC. 1984. The efficacy of pitfall traps for determining the structure of a desert ant community. *Journal of the Entomological Society of Southern Africa* 47: 115-120.
- Marsh AC. 1985. Aspects of the ecology of Namib desert ants. Ph. D. University of Cape Town, Cape Town: 1-234 pp.
- Marsh AC. 1985. Forager abundance and dietary relationships in a Namib Desert ant community. *South African Journal of Zoology* 20: 197-203.
- Marsh AC. 1985. Microclimatic factors influencing foraging patterns and success of the thermophilic desert ant, *Ocymyrmex barbiger*. *Insectes Sociaux (Paris)* 32: 286-296.
- Marsh AC. 1985. Thermal responses and temperature tolerance in a diurnal desert ant, *Ocymyrmex barbiger*. *Physiological Zoology* 58: 629-636.
- Marsh AC. 1986. Ant species richness along a climatic gradient in the Namib Desert. *Journal of Arid Environments* 11: 235-241.

- Marsh AC. 1986. Checklist, biological notes and distribution of ants in the central Namib Desert. *Madoqua* 14: 333-344.
- Marsh AC. 1987. The foraging ecology of two Namib Desert harvester ant species. *South African Journal of Zoology* 22: 130-136.
- Marsh AC. 1987. Thermal responses and temperature tolerance of a desert ant-lion larva. *Journal of Thermal Biology* 12: 295-300.
- Marsh AC. 1988. Activity patterns of some Namib Desert ants. *Journal of Arid Environments* 14: 61-74.
- Marsh AC. 1990. The biology and ecology of Namib Desert ants. In: *Namib ecology 25 years of Namib research*. Seely MK. (Editor) Transvaal Museum, Pretoria: 109-114.
- Marsh AC. 1993. Ants that are not too hot to trot. *Natural History* 102: 43-44.
- Marsh B. 1982. An ecological study of *Welwitschia mirabilis* and its satellite fauna. *Namib Bulletin, Gobabeb*: 3-4.
- Marsh BA. 1987. Micro-arthropods associated with *Welwitschia mirabilis* in the Namib Desert. *South African Journal of Zoology* 22: 89-96.
- Marsh BA. 1990. The microenvironment associated with *Welwitschia mirabilis* in the Namib desert. In: *Namib ecology 25 years of Namib research*. Seely MK. (Editor) Transvaal Museum, Pretoria: 149-153.
- Matiwane ML. 1991. Seed viability characteristics, mycofloral contamination and water status of two Namib Desert species, *Arthraerua leubnitziae* and *Calicorema capitata*. B. Sc. Honours University of Natal, Durban: 1-23 pp.
- Matros A. 2002. Namibia. In: *Uncovering 'Green Wash' challenging our government into action* (Danish 92 Group) Bromberg G, Skuce N. (Editors) Johannesburg: 63-68 pp.
- Matros A. 2003. Linking policies with people an analysis of community participation in policy formulation in Namibia Kavango Region: Ndiyona Constituency. M. Sc. Linköping University, Linköping: 1-79 pp.
- Matros A. 2004. Linking policies with people an analysis of community participation in policy formulation in Namibia, Kavango Region: Ndiyona Constituency. Proceedings: 5th Waternet / Warfsa. (2-4 November 2004) Global Water Partnership, Windhoek: 76.
- Matros A, Nakale T, Thaniseb A. 2002. Community based tourism in Namibia, South Africa and Zambia (abstract). Proceedings: *Alternative ways to combat desertification: connecting community action with science and common sense*. (8-20 April 2002) Ward V. (Editor) Cape Town, Gobabeb: 1-60 pp.
- Matros A, Nakale T, Thaniseb A. 2002. Land questions in Namibia, South Africa and Zambia (abstract). Proceedings: *Alternative ways to combat desertification: connecting community action with science and common sense*. (8-20 April 2002) Ward V. (Editor) Cape Town, Gobabeb: 1-60 pp.
- Matros A, Thaniseb A. 2002. World Summit on sustainable development (abstract). Proceedings: *Alternative ways to combat desertification: connecting community action with science and common sense*. (8-20 April 2002) Ward V. (Editor) Cape Town, Gobabeb: 1-60 pp.
- Matros-Goreses A. 2006. Finalising the SADC regional water strategy Namibia water partnership newsletter (May 2006), Windhoek: page 3.
- Matthew C. 2001. Namibia's biomass energy management programme, (Report) Desert Research Foundation of Namibia, Windhoek: 1-18 pp.
- Mauney G. 1990. Baboons in the Namib. *Flamingo, Johannesburg*: 39-43.
- Mauney G. 1992. Serpentine mystery. *Flamingo, Johannesburg*: 12-13.
- Mauney G. 1993. Baboons of the Namib. *Africa Environment & Wildlife, Cape Town*: 59-65.
- Mayer C. 2000. Bestäubungsökologie der !nara-melone (*Acanthosicyos horrida*, Cucurbitaceae). Diploma. Julius-Maximilian-Universität, Würzburg, Germany: 3-114 pp.

- Mayer C. 2004. Pollination ecology of !nara. In: !NARA fruit for development of the !Khuseb Topnaar. Henschel J, Dausab R, Moser P, Pallett J. (Editors) Namibia Scientific Society, Windhoek: 69-76.
- Mazambani C. 2006. Water and wetlands our future "prize-giving event". Namibia water partnership newsletter (May 2006), Windhoek: page 2.
- Mazambani C, Pallet J. 2006. Proud of our deserts while combating desertification. The Namibian (19 June 2006), Windhoek: page 4.
- Mazambani C, Seely M. 2006. Introducing IYDD in Namibia. Namibia Water Partnership newsletter (February 2006), Windhoek: page 4.
- McClain E. 1983. Effects of an arid environment on carrion feeding insects (abstract). Proceedings: The Fourth Congress of the Entomological Society of Southern Africa, The Entomological Society of southern Africa, Johannesburg: 29-30.
- McClain E. 1984. Wax blooms of Namib Desert tenebrionids. *Namib und Meer* 10: 7-18.
- McClain E, Gerneke D. 1990. Morphology of wax blooms on selected Namib desert beetles (Coleoptera: Tenebrionidae). In: *Namib ecology 25 years of Namib research*. Seely MK. (Editor) Transvaal Museum, Pretoria: 193-202.
- McClain E, Hanrahan SA, Gerneke D. 1986. Extracuticular secretion on a Namib Desert tenebrionid, *Onymacris plana*: an indicator of aridity. *Madoqua* 14: 363-367.
- McClain E, Kok CJ, Monard LAG. 1991. Reflective wax blooms on black Namib Desert beetles enhance day activity. *Naturwissenschaften* 78: 40-42.
- McClain E, Magnuson P, Warner SJ. 1988. Behavioural fever in a Namib Desert tenebrionid beetle, *Onymacris plana*. *Journal of Insect Physiology* 34: 279-284.
- McClain E, Praetorius RL, Hanrahan SA, Seely MK. 1984. Dynamics of the wax bloom of a seasonal Namib Desert tenebrionid, *Cauricara phalangium* (Coleoptera: Adesmiini). *Oecologia* (Berlin) 63: 314-319.
- McClain E, Savage MJ, Nott K. 1984. Reflectivity of the cuticle of a Namib Desert tenebrionid, *Cauricara phalangium*, with a wax bloom. *South African Journal of Science* 80: 183-184.
- McClain E, Seely MK, Hadley NF, Gray V. 1985. Wax blooms in tenebrionid beetles of the Namib Desert: correlations with environment. *Ecology* 66: 112-119.
- McClain L, Brain G. 2001. Leonard the landrover. (1<sup>st</sup> Edition, reprinted) Published by: Gamsberg Macmillan Publishers (Pty) Ltd, Windhoek: 1-39 pp.
- McKee ED. 1982. Sedimentary structures in dunes of the Namib Desert, South West Africa. *The Geological Society of America Special paper*: 1-64.
- McLachlan A. 1985. The ecology of two sandy beaches near Walvis Bay. *Madoqua* 14: 155-163.
- McLachlan A. 1986. Studies of sand dunes (workshop report). *South African Journal of Science* 82: 243.
- Meester J. 1963. Some mammals from the Namib Desert. *Annals of the Transvaal Museum, Pretoria* 24: 241-248.
- Meester J. 1964. Revision of the Chrysochloridae I. the desert golden mole *Eremitalpa* Roberts. *Scientific Papers of the Namib Desert Research Station*: 1-8.
- Meester W. 1980. Scientists remember Charles Koch (1904-1970). *South African Journal of Science* 76: 396.
- Merrill R. 2004. The ideal free distribution and the effects of dominance in chacma baboons, *Papio cynocephalus ursinus*. M. Sc. Institute of Zoology, London.
- Mfune J, Henschel J. 2006. NaEON, the Namibian Country Network for Monitoring the Environment (abstract). Proceedings: ILTER/ELTOSA Conference (August 2006). Gobabeb Training and Research Centre: 5.
- Miller RM, Seely MK. 1976. Fluvio-marine deposits south-east of Swakopmund, South West Africa. *Madoqua* 9: 23-26.

- Mitchell D, Goelst K, Seely MK. 1992. How do chthonic Namib mammals generate heat? (abstract). Proceedings: African Association of Physiological Sciences, Pretoria: 88.
- Mitchell D, Laburn HP, Matter M, McClain E. 1990. Fever in Namib and other ectotherms. In: Namib ecology 25 years of Namib research. Seely MK. (Editor) Transvaal Museum, Pretoria: 179-192.
- Mitchell D, Seely MK, Roberts CS, Pietruszka RD, McClain E, Griffin M, Yeaton RI. 1987. On the biology of the lizard *Angolosaurus skoogi* in the Namib Desert. Madoqua 15: 201-216.
- Mitchell L. 1984. Zoologists and the desert. South African Journal of Science 80: 160-162.
- Mizuno K. 2005. Environmental changes in relation to tree death along the Kuiseb River in the Namib Desert. African Study Monographs Suppl. 30: 27-41.
- Mizuno K, Yamagata K. 2005. Vegetation succession and plant use in relation to environmental changes along the Kuiseb River in the Namib Desert. African Study Monographs Suppl. 30: 3-14.
- Mohr M. 1997. Ökologische Untersuchungen entlang eines Transekts der Sandnamib. Diploma University of Bielefeld, Bielefeld:1-80 pp.
- Moisel L. 1971. Beobachtungen an einigen Namibpflanzen und ihrer Wasserversorgung. Namib und Meer 2: 65-75.
- Molapo M. 1994. Swakopmund: is there enough water for the future. Namib Times (4 January 1994), Walvis Bay: page 1.
- Molyneux TG. 1976. Notes on birds of the northeastern Namib Desert Park and adjoining farms. Madoqua 9: 45-52.
- Montgomery S. 2000. Community based drylands tourism workshop - Gobabeb. Proceedings: Communications Unit of the Desert Research Foundation of Namibia: 1-44 pp.
- Montgomery S. 2001. Ecotourism - a contradiction in terms? Conservation Travel News, Windhoek: 51-54.
- Morales G, Cartwright M, Rivers J, Nowill C. 2005. Addressing misconceptions in Katutura: educating residents about the water distribution system. Degree of Bachelor of Science, Weininger S, Addison B. (Advisors) Desert Research Foundation of Namibia and Worcester Polytechnic Institute, Windhoek: 1-123 pp.
- Moser P. 2001. Root and shoot development of *Acanthosicyos horridus* seedlings in the Namib Desert. M. Sc. Westfälische Wilhelms-Universität Institut für Landschaftsökologie, Münster, Germany: 1-58 pp.
- Moser P. 2004. Regeneration processes of *Faidherbia albida* and *Acacia erioloba* in the western ephemeral rivers of Namibia. Proceedings: 5th Waternet / Warfsa, Global Water Partnership. (2-4 November 2004) Windhoek: 146.
- Moser P. 2004. Root and shoot development of !nara seedlings. In: !NARA fruit for development of the !Khuseb Topnaar. Henschel J, Dausab R, Moser P, Pallett J. (Editors) Namibia Scientific Society, Windhoek: 85-91.
- Moser P, Henschel J. 2004. !Nara use by people. In: !NARA fruit for development of the !Khuseb Topnaar. Henschel J, Dausab R, Moser P, Pallett J. (Editors) Namibia Scientific Society, Windhoek: 49-53.
- Moser P, Makuti O, Henschel JR. 2004. Vegetation monitoring along the Kuiseb ephemeral river in the Namib Desert - a tool to assess environmental change. Proceedings: 5th Waternet / Warfsa, Global Water Partnership. (2-4 November 2004) Windhoek: 145.
- Moser PM. 2006. Regeneration and utilization of *Faidherbia albida* and *Acacia erioloba* along ephemeral rivers of Namibia. Ph. D. University of Bonn, Bonn: 1-122 pp.

- Mouat D, Bassett S, Lancaster J. 2002. Water source and linear oasis: assessing alternative futures for the Kuiseb River basin, Namibia. Proceedings: Alternative ways to combat desertification: connecting community action with science and common sense. (8-20 April 2002) Ward V. (Editor) Cape Town, Gobabeb: 34.
- Mouton D, Mufeti T, Kisting H. 2000. A preliminary assessment of the land cover and biomass variations in the Huab catchment. Prepared through the National Remote Sensing Centre for NAPCOD (Occasional paper no. 12) Desert Research Foundation of Namibia, Windhoek & The Gobabeb Training & Research Centre: 1-48 pp.
- Mtuleni V, Henschel JR, Seely MK. 1998. Evaluation of fog-harvesting potential in Namibia. Proceedings: 1st Conference on Fog and Fog Collection. International Development Research Centre (IDRC) Schemenauer RS, Bridgman H. (Editors) Vancouver, Canada: 179-182.
- Müller M. 2000. Ausbreitungsökologie der !nara-melone (*Acanthosicyos horrida*, Cucurbitaceae). Diploma. Julius-Maximilian Universität, Würzburg, Germany: 4-135 pp.
- Müller M. 2004. Seed dispersal ecology of the !nara melon. In: !NARA fruit for development of the !Khuseb Topnaar. Henschel J, Dausab R, Moser P, Pallett J. (Editors) Namibia Scientific Society, Windhoek: 77-84.
- Münsterer M, Otto S. 1994. Recommendations for a sustainable tourism concept in the area of the Namib Naukluft Park. Desert Research Foundation of Namibia, Desert Ecological Research Unit, Gobabeb: 51 pp. (Unpublished report)
- Murray G. 1981. Trip to the Namib Desert. The Stythian: 30-31.
- Murray GW, Schramm D. 1987. A comparative study of the diet of the wedge-snouted sand lizard, *Meroles cuneirostris* (Strauch), and the sand diving lizard, *Aporosaura achietae* (Bocage), (Lacertidae), in the Namib Desert. Madoqua 15: 55-61.
- Nagtegaal PJC. 1973. Adhesion-ripple and barchan-dune sands of the recent Namib (SW Africa) and Permian Rotliegend (NW Europe) deserts. Madoqua, Series II 2: 5-19.
- Nagy KA, Clarke BC, Seely MK, Mitchell D, Lighton JRB. 1991. Water and energy balance in Namibian desert sand dune lizards *Angolosaurus skoogi* (Andersson, 1916). Functional Ecology 5: 731-739.
- Nagy KA, Seely MK, Buffenstein R. 1993. Surprisingly low field metabolic rate of a diurnal desert gecko, *Rhoptropus afer*. Copeia 3: 216-219.
- Naidu SG. 1992. Osmoregulation in tenebrionid beetles endemic to the Namib Desert. Ph. D. University of Witwatersrand, Johannesburg: 1-215 pp.
- Naidu SG, Hattingh J. 1985. Osmoregulation in some Namib Desert tenebrionid beetles (abstract). South African Journal of Science 81: 397.
- Naidu SG, Hattingh J. 1986. Water balance and osmoregulation in *Stips stali*, a nocturnal tenebrionid beetle from the Namib Desert. Journal of Insect Physiology 32: 891-896.
- Naidu SG, Hattingh J. 1988. Water balance and osmoregulation in *Physadesmia globosa*, a diurnal tenebrionid beetle from the Namib Desert. Journal of Insect Physiology 34: 911-917.
- Namaganda Maitwe A. 2001. Assessment of information accessibility to youth migrants in urban areas: a case in Windhoek. Bachelor of Arts, University of Namibia, Windhoek: 1-85 pp.
- Namaganda Maitwe A. 2001. Investigation of urban deforestation as a socio-economic indicator in Windhoek: a case in Greenwell Matongo, Goreangab township. Bachelor of Arts, University of Namibia, Windhoek: 1-36 pp.
- Namgongo S. 2006. Potential use of recycled water in crop production along the Kuiseb. Gobabeb Training and Research Centre (In-house training report) and Polytechnic of Namibia, Windhoek: 58-78 pp.
- Namis S. 2001. Sossusvlei. (1<sup>st</sup> Edition) Out of Africa Publishers, Windhoek: 1-87 pp.

- Nangula SMW. 2001. Effects of artificial water points on the communal rangelands of the Uuvudhiya constituency, north-central Namibia. M. Sc. Centre for International Environment and Development Studies (NORAGRIC), Agricultural University of Norway, Oslo: 1-59 pp.
- Narins PM, Lewis ER, Jarvis JUM, O'Riain J. 1997. The use of seismic signals by fossorial Southern African mammals: a neuroethological gold mine. *Brain Research Bulletin* 44: 641-646.
- Ndumba KP. 2004. Diversity of tenebrionid beetles in areas with different land use. Gobabeb Training and Research Centre (In-house training report) and Polytechnic of Namibia, Windhoek: 1-22 pp.
- Nel JAJ. 1969. The prey of owls in the Namib Desert. 1: the spotted eagle owl *Bubo africanus* at Sossus Vlei. *Scientific Papers of the Namib Desert Research Station*: 55-58.
- Nel M. 1995. Rare and interesting plants of the Namib Desert. *Veld and Flora* 81: 14-15.
- Nel PS. 1983. Monitoring van die beskikbaarheid, gehalte en benutting van voer op die gruisflaktes van die Kuiseb-studiegebied. M. Sc. University of the Orange Free State, Bloemfontein: 1-233 pp.
- Nel PS, Opperman DPJ. 1985. Vegetation types of the gravel plain. In: The Kuiseb environment: the development of a monitoring baseline. Huntley BJ. (Editor) South African National Scientific Programmes Report, No. 106, Pretoria: 118-125 pp.
- Newlands G. 1972. A description of *Hadogenes lawrencei* sp. nov. (Scorpiones) with a checklist and key to the South West African species of the genus *Hadogenes*. *Madoqua Series II* 1: 133-140.
- Newlands G. 1972. Notes on psammophilous scorpions and a description of a new species (Arachnida: Scorpionides). *Annals of the Transvaal Museum, Pretoria* 27: 242-254.
- Nghishidi JJ. 2005. The relationship between fallen coppicing tree species and floods in the Kuiseb River-flood plain in the Namib Naukluft Park, Namib Desert. Gobabeb Training and Research Centre (In-house training report) and Polytechnic of Namibia, Faculty: Natural Resource Management, Windhoek: 1-14 pp.
- Nghitila TMK. 1997. An overview of the environmental situation in four northern regions: Ohangwena, Omusati, Oshana and Oshikoto. (Occasional paper no. 6) Desert Research Foundation of Namibia, Windhoek: 1-31 pp.
- Nghitila TMK. 1998. Integrating strategic environmental assessment (SEA) into land use planning of communal areas. M. Sc. Kungl Tekniska Högskolan, Stockholm: 1-49 pp.
- Nicolson S, Isaacson L. 1990. Patch clamp of the basal membrane of beetle Malpighian tubules: direct demonstration of potassium channels. *Journal of Insect Physiology* 36: 877-884.
- Nicolson S, Isaacson L, Gerneke D. 1991. A new method of preparing the basal membrane of renal tubules for patch clamp, using beetle malpighian tubules. *European Journal of Physiology* 417: 654-656.
- Nicolson SW. 1980. Water balance and osmoregulation in *Onymacris plana*, a tenebrionid beetle from the Namib Desert. *Journal of Insect Physiology* 26: 315-320.
- Nicolson SW. 1990. Water relations of the Namib tenebrionid beetles. In: Namib ecology 25 years of Namib research. Seely MK. (Editor) Transvaal Museum, Pretoria: 173-178.
- Nicolson SW. 1991. Diuresis or clearance: is there a physiological role for the «diuretic hormone» of the desert beetle *Onymacris*? *Journal of Insect Physiology* 37: 447-452.
- Nicolson SW. 1992. Diuresis in the desert? unexpected excretory physiology of a Namib beetle. *South African Journal of Science* 88: 243-245.
- Nicolson SW, Bartholomew GA, Seely MK. 1984. Ecological correlates of locomotion speed, morphometrics and body temperature in three Namib Desert tenebrionid beetles. *South African Journal of Zoology* 19: 131-134.

- Nicolson SW, Hanrahan SA. 1986. Diuresis in a desert beetle? hormonal control of the Malpighian tubules of *Onymacris plana* (Coleoptera: Tenebrionidae). *Journal of Comparative Physiology B* 156: 407-413.
- Nicolson SW, Isaacson LC. 1987. Transepithelial and intracellular potentials in isolated Malpighian tubules of tenebrionid beetles. *American Journal of Physiology* 252: 645-653.
- Nicolson SW, Louw GN, Edney EB. 1984. Use of a ventilated capsule and tritiated water to measure evaporative water losses in a tenebrionid beetle. *Journal of Experimental Biology* 108: 477-481.
- Nieman WA, Heyns C, Seely MK. 1978. A note on precipitation at Swakopmund. *Madoqua* 11: 69-73.
- Nilssen S. 1994. Mary Seely: Namibias "First Lady" der Wissenschaften Ein Leben für die Namib-Wüste. *Allgemeine Zeitung* (29 April 1994), Windhoek: page 1.
- Nkandi K. 2002. Environmental Research Centre a design of Gobabeb. M. Sc. University of Port Elisabeth, Port Elisabeth: 1-66 pp.
- Nöckler HC. 1963. Zur Einweihung der Wuestenforschungsstation Gobabeb. Society for Scientific Development, Swakopmund.
- Norgaard T. 2005. Nocturnal navigation in *Leucorchestris arenicola* (Araneae, Sparassidae). *The Journal of Arachnology* 33: 533-540.
- Norgaard T. 2006. The night-time temporal window of locomotor activity in the Namib Desert long-distance wandering spider *Leucorchestris arenicola*. *Journal of Comparative Physiology A* (DOI: 10.1007/s00359-005-0072-7): 69-82.
- Norgaard T. 2006. Nocturnal long-distance navigation in the Namib Desert wandering spider *Leucorchestris arenicola* (Araneae, Sparassidae). Ph. D. Universität Zürich, Zürich: 1-119 pp.
- Norgaard T, Henschel JR, Wehner R. 2003. Long-distance navigation in the wandering desert spider *Leucorchestris arenicola*: can the slope of the dune surface provide a compass cue? *Journal of Comparative Physiology A* 189: 801-809.
- Norgaard T, Henschel JR, Wehner R. 2006. Tracking the Namib Desert spider *Leucorchestris arenicola* - reading the story in the sand (Arachnida, Araneae, Sparassidae). *Senckenbergiana biologica* 86: 211-218.
- Nott K. 1985. An autecological study of a Namib dune succulent, *Trianthema hereroensis*. M. Sc. University of Natal, Pietermaritzburg: 1-147 pp.
- Nott K, Savage MJ. 1985. Observations on the utilization of a dune succulent by Namib faunae. *South African Journal of Zoology* 20: 269-271.
- Nott K, Savage MJ. 1985. Radiation measurements from the Namib Desert. *Madoqua* 14: 165-172.
- Nott K, Savage MJ. 1985. Root distribution of *Trianthema hereroensis* in the Namib dunes. *Madoqua* 14: 181-183.
- Nott K, Savage MJ. 1985. Variation in seasonal and diurnal leaf water potential of a Namib dune succulent. *Madoqua* 14: 177-179.
- Odendaal FJ. 1979. Notes on the adaptive ecology and behaviour of four species of *Rhoptropus* (Gekkonidae) from the Namib Desert with special reference to a thermoregulatory mechanism employed by *Rhoptropus afer*. *Madoqua* 11: 255-260.
- Oetjens M. 2003. Geoökologische Untersuchungen an Inselbergen der Zentralen Namib. Diploma. Universität Hannover, Hannover: 2-103 pp.
- Okitsu S. 2005. Factors controlling geographical distribution in savanna vegetation in Namibia. *African Study Monographs Suppl.* 30: 135-151.
- Oldach G. 1993. Die Wüste lebt: Über die Wüstenforschungsstation Gobabeb. Namibia Magazin, Göttingen, Germany: 20-21.

- Ollier CD. 1977. Outline geological and geomorphic history of the central Namib Desert. *Madoqua* 10: 207-212.
- Ollier CD. 1978. Inselbergs of the Namib Desert : processes and history. *Zeitschrift für Geomorphologie, N.F.* 31: 161-176.
- Ollier CD, Seely MK. 1977. Patterned ground near Gobabeb, central Namib Desert. *Madoqua* 10: 213-214.
- Osberg DC, Hanrahan SA, Seely MK. 1986. Laboratory studies on hybridization among Namib Desert tenebrionids (Coleoptera: Tenebrionidae). *Madoqua* 14: 345-354.
- Pallett J. 1994. Understanding the Oshana environment. (Euvoko lyoshana nomudhingoloko) (1<sup>st</sup> Edition) Desert Research Foundation of Namibia, Windhoek: 1-50 pp.
- Pallett J. 1995. (Editor) The Sperrgebiet. (1<sup>st</sup> Edition) Desert Research Foundation of Namibia and NamDep Diamond Corporation (Pty) Ltd., Windhoek, Namibia: 3-84 pp.
- Pallett J. 1997. (Editor) Sharing water in southern Africa. (1<sup>st</sup> Edition) Desert Research Foundation of Namibia, Windhoek: 1-121 pp.
- Pallett J. 1998. The Namib in flower - a joyful celebration of life. Flamingo, Johannesburg: 37-40.
- Pallett J. 2002. Desertification. In: The Enviropaedia, Parry-Davies D. (Editor) Eco-Logic Publishing cc, Simonstown: page 47.
- Pallett J. 2002. Illumination on desertification. Flamingo, Johannesburg: 28-30.
- Papageorge AC. 1963. The Namib Desert: time in suspension. *Scientiae* 4: 1-5.
- Papageorge AC. 1963. Where time stands still. *Farmers Weekly*: 26-29.
- Parenzee L. 2001. Use of tenebrionid beetles as indicators of habitat quality. M. Sc. University of the Witwatersrand, Johannesburg: 1-105 pp.
- Parenzee L, Zeidler J, Seely M. 2000. Testing biodiversity indicators for community use - a case study from Namibia (abstract). Proceedings: 13th Congress of the German Society for Tropical Ecology, Gesellschaft für Tropenökologie (1-3 March 2000). Würzburg, Germany: page 37.
- Pauw JC, Henschel JR, Siteo AA, Chimpamba JB, Kanyanga JK, Ringrose S. 2006. Ecological networking in southern Africa. Proceedings: AIDCCD active exchange of experience on indicators and development of perspectives in the context of UNCCD, Role of information circulation systems in scientific and practical approaches to combat desertification. *Nucleo Ricerca Desertificazione*, Sassari: 1-11.
- Perrin MR, Boyer DC. 1994. The effect of rodents on plant recruitment and production in the dune fields of the Namib Desert. *Tropical Zoology* 7: 299-308.
- Perrin MR, Boyer H, Boyer DC. 1992. Diets of the hairy-footed gerbils *Gerbillurus paeba* and *G. tytonis* from the dunes of the Namib Desert. *Israel Journal of Zoology* 38: 373-383.
- Peters G, East ML, Herzel H, Henschel JR, Mills MGL, Wilhelm K, Hofer H. 2004. Spotted hyaena whoops: frequent incidence of vocal instabilities in a mammalian loud call. *Bioacoustics* 14: 99-109.
- Peters HM. 1992. On the burrowing behaviour and the production and use of silk in *Seothyra*, a sand-inhabiting spider from the Namib Desert (Arachnida, Araneae, Eresidae). *Verhandlungen des naturwissenschaftlichen Vereins Hamburg (NF)* 33: 191-211.
- Peterson CC. 1990. Paradoxically low metabolic rate of the diurnal gecko *Rhoptropus afer*. *Copeia* 1: 233-237.
- Pfeifer EH. 1979. Inara & Topnaar hottentots. *South West African Annual* 19: 158-159.
- Phemelo M. 2005. The distribution of height and trunk diameter of different tree species in relation to the main river channel as a potential indicator for age of trees in the Kuseib River. Gobabeb Training and Research Centre (In-house training report) and Polytechnic of Namibia, Windhoek: 1-8 pp.

- Pietruszka RD. 1986. Search tactics of desert lizards: how polarized are they? *Animal Behaviour* 34: 1742-1758.
- Pietruszka RD. 1987. *Angolosaurus skoogi*: denizen of the northern dunes. *Namib Bulletin, Gobabeb*: 9-10.
- Pietruszka RD. 1987. On the application of stomach-flushing to Namib Desert lizards. *Madoqua* 15: 73-78.
- Pietruszka RD. 1988. Maxithermy and the thermal biology of an herbivorous sand dune lizard. *Journal of Arid Environments* 14: 175-185.
- Pietruszka RD. 1988. Observations on sexual dimorphism and social structure in the lizard *Angolosaurus skoogi* (Cordylidae) of the northern Namib Desert dunes. *South African Journal of Zoology* 23: 47-51.
- Pietruszka RD, Hanrahan SA, Mitchell D, Seely MK. 1986. Lizard herbivory in a sand dune environment: the diet of *Angolosaurus skoogi*. *Oecologia* (Berlin) 70: 587-591.
- Pietruszka RD, Seely MK. 1985. Predictability of two moisture sources in the Namib Desert. *South African Journal of Science* 81: 682-685.
- Piffel E. 1965. *Microcaeculus namibensis* nov. spec. Ein Vertreter der Caeculiden (Arachnoidea, Acarina) aus der Namibwüste Südwestafrikas. *Scientific Papers of the Namib Desert Research Station*: 1-12.
- Polakow DA. 1997. Communication and sexual selection in the barking gecko (*Ptenopus kochi*). M. Sc. University of Cape Town, Department of Zoology, Cape Town: 1-207 pp.
- Polis GA. 1991. (Editor) The ecology of desert communities. (1<sup>st</sup> Edition) *Desert ecology series*. University of Arizona Press, Tucson: 1-456 pp.
- Polis GA. 1993. Scorpions as model vehicles to advance theories of population and community ecology: the role of scorpions in desert communities. *Proceedings: XII International Congress of Arachnology*. (July 1992) *Memoirs of the Queensland Museum, Queensland Museum, Brisbane, Australia*: 401-410.
- Polis GA, Barnes JD, Seely MK, Henschel JR, Enders MM. 1998. Predation as a major cost of reproduction in Namib Desert tenebrionid beetles. *Ecology* 79: 2560-2566.
- Polis GA, Seely MK. 1990. Imbibition of precipitated fog by Namib Desert scorpions. *The Journal of Arachnology* 18: 362-363.
- Poliwoda S. 2002. Wo die Ladys tanzen. *Süd-Deutsche Zeitung* (1 September 2002), Frankfurt: pages 1-2.
- Polla BS, Cronjé MJ, Bornman L. 1998. Stress symposium in Johannesburg: plants versus humans. *Cell & Stress Chaperones* 3: 143-146.
- Powell T. 2001. An investigation into the nature and origin of dry aeolian dust deposition in the central Namib desert, Namibia. Honours. University of Oxford, Oxford: 1-165 pp.
- Prendini L. 2001. A review of synonyms and subspecies in the genus *Opisthophthalmus* C.L. Koch (Scorpiones: Scorpionidae). *African Entomology* 9: 17-48.
- Prendini L. 2004. The systematics of southern African *Parabuthus* Pocock (Scorpiones, Buthidae): revisions to the taxonomy and key to the species. *Journal of Arachnology* 32: 109-186.
- Prinsloo GL. 1984. A new species of *Hockeria* Walker (Hymenoptera: Chalcididae), parasitic in two gall-inciting Lepidoptera from the Namib Desert, South West Africa. *Journal of the Entomological Society of Southern Africa* 47: 239-244.
- Prinsloo GL. 1985. Some chalcidoid parasitoids (Hymenoptera) from the central Namib Desert. *Cimbebasia Series A* 7: 87-105.
- Prinsloo GL. 1990. Commentary on the insect fauna of the lower Kuiseb River, Namib Desert. In: *Namib ecology 25 years of Namib research*. Seely MK. (Editor) *Transvaal Museum, Pretoria*: 67-75.
- Prinsloo GL, Annecke DP. 1976. New Encyrtidae (Hymenoptera) from South West Africa. *Journal of the Entomological Society of Southern Africa* 39: 185-199.

- Procter DLC. 1982. Free-living soil nematodes of the Namib Desert. Namib Bulletin, Gobabeb: 6-7.
- Pröls S. 1998. Plants around Gobabeb. (Unpublished report). Desert Ecological Research Unit, Gobabeb.
- Prozesky OPM. 1963. Ornithological results of the Transvaal Museum Namib expedition May 1959, and the subsequent trip to Sandwich Harbour during January 1960. Ostrich: 78-91.
- Prozesky OPM. 1969. Notes on the daily drinking pattern of certain bird species. Scientific Papers of the Namib Desert Research Station: 69-81.
- Rashid F, Heyns J. 1990. *Chiloplacus* and *Macrolaimellus* species from South West Africa/Namibia (Nematoda: Cephalobidae). *Phytophylactica* 22: 189-199.
- Rashid F, Heyns J. 1990. Description of *Namibinema scaphovulva* n. gen., n. sp. and *Zeldia punctata* (Thorne, 1925) from Namibia (Nematoda: Cephalobidae). *Phytophylactica* 22: 397-403.
- Rashid F, Heyns J. 1990. *Tylenchorhynchus* species from Namibia (Nematoda: Belonolaimidae). *Phytophylactica* 22: 403-412.
- Rashid F, Heyns J, Coomans A. 1990. *Paracrobeles* and *Acrobeles* species from South West Africa/Namibia with description of a new *Acrobeles* species (Nematoda: Cephalobidae). *Phytophylactica* 22: 41-49.
- Rashid F, Heyns J, Coomans A. 1990. Species of *Seleborca* Andrassy, 1985 from South West Africa/Namibia (Nematoda: Cephalobidae). *Phytophylactica* 22: 51-62.
- Rasmussen JL, Seely MK, Pietruszka RD. 1991. The reproductive behavior of six species of Namib Desert tenebrionid beetles (Coleoptera: Tenebrionidae). *Journal of Insect Behavior* 4: 567-582.
- Richarz A. 2006. Cattle rearing and environmental change in northern Namibia. Diploma. Rheinische Friedrich-Wilhelms Universität, Bonn: 1-122 pp.
- Riise A. 2003. Method study and further development of the rapid veld assessment method in Ombuga grassland, northern Namibia. Diploma. Swedish University of Agricultural Sciences, Uppsala: 7-60 pp.
- Roberts C. 1987. Thermal ecology of the desert beetles. Namib Bulletin, Gobabeb: 13-14.
- Roberts C, Mitchell D, Seely M. 1993. Running cools a desert beetle (abstract). Proceedings: International Union of Physiological Sciences. Thermal Physiology Commission, Milton AS. (Editor) Aberdeen: 109.
- Roberts CS. 1991. The surface and subsurface environments and the physiological and behavioural ecology of dune-living beetles in the Namib Desert. M. Sc. University of the Witwatersrand, Johannesburg: 1-122 pp.
- Roberts CS, Seely MK, Ward D, Mitchell D, Campbell JD. 1991. Body temperatures of Namib Desert tenebrionid beetles: their relationship in laboratory and field. *Physiological Entomology* 16: 463-475.
- Robertson HG, Nicolson SW, Louw GN. 1982. Osmoregulation and temperature effects on water loss and oxygen consumption in two species of African scorpion. *Comparative Biochemistry and Physiology* 71 A: 605-609.
- Robinson ER. 1976. Phytosociology of the Namib Desert Park, South West Africa. M. Sc. University of Natal, Pietermaritzburg: 1-220 pp.
- Robinson ER. 1977. List of plant species from the Mirabib Hill area. *Madoqua* 10: 295-297.

- Robinson ER. 1978. Phytogeography of the Namib Desert of South West Africa (Namibia) and its significance to discussions of the age and uniqueness of this desert. In: Palaeoecology of Africa and the surrounding islands. Van Zinderen Bakker EM.Sr. Coetzee JA. (Editors) A. A.Balkema, Rotterdam: 67-74.
- Robinson ER, Giess W. 1974. Report on the plants noted in the course of a trip from Luderitz Bay to Spencer Bay, January 10 - 21, 1974. Dinteria: 13-44.
- Robinson ER, Seely MK. 1975. Some food plants of ostriches in the Namib Desert Park, South West Africa. Madoqua, Series II 4: 99-100.
- Robinson MD. 1977. An observation on parental care of young in the steenbok in South West Africa. Madoqua 10: 215-216.
- Robinson MD. 1977. Social status and energy expenditure of male Namib Desert sand-diving lizards. Namib Bulletin, Gobabeb: 11-12.
- Robinson MD. 1978. Desert denizen *Aporosaura anchietae*. Scientific Progress 11: 3.
- Robinson MD. 1978. Sexual dichromatism in the Namaqua chamaeleon, *Chamaeleo namaquensis*. Madoqua 11: 81-83.
- Robinson MD. 1979. Karyology, phylogeny and biogeography of the Namaqua chamaeleon, *Chamaeleo namaquensis* Smith, 1831 (Chamaeleonidae, Reptilia). Beaufortia 28: 153-156.
- Robinson MD. 1987. Diet diversity and prey utilization by the omnivorous Namib desert dune lizard, *Aporosaura anchietae* (Bocage), during two years of very different rainfall. Journal of Arid Environments 13: 279-286.
- Robinson MD. 1990. Comments on the reproductive biology of the Namib desert dune lizard, *Aporosaura anchietae*, during two years of very different rainfall. In: Namib ecology 25 years of Namib research. Seely MK. (Editor) Transvaal Museum, Pretoria: 163-168.
- Robinson MD. 1990. Summer field energetics of the Namib desert dune lizard *Aporosaura anchietae* (Lacertidae), and its relation to reproduction. Journal of Arid Environments 18: 207-216.
- Robinson MD. 1993. Death and dancing on the sun-baked dunes of Namibia. Natural History 102: 28-30.
- Robinson MD, Cunningham AB. 1978. Comparative diet of two Namib Desert sand lizards (Lacertidae). Madoqua 11: 41-54.
- Robinson MD, Hughes DA. 1978. Observations on the natural history of Peringuey's adder, *Bitis peringueyi* (Boulenger) (Reptilia: Viperidae). Annals of the Transvaal Museum, Pretoria 31: 190-196.
- Robinson MD, Seely MK. 1980. Physical and biotic environments of the southern Namib dune ecosystem. Journal of Arid Environments 3: 183-203.
- Roer H. 1970. Zur Wasserversorgung der microchiropteren *Eptesicus zuluensis vansonii* (Vespertilionidae) und *Sauromys petrophilus erongensis* (Molossidae) in der Namibwüste. Bijdragen tot de Dierkunde 40: 71-74.
- Roer H. 1971. Zum Migrationsverhalten von *Onymacris plana* und *rugatipennis* (Col.: Tenebrionidae) in der Namibwüste/SWA. Mitteilungen der Deutschen Entomologischen Gesellschaft 30: 32.
- Roer H. 1971. Zur Lebensweise einiger Microchiropteren der Namibwüste (Mammalia, Chiroptera). Zoologische Abhandlungen - Staatliches Museum für Tierkunde in Dresden 32: 43-55.
- Roer H. 1975. Zur Kenntnis der Chiropterenfauna Südwestafrikas. Journal of the South West Africa Scientific Society 29: 105-127.
- Roer H. 1975. Zur Lebensweise des Namibwüstenkäfers *Onymacris plana* Peringuey (Col., Tenebrionidae, Adesmiini) unter besonderer Berücksichtigung seines Migrationsverhaltens. Bonner zoologische Beiträge 26: 239-256.

- Roer H. 1977. Areas and adaptation of the Namib Desert beetle *Onymacris r. rugatipennis* (Haag, 1875) (Col.: Tenebrionidae, Adesmiini) to the Kuiseb river bed in Southwest-Africa. Zoologische Jahrbücher, Abteilung für Systematic, Ökologie und Geographie der Tiere 104: 560-576.
- Roer H. 1978. Die Fledermaus-Fauna von Südwestafrika 1. Teil: Microchiroptera. Journal of the South West Africa Scientific Society 32: 131-179.
- Roer H. 1981. Weitere Untersuchungen zur Anpassung des Namibwüstenkäfers *Onymacris r. rugatipennis* (Haag 1875, Col.: Tenebrionidae, Adesmiini) an das Trockenflußbett des Kuiseb in Südwestafrika. Mitteilungen der Deutschen Gesellschaft zur Allgemeinen Angewandten Entomologie 3: 218-222.
- Roer H. 1983. Aktionsraum und Anpassungsphänomene des Dünenkäfers *Onymacris laeviceps* Gebien (Col.: Tenebrionidae, Adesmiini) in der Namibwüste. Bonner zoologische Beiträge 34: 357-369.
- Roer H. 1984. Zum Vorkommen und Beutefangverhalten des Sandlaufkäfers *Mantichora latipennis* Waterh. (Col.: Cicindelidae) in Südwestafrika/Namibia. Journal of the South West Africa Scientific Society 38: 87-94.
- Roer H. 1985. Dispersion dynamics of tenebrionids of the genus *Onymacris* (Col.: Tenebrionidae, Adesmiini) in the Namib Desert. Journal of the South West Africa Scientific Society 39: 65-70.
- Roer H. 1986. Zur Anpassung des Schwarzkäfers *Onymacris unguicularis* (Haag) (Col.: Tenebrionidae, Adesmiini) an die Nebelzone der Namibwüste. Bonner zoologische Beiträge 37: 143-154.
- Roer H. 1989. Zur Biologie der Namibwüstenkäfer *Onymacris hottentota* (Peringuey) und *O. lobicollis* (Fairmaire) (Col.:Tenebrionidae, Adesmiini). Proceedings: Verhandlungen der Westdeutschen Entomologischen Tagung, Düsseldorf: 43-54.
- Roer H. 1992. Jagdbiotop-Quartiertreue und Lebenserwartung der Groossohr-Hohlnase (*Nycteris thebaica* Geoffroy, 1818) (Mammalia, Chiroptera) in der Namibwüste. Prague Studies in Mammalogy : 143-147.
- Ross ES. 1971. The Kuiseb's Topnaar hottentots. South West African Annual Yearbook, Windhoek: 170-175.
- Ross ES. 1972. The ancient Namib Desert. Pacific Discovery 25: 2-13.
- Rössl R. 1997. Ecology and development of *Hyomora falcilipes* (Curculionidae: Coleoptera). Arbeitskreis Wüstenökologie. Deutsche Gesellschaft für Ökologie, Leipzig: 1-6.
- Rössl R. 1998. Ökologie von Tenebrioniden (Coleoptera) der Namib. Proceedings: Mechanismen der Aufrechterhaltung tropischer Diversität Tropenökologie. Dalitz H. (Editor) DFG Abschlußsymposium. Deutsche Gesellschaft für Tropenökologie (18-22 Februar 1998) Bielefeld, Germany: 12.
- Rössl R. 2000. Reproduktionsbiologie, Entwicklungsbiologie und Ökologie von sympatrischen Tenebrionidae (Coleoptera: Insecta) des Kuiseb bei Gobabeb in der Namib Wüste / Namibia. Ph. D. Rheinischen Friedrich-Wilhelms-Universität, Bonn: 1-370 pp.
- Rössl R. 2005. Factors influencing egg laying behaviour and triggering ovulation in desert Tenebrionidae (Coleoptera: Insecta). Mitteilungen der Deutschen Gesellschaft für angewandte Entomologie P11-05: 1-3.
- Rössl R. 2006. Faktoren, die das Eiablageverhalten und die Ovulation Wüsten bewohnender Tenebrioniden (Coleoptera: Insecta) beeinflussen. Mitteilungen der deutschen Gesellschaft für angewandte Entomologie 15: 421-423.
- Rössl R, Henschel JR. 1999. Ecology and diet of *Psammodesmus deserticola* (Simon) (Araneae: Zodariidae). Bulletin of the British arachnological Society 11: 155-157.
- Rust HJ. 1962. Die wissenschaftliche Gesellschaft in Suedwestafrika. South West African Annual Yearbook: 80-81.

- Rust U. 1970. Beiträge zum Problem der Inselberglandschaften aus dem mittleren Südwestafrika. (1<sup>ST</sup> Edition) Volume 23. Institut für Geographie und Wirtschaftsgeographie der Universität Hamburg, Hamburg: 3-280 pp.
- Rust U. 1975. Das Spektrum der geomorphologischen Milieus und die Relieftypendifferenzierung in der Zentralen Namib. In: Dynamische Geomorphologie, Bügel J, Hagedorn H. (Editors) Geographisches Institut der Universität Würzburg, Würzburg: 79-110.
- Rust U. 1979. Über Konvergenzen im Wüstenrelief am Beispiel der südwestafrikanischen Namibwüste (Skelettküste und Zentrale Namib). Mitteilungen der Geographischen Gesellschaft München 64: 201-216.
- Rust U, Wieneke F. 1973. Grundzüge der quartären Reliefentwicklung der Zentralen Namib, Südwestafrika. Journal of the South West Africa Scientific Society 27: 5-30.
- Rust U, Wieneke F. 1974. Studies on the Gramadulla formation in the middle part of the Kuiseb River, South West Africa. Madoqua, Series II 3: 5-15.
- Rust U, Wieneke F. 1976. Geomorphologie der küstennahen Zentralen Namib (Südwestafrika). Accreditation Ludwig-Maximilians-Universität, München, Germany: 9-74 pp.
- Rust U, Wieneke F. 1980. A reinvestigation of some aspects of the evolution of the Kuiseb River valley up-stream of Gobabeb, South West Africa. Madoqua 12: 163-173.
- Safriel UN. 1990. Winter foraging behaviour of the dune lark in the Namib Desert, and the effect of prolonged drought on behaviour and population size. Ostrich 61: 77-80.
- Sakaria T. 2006. Potential for inland aquaculture development along the Kuiseb. Gobabeb Training and Research Centre (In-house training report) and Polytechnic of Namibia, Windhoek: 94-105 pp.
- Salom S. 2006. Existing land use survey and mapping in the Topnaar community along the Kuiseb River. Gobabeb Training and Research Centre (In-house training report) and Polytechnic of Namibia, Windhoek: 23-36 pp.
- Saltz D, Ward D, Kapofi I, Karamata J. 2004. Population estimation and harvesting potential for game in arid Namibia. South African Journal of Wildlife Research 34: 153-161.
- Sandelowsky B. 1979. A river in the desert. African Wildlife: 17-19.
- Sandelowsky BH. 1974. Archaeological investigations at Mirabib Hill rock shelter. The South African Archaeological Society Goodwin Series: 65-72.
- Sandelowsky BH. 1976. An ancient butcher site in the dunes of the Namib. South West African Annual Yearbook, Windhoek: 117-120.
- Sandelowsky BH. 1976. The beginning of archaeo-ethno-botany in the Namib. In: Palaeoecology of Africa & of the surrounding islands & Antarctica. Van Zinderen Bakker, E.M. (Editor) A. A. Balkema, Rotterdam: 136-143.
- Sandelowsky BH. 1977. Mirabib - an archaeological study in the Namib. Madoqua 10: 221-283.
- Sandelowsky BH, Scholz H, Ahlert K. 1976. Ancient tracks near Tsondab Vlei. Madoqua 9: 57-58.
- Sandelowsky BH, van Rooyen JH, Vogel JC. 1979. Early evidence for herders in the Namib. South African Archaeological Bulletin 34: 50-51.
- Sarkar S, Aggarwal A, Garson J, Margules CR, Zeidler J. 2002. Place prioritization for biodiversity content. Journal of Biosciences 27: 339-346.
- Savage MJ, Nott K, McClain E. 1984. Spectral radiation in and above Namib dune sand. South African Journal of Science 80: 182-183.
- Savage MJ, Nott K, Seely MK. 1983. A comparative autecological study of *Trianthema hereroensis* in the east and west of the Namib dune system. Department of Soil Science & Agrometeorology, University of Natal, Pietermaritzburg. (Final report).
- Schachtschneider K, February E. 2004. Water sourcing by riparian tree species in ephemeral rivers. Proceedings: 5th Waternet / Warfsa. Global Water Partnership (2-4 November 2004), Windhoek: 158.

- Schieferstein B. 1989. Ökologische Untersuchungen an den Flechtenfeldern der Namib-Nebelwüste. Diploma. Institut für Botanik der Universität Hohenheim, Stuttgart: 1-180 pp.
- Schieferstein B, Loris K. 1992. Ecological investigations on lichen fields of the Central Namib I. distribution patterns and habitat conditions. *Vegetatio* 98: 113-128.
- Schlitter DA. 1973. A new species of gerbil from South West Africa with remarks on *Gerbillus tytonis* Bauer and Niethammer, 1959 (Rodentia: Gerbillinae). *Bulletin of the Southern California Academy of Sciences* 72: 13-18.
- Schlitter DA, Rautenbach IL, Coetzee CG. 1984. Karyotypes of southern African gerbils, genus *Gerbillurus* Shorridge, 1942 (Rodentia: Cricetidae). *Annals of Carnegie Museum* 53: 549-557.
- Schmitz AU. 2004. Transmission losses and soil moisture dynamics in the alluvial fill of the Kuiseb river, Namibia. Diploma. Albert-Ludwigs-Universität Freiburg i. Br.: 1-75 pp.
- Schneider JM, Roos J, Lubin Y, Henschel JR. 2001. Dispersal of *Stegodyphus dumicola* (Araneae, Eresidae): they do balloon after all! *Journal of Arachnology* 29: 114-116.
- Schneider S. 1999. Dissemination of improved cookstoves. M. Sc. Royal Institute of Technology, Stockholm: 1-90 pp.
- Schoeman A. 2002. Another big weekend at Gobabeb. *Travel News Namibia* (Feb./March 2002), Windhoek: pages 10-11.
- Schöll M. 2000. Leben ohne Regen. *General-Anzeiger* (23/24. Dezember 2000), Germany: page 1.
- Scholz H. 1963. Studien über die Bodenbildung zwischen Rehoboth und Walvis Bay. Ph. D. (Dr. agr.) Rheinischen Friedrich-Wilhelm-Universität, Bonn: 1-184 pp.
- Scholz H. 1968. Die Böden der trockenen Savanne Südwestafrikas. *Zeitschrift für Pflanzenernährung und Bodenkunde* 120: 118-130.
- Scholz H. 1968. Die Böden der Wüste Namib/Südwestafrika. *Zeitschrift für Pflanzenernährung und Bodenkunde* 119: 91-107.
- Scholz H. 1971. Calcretes and their formation: a survey based on observations in South-West-Africa. *Pedologie* 21: 170-180.
- Scholz H. 1972. The soils of the central Namib Desert with special consideration of the soils in the vicinity of Gobabeb. *Madoqua Series II* 1: 33-51.
- Schreiber I. 2003. Tanzende weiße Spinne auf Brautschau. *Allgemeine Zeitung* (6 February 2004), Windhoek: page 13.
- Schreiber I. 2004. Faszination der Oase Gobabeb. *Allgemeine Zeitung* (3 February 2004), Windhoek: pages 6-7.
- Schroeder T. 2001. Scientists at Gobabeb in Namibia are looking for strategies against desertification. *Süddeutsche Zeitung* (December 2001), Germany: pages 1-2.
- Schüle H. 1990. Does sexual selection play a role in male fighting in *Onymacris*? *Namib Bulletin, Gobabeb*: 3.
- Schultz C. 2006. Remote sensing the distribution and spatiotemporal changes of major lichen communities in the central Namib Desert. Ph. D. Universität Kaiserslautern, Kaiserslautern: 1-205 pp.
- Schultz R. 2005. The Gobabeb Research Station. *Renewable energy world* (January/February 2005), London: 101-105.
- Schulze BR. 1969. The climate of Gobabeb. *Scientific Papers of the Namib Desert Research Station*: 5-12.
- Schulze E-D, Schulze I. 1976. Distribution and control of photosynthetic pathways in plants growing in the Namib Desert, with special regard to *Welwitschia mirabilis* Hook. fil. *Madoqua* 9: 5-13.

- Schulze L. 1962. The Tenebrionidae of southern Africa 33. Descriptive notes on the early stages of *Onymacris rugatipennis* Haag and *Lepidochora discoidalis* Gebien and keys to genera and species of *Adesmiini* and *Eurychorini*. Scientific Papers of the Namib Desert Research Station: 161-180.
- Schulze L. 1962. The Tenebrionidae of southern Africa. 33. Description of the larvae of *Gonopus tibialis* Fabricius and *Gonopus agrestis* Fahraeus (*Gonopina*, sensu Koch 1956). Scientific Papers of the Namib Desert Research Station: 1-12.
- Schulze L. 1963. The Tenebrionidae of southern Africa 38. On the morphology of the larvae of some Stizopina (Coleoptera: Opatrini). Scientific Papers of the Namib Desert Research Station: 1-23.
- Schulze L. 1966. The Tenebrionidae of southern Africa 39. A revised key to the larvae of *Onymacris* Allard (Coleoptera: Adesmiini). Scientific Papers of the Namib Desert Research Station: 1-7.
- Schulze L. 1969. The Tenebrionidae of southern Africa part 42: Description of the early stages of *Carchares macer* Pascoe and *Herpiscius someri* Solier with a discussion of some phylogenetic aspects arising from the incongruities of adult and larval systematics. Scientific Papers of the Namib Desert Research Station: 139-149.
- Scott L. 1996. Palynology of hyrax middens: 2000 years of palaeoenvironmental history in Namibia. Quaternary International 33: 73-79.
- Sederholm E. 2001. Is it possible to get water to a desert from fog. Kouvola Sanomat (21 April 2001), Jyväskylä, Finland: page 14.
- Seely M. 1985. Predation and environment as selective forces in the Namib Desert. In: Species and speciation, Vrba ES. (Editor) Transvaal Museum Monograph, Volume 4, Pretoria: 161-165.
- Seely M. 1987. The Namib. (1<sup>st</sup> Edition) Shell Oil SWA Ltd., Windhoek: 3-104 pp.
- Seely M. 1990. Marine, terrestrial zoologists share views at symposium. Namib Bulletin, Gobabeb: 11.
- Seely M. 1991. Life science manual. For teachers and learners . Grade 8. (1<sup>st</sup> Edition) Gamsberg Macmillan, Windhoek: 1-57 pp.
- Seely M. 1991. Life science workbook. For learners only. Grade 8. (1<sup>st</sup> Edition) Gamsberg Macmillan, Windhoek: 1-83 pp.
- Seely M. 1991. Live science workbook. For teachers only. Grade 8. (1<sup>st</sup> Edition) Gamsberg Macmillan, Windhoek: 1-72 pp.
- Seely M. 1991. Namibia. Drought and desertification. (1st Edition) Gamsberg Mcmillan Publishers (Pty) Ltd, Windhoek: 2-20 pp.
- Seely M. 1992. Ecology. In: Geography. Grade 9. Gamsberg Macmillan, Windhoek: 31-60.
- Seely M. 1992. The Namib. (2<sup>nd</sup> Edition) Shell Namibia Ltd., Windhoek: 3-108 pp.
- Seely M. (Editor) 1994. Deserts. The illustrated library of the earth. (1<sup>st</sup> Edition) Weldon Owen Pty Limited, McMahons Point, Australia: 11-160 pp.
- Seely M. 1994. A diverse desert community. In: Deserts. The illustrated library of the earth. Weldon Owen Pty Limited, McMahons Point, Australia: 48-49.
- Seely M. 1994. What is normal rainfall in Namibia? Flamingo, Johannesburg: 17.
- Seely M. 1994. Wind, sand and Namibia's desert dunes. Namibia Brief, Windhoek: 60-63.
- Seely M. (Contributing author) 1995. Tools for good management. In: The Sperrgebiet Namibia's least known wilderness. An environmental profile of the Sperrgebiet of Diamond Area 1, in south-western Namibia. Pallett JC. (Editor) Published by: DRFN and NAMDEP, Windhoek: 1-84 pp.
- Seely M. (Contributing author) 1997. In: Sharing water in southern Africa. Pallett J. (Editor: Published by: Desert Research Foundation of Namibia, Windhoek: 1-121.
- Seely M. 1998. Environmental change. In: Biological Diversity in Namibia - a country study, Barnard P. (Editor) Namibian National Biodiversity Task Force, Windhoek: 67-72.

- Seely M. 1999. Namibia's drought policy and strategy: implications for rural communities. International Workshop on Integrated Drought Management, Pretoria: 775-794.
- Seely M. 2000. Is environmental education firmly on schools' agenda. In: Namibia's first decade education in perspective. A commemorative book to mark Namibia's tenth independence anniversary. Taylor E. (Editor) Gamsberg Macmillan Publishing, Windhoek: 35.
- Seely M. 2001. Developing tools to interpret the environment. Conservation Travel News (Special edition), Windhoek: 24-25.
- Seely M. 2004. The Namib. (3<sup>rd</sup> Edition) Desert Research Foundation of Namibia, Windhoek: 3-110 pp.
- Seely M. 2006. People and deserts. (People in deserts: an overview). In: Global desert outlook, Ezcurra E. (Editor) United Nations Environment Programme, Nairobi: 27-47.
- Seely M. 2006. A tradition of providing opportunities. Conservation (2206/2007), Windhoek: 5-7.
- Seely M. 2006. Whatever happened to Gobabeb? Roan News, Windhoek: 29.
- Seely M, Devereux S. 1996. Fuzzy entitlements and natural resources: the case of Namibia. Livelihoods from resource flows: environmental awareness and contextual analysis of environmental conflict. Joint Congress of the International Union of Anthropological and Ethnological Sciences (IUAES) and the International Geographical Union (IGU), Linköping, Sweden: 4-88. (Conference paper – web publication only)
- Seely M, du Toit D, Marsh A. 1991. Life science manual. For teachers and learners. Grade 8 (Part 2) (1<sup>st</sup> Edition) McGladdery P. (Editor) Gamsberg Macmillan, Windhoek: 1-124 pp.
- Seely M, du Toit D, Marsh A. 1991. Life science workbook. For teachers only (Part 2) (1<sup>st</sup> Edition) McGladdery P. (Editor) Gamsberg Macmillan, Windhoek: 1-172 pp.
- Seely M, du Toit D, Marsh A. 1991. Life science workbook. For learners only Grade 8 (Part 2) (1<sup>st</sup> Edition) McGladdery P. (Editor) Gamsberg Macmillan, Windhoek: 1-172 pp.
- Seely M, du Toit D, Marsh A. 1992. Life science manual. For teachers and learners Grade 8 (1<sup>st</sup> Edition) McGladdery P. (Editor) Gamsberg Macmillan, Windhoek: 1-169 pp.
- Seely M, du Toit D, Marsh A. 1992. Life science workbook. For teachers only Grade 8 (Part 1 & 2 combined) (1<sup>st</sup> Edition) Geckler P, McGladdery P. (Editors) Gamsberg Macmillan, Windhoek: 1-241 pp.
- Seely M, du Toit D, Marsh A. 1992. Life science workbook. For learners only Grade 8 (Part 1 & 2) (1<sup>st</sup> Edition) Geckler P, McGladdery P. (Editors) Gamsberg Macmillan, Windhoek: 1-253 pp.
- Seely M, Henderson J, Heyns P, Jacobson P, Nakale T, Nantanga K, Schachtschneider K. 2003. Ephemeral and endoreic river systems: relevance and management challenges. In: Transboundary rivers, sovereignty and development: hydrological drivers in the Okavango River Basin. African Water Issues Research Unit. Turton A, Ashton P, Cloete E. (Editors) Pretoria: 187-212.
- Seely M, Henschel J. 2000. Developing fog harvesting in Namibia. Newsletter of the Namibia Scientific Society, Windhoek: 30-42.
- Seely M, Henschel J. 2004. Obituary - Professor Gideon Nel Louw. Journal of the Namibia Scientific Society 52: 7-10.
- Seely M, Henschel J, Robertson M. 1998. The ecology of fog in Namib Desert dunes. Proceedings: 1st Conference on Fog and Fog Collection. International Development Research Centre (IDRC). Schemenauer RS, Bridgman H. (Editors) Vancouver, Canada: 183-186.
- Seely M, Henschel J, Zeidler J. 2004. Research for development in Namibia - from desert ecological research to sustainable development decision support. In: Soil zoology for sustainable development in the 21st Century. Shakir Hanna H, Mikhail WZA. (Editors) Cairo: 37-52.

- Seely M, Henschel JR, Hamilton WJI. 2005. Long-term data show behavioural fog collection adaptations determine Namib Desert beetle abundance. *South African Journal of Science* 101: 570-572.
- Seely M, Klintonberg P, Kruger AS. 2005. Integrated approach for use of desertification benchmarks and indicators: an example from Namibia. *Proceedings: Local & regional desertification indicators in a global perspective. AIDCCD - active exchange of experience on indicators and development of perspectives in the context of UNCCD. (16-18 May 2005)* Enne G, Yeroyanni M. (Editors) Beijing-China: 65-73.
- Seely M, Klintonberg P, Nantanga K, Nakale T. 2002. Summer Desertification Programme - student summer course evaluates major environmental issues (abstract). *Proceedings: Alternative ways to combat desertification: connecting community action with science and common sense. Ward V. (Editor) Desert Research Foundation of Namibia (8-20 April 2002), Cape Town, Gobabeb: 1-60.*
- Seely M, Moser P. 2002. Degraded land in southern Africa - combining community action with science & common sense. *Haramata: 7-8.*
- Seely M, Moser P. 2004. Connecting community action and science to combat desertification: evaluation of a process. *Environmental Monitoring and Assessment* 99: 33-55.
- Seely M, Nghitila T, Jobst P. 1998. Changing approaches to settlement on Kalahari sands. *Proceedings: Kalahari Transect Meeting (Start report no. 2; 10-13 June 1998)* Gaborone, Botswana.
- Seely M, Wöhl H. 2002. Role of research in combating desertification (abstract). *Proceedings: Alternative ways to combat desertification: connecting community action with science and common sense. Ward V. (Editor) Desert Research Foundation of Namibia (8-20 April 2002), Cape Town, Gobabeb: 1-60.*
- Seely M, Wöhl H. 2004. Connecting research to combating desertification. *Environmental Monitoring and Assessment* 99: 23-32.
- Seely M, Zeidler J. 2002. Land distribution and sustainable development. In: *Namibia, Society Sciology. Winterfeldt V, Fox T, Mufune P. (Editors) University of Namibia Press, Windhoek: 75-84.*
- Seely M, Zeidler J, Parenzee L. 2000. Connecting science and community action (abstract). *Proceedings: 13th Congress of the German Society for Tropical Ecology. Gesellschaft für tropische Ökologie (1-3 March 2000) Würzburg, Germany: 45.*
- Seely M, Zeidler J, van der Merwe B. 1999. Desertification in Namibia: rural-urban interactions. *Mayor's Conference on Desertification and Cities. Convention to Combat Desertification, Bonn: 197-202. (Conference paper)*
- Seely MK. 1972. Namib research. *South West African Annual Yearbook, Windhoek: 169-176.*
- Seely MK. 1973. Factors controlling reproduction of certain Namib Desert tenebrionids. *Madoqua Series II 2: 63-65.*
- Seely MK. 1973. Kuiseb River life sustaining barrier. *South West African Annual Yearbook, Windhoek: 153-157.*
- Seely MK. 1973. Penguins in danger. *South West African Annual Yearbook, Windhoek: 44-47.*
- Seely MK. 1974. The aardwolf: a friend of the farmer. *South West African Annual Yearbook, Windhoek: 57-59.*
- Seely MK. 1975. Dr. Charles Koch Namib Desert Research Foundation. *Namib Desert Research Station, Gobabeb: 1-6.*
- Seely MK. 1975. The Namib - South West Africa - Angola. *South West African Annual Yearbook, Windhoek: 57-60.*
- Seely MK. 1975. Namib dune coast reconnaissance 1973. *Namib und Meer* 5/6: 15-26.
- Seely MK. 1976. The oldest coastal desert in the world? *South West African Annual Yearbook, Windhoek: 49-52.*
- Seely MK. 1977. The fog-baskers of the Namib Desert. *Scientific Progress* 10: 2.

- Seely MK. 1977. Namib palaeoenvironments. *Namib Bulletin, Gobabeb*: 6-8.
- Seely MK. 1977. Sand solidified by gemsbok urine as selected burrow sites by gerbils. *Zoologica Africana* 12: 247-249.
- Seely MK. 1978. Desert Ecological Research Unit. *Scientiae* 19: 37-39.
- Seely MK. 1978. Desert research book review on "arid lands research institutions: a world directory". *South African Journal of Science* 74: 196.
- Seely MK. 1978. Fog consumers of the Namib Desert. *South West African Annual Yearbook, Windhoek*: 58.
- Seely MK. 1978. Grassland productivity: the desert end of the curve. *South African Journal of Science* 74: 295-297.
- Seely MK. 1978. The Namib dune desert: an unusual ecosystem. *Journal of Arid Environments* 1: 117-128.
- Seely MK. 1978. Standing crop as an index of precipitation in the central Namib grassland. *Madoqua* 11: 61-68.
- Seely MK. 1979. Desert Ecological Research Unit. *Education & Culture* 2: 5-22.
- Seely MK. 1979. Ecology of a living desert: twenty years of research in the Namib. *South African Journal of Science* 75: 298-303.
- Seely MK. 1979. The fog that makes a desert live. *Rössing Magazine, Windhoek*: 3-6.
- Seely MK. 1979. Irregular fog as a water source for desert dune beetles. *Oecologia (Berl.)* 42: 213-227.
- Seely MK. 1981. Desert plants use fog water. *Scientific Progress* 14: 4.
- Seely MK. 1981. Namib dune archaeology. *South African Archaeological Society Newsletter* 4: 2-3.
- Seely MK. 1982. Take another look at the Namib. *Roan News, Windhoek*: 3-4.
- Seely MK. 1983. Effective use of the desert dune environment as illustrated by the Namib tenebrionids. *Proceedings: VIII. Intl. Colloquium of Soil Zoology. Lebrun Ph, André HM, de Medts A, Grégoire-Wibo C, Wauthy G. (Editors) (August 30-September 2, 1982) Dieu-Brichart, Louvain-la-Neuve (Belgium): 357-368.*
- Seely MK. 1983. Unsung heroes of the desert: detritivores. *Rössing Magazine, Windhoek*: 1-5.
- Seely MK. 1984. The Namib's place among the deserts of the world. *South African Journal of Science* 80: 155-158.
- Seely MK. 1984. Studying biology in the Namib. *South West African Annual Yearbook, Windhoek*: 83-88.
- Seely MK. 1986. An approach to the study of sand dune ecosystems. In: *Structure and function of sand dune ecosystems. Volume 8. Van der Merwe D, McLachlan A, Hesp P. (Editors) Institute for Coastal Research. (January 1986), Port Elizabeth: 8-15.*
- Seely MK. 1986. Feedback interactions: when could these take place in the Namib dune ecosystem? In: *Structure and function of sand dune ecosystems. Volume 8. Van der Merwe D, McLachlan A, Hesp P. (Editors) Institute for Coastal Research. (January 1986), Port Elizabeth: 64-66.*
- Seely MK. 1987. Desert Ecological Research Unit, Gobabeb. *Roan News, Windhoek*: 23.
- Seely MK. 1987. Science and conservation. *Roan News, Windhoek*: 15.
- Seely MK. 1987. Why beetles? *Namib Bulletin, Gobabeb*: 5-6.
- Seely MK. 1989. Desert invertebrate physiological ecology: is anything special? *South African Journal of Science* 85: 266-270.
- Seely MK. 1989. Is there anything special about the Namib Desert? *South African Journal of Science* 85: 215.
- Seely MK. 1990. Book reviews: the scientific results of the Royal Geographical Society's Oman Wahiba Sands project 1985 - 1987. *The Journal of Oman Studies, Special Report No. 3. R.W.Dutton (Editor) Cimbebasia* 12: 171-172.

- Seely MK. 1990. DERU after independence: focus on education, funding. Namib Bulletin, Gobabeb: 1.
- Seely MK. 1990. The Desert Ecological Research Station of Namibia (DERU). Basler Afrika Newsletter 14(1): 16-18.
- Seely MK. 1990. The Desert Ecological Research Unit of Namibia: current status of ecological research in the Namib. In: Namib ecology 25 years of Namib research. Seely MK. (Editor) Transvaal Museum, Pretoria: 13-16.
- Seely MK. 1990. Ecology in Namibia at independence. Intecol Newsletter 20: 1-3.
- Seely MK. 1990. (Editor) Namib ecology. (1<sup>st</sup> Edition) Volume 7. Transvaal Museum, Pretoria: 1-230 pp.
- Seely MK. 1990. Patterns of plant establishment on a linear desert dune. Israel Journal of Botany 39: 443-451.
- Seely MK. 1990. Some characteristics of desert environments. In: Environmental implications of prospecting and mining in the Namib. The Geological Society of Namibia and The Desert Ecological Research Unit of Namibia (September 1990) Windhoek: 7.
- Seely MK. 1991. Dunes '89 introduction. Journal of Arid Environments 21: 129-130.
- Seely MK. 1991. Sand dune communities. In: The ecology of desert communities, Polis GA. (Editor) The University of Arizona Press, Tucson: 348-382.
- Seely MK. 1993. A brief review of the ecology of sandy deserts. Boll. Acc. Gioenia Sci. Nat. 26: 51-69.
- Seely MK. 1995. Namib Desert: processes and people. Proceedings: The International Scientific Conference on the Taklimakan Desert. Arid Zone Research. Xuncheng X, Dregne HE. (Editors) China: 359-366.
- Seely MK. 1996. Research training for environmental problem solving. Integrating zoology, subdisciplines and the subcontinent. Proceedings: Zoological Society of South Africa (ZSSA) University of Pretoria, Pretoria: 92.
- Seely MK. 1998. Can science and community action connect to combat desertification? Journal of Arid Environments 39: 267-277.
- Seely MK. 1999. Climate variability: implications for sustainable natural resource management. International Conference on Integrated Drought Management, Pretoria: 391-398. (Conference paper)
- Seely MK. 1999. Wind, sand and Namib desert dunes. Brochure accompanying a collection of large format photographs. Rembrandt van Rijn Art Foundation, South Africa.
- Seely MK. 2001. Environment: harsh constraints, political flexibility. In: Contemporary Namibia. Gamsberg Macmillan Publishers (Pty) Ltd, Windhoek: 35-51.
- Seely MK. 2005. Kuiseb River. In: Environmental water requirements in non-perennial systems. Water Research Commission, Gezina: 206-225.
- Seely MK, Buskirk WH, Hamilton WJ.III., Dixon JEW. 1981. Lower Kuiseb River perennial vegetation survey. Journal of the South West Africa Scientific Society 35: 57-86.
- Seely MK, de Vos MP, Louw GN. 1977. Fog imbibition, satellite fauna and unusual leaf structure in a Namib Desert dune plant *Trianthema hereroensis*. South African Journal of Science 73: 169-172.
- Seely MK, Griffin M. 1986. Animals of the Namib Desert: interactions with their physical environment. Revue de Zoologie Africaine 100: 47-63.
- Seely MK, Hamilton WJ.III. 1976. Fog catchment sand trenches constructed by tenebrionid beetles, *Lepidochora*, from the Namib Desert. Science 193: 484-486.
- Seely MK, Hamilton WJ.III. 1978. Durability of vehicle tracks on three Namib Desert substrates. South African Journal of Wildlife Research 8: 107-111.

- Seely MK, Hamilton WJ.III., Klintonberg P. 2002. Promoting best practices for conservation of biodiversity of global significance & sustainable use of resources in arid and semi-arid zones. Symposium of the Third World Network of Science Organisations. Third World Network of Science Organisations, Oman: 597-605.
- Seely MK, Henschel JR. 1998. The climatology of Namib fog. Proceedings: 1st Conference on Fog and Fog Collection. International Development Research Centre (IDRC) Schemenauer RS, Bridgman H. (Editors) Vancouver, Canada: 353-356.
- Seely MK, Henschel JR. 2002. Best practices in the world's oldest desert. Symposium of the Third World Network of Science Organisations. Third World Network of Science Organisations, Oman: 247-259.
- Seely MK, Henschel JR. 2003. Best practices in the world's oldest desert. In: Conserving biodiversity in arid regions. Lemons J, Victor R, Schaffer D. (Editors) Kluwer Academic Publishers, Dordrecht: 119-128.
- Seely MK, Henschel JR, Zeidler J, Shanyengana ES. 2000. Namib research: its development at Gobabeb and implications for Namibia. Journal of the Namibia Scientific Society 48: 62-88.
- Seely MK, Hines C, Marsh AC. 1995. Effects of human activities on the Namibian environment as a factor in drought susceptibility. In: Coping with aridity. Moorsom R, Franz J, Mupotola, M. (Editors) Namibian Economic Policy Research Unit (NEPRU), Windhoek: 51-61.
- Seely MK, Immanuel FN, Jacobson KM, Jacobson AJ, Kruger AS, Zeidler J. 1999. Information exchange in Namibia for improved rangeland management. Proceedings: VI International Rangeland Congress. People and rangelands building the future. Eldridge D, Freudenberger D. (Editors) Townsville, Australia: 382-383.
- Seely MK, Jacobson KM. 1994. Desertification and Namibia: a perspective. Journal of African Zoology 108: 21-36.
- Seely MK, Jacobson KM. 1996. Desertification in Namibia. In: Namibia environment. Ministry of Environment and Tourism, Windhoek: 170-173.
- Seely MK, Jacobson KM, Jacobson PJ, Leggett K, Nghitila T. 1999. Understanding integrated natural resource management at a catchment scale: the case of Namibia's ephemeral rivers. Proceedings: VI International Rangeland Congress. People and rangelands building the future. Eldridge D, Freudenberger D. (Editors) Townsville, Australia: 714-716.
- Seely MK, Klintonberg P, Hamilton WJ. 2004. Solving environmental problems: Namibia. In: Sharing innovative experiences. Special Unit for South-South Cooperation United Nations Development Programme, New York: 87-95.
- Seely MK, Lewis CJ, O'Brien KA, Suttle AE. 1983. Fog response of tenebrionid beetles in the Namib Desert. Journal of Arid Environments 6: 135-143.
- Seely MK, Louw GN. 1980. First approximation of the effects of rainfall on the ecology and energetics of a Namib Desert dune ecosystem. Journal of Arid Environments 3: 25-54.
- Seely MK, Louw GN. 1986. Who goes where under desert sands. Nuclear Active, Windhoek: 12-15.
- Seely MK, Mitchell D. 1986. Termite casts in Tsondab sandstone? In: Palaeoecology of Africa and the surrounding islands. Van Zinderen Bakker EMS, Coetzee JA, Scott L. (Editors) A. A. Balkema, Rotterdam: 109-112.
- Seely MK, Mitchell D. 1987. Is the subsurface environment of the Namib Desert dunes a thermal haven for chthonic beetles? South African Journal of Zoology 22: 57-61.
- Seely MK, Mitchell D, Goelst K. 1990. Boundary layer microclimate and *Angolosaurus skoogi* (Sauria: Cordylidae) activity on a northern Namib dune. In: Namib ecology 25 years of Namib research. Seely MK. (Editor) Transvaal Museum, Pretoria: 155-162.

- Seely MK, Mitchell D, Louw GN. 1985. A field technique using iridium-192 for measuring subsurface depths in free-ranging Namib Desert beetles. *South African Journal of Science* 81: 686-688.
- Seely MK, Mitchell D, Roberts CS, McClain E. 1988. Microclimate and activity of the lizard *Angolosaurus skoogi* on a dune slipface. *South African Journal of Zoology* 23: 92-102.
- Seely MK, Roberts CS, Mitchell D. 1988. High body temperatures of Namib dune tenebrionids - why? *Journal of Arid Environments* 14: 135-143.
- Seely MK, Sandelowsky BH. 1974. Dating the regression of a river's end point. *South African Archeological Bulletin, Goodwin Series*: 61-64.
- Seely MK, Sguazzin TM. 1992. Gobabeb: arid zone research in Namibia. *Journal of the Namibian Scientific Society* 43: 133-145.
- Seely MK, Stuart P. 1976. Namib climate: 2. The climate of Gobabeb, ten-year summary 1962/72. *Namib Bulletin, Gobabeb*: 7-9.
- Seely MK, Ward JD. 1988. The Namib Desert. In: Long-term data series relating to Southern Africa. Macdonald IAW, Crawford RJM. (Editors) *South African National Scientific Programmes Report no. 157, Pretoria*: 268-279.
- Seely MK, Ward JD. 1989. Ecological aspects of dunes in the central Namib Desert. *Dunes '89 excursion 2A field guide, Desert Ecological Research Unit, Gobabeb*: 1-92 pp.
- Seely MK, Wöhl H. 2001. Research competence in combating desertification. *Entwicklung + ländlicher raum, Frankfurt/Main*: 15-19.
- Seely MK, Zeidler J, Henschel JR, Barnard P. 2000. Creative problem solving in support of biodiversity conservation. *ILTER All Scientists Meeting, Snowbird, Utah*: 344-356. (Poster presentation).
- Seely MK, Zeidler J, Henschel JR, Barnard P. 2000. Creative problem solving in support of biodiversity conservation. *Proceedings: International Conference on Conservation of Biodiversity in Arid Regions, Kuwait*: 510-520. (Conference paper)
- Seely MK, Zeidler J, Henschel JR, Barnard P. 2003. Creative problem solving in support of biodiversity conservation. *Journal of Arid Environments* 54: 155-164.
- Selby MJ. 1976. Some thoughts on the geomorphology of the central Namib Desert. *Namib Bulletin, Gobabeb*: 5-6.
- Selby MJ. 1977. Bornhardts of the Namib Desert. *Zeitschrift für Geomorphologie* 21: 1-13.
- Selby MJ. 1977. On the origin of sheeting and laminae in granitic rocks: evidence from Antarctica, the Namib Desert and the central Sahara. *Madoqua* 10: 171-179.
- Selby MJ. 1977. Paleowind directions in the central Namib Desert, as indicated by ventifacts. *Madoqua* 10: 195-198.
- Selby MJ. 1982. Form and origin of some bornhardts of the Namib Desert. *Zeitschrift für Geomorphologie* 26: 1-15.
- Selby MJ. 1982. Rock mass strength and the form of some inselbergs in the central Namib Desert. *Earth Surface Processes and Landforms* 7: 489-497.
- Selby MJ, Hendy CH, Seely MK. 1979. A late Quaternary lake in the central Namib Desert, southern Africa, and some implications. *Palaeogeography, Palaeoclimatology, Palaeoecology* 26: 37-41.
- Seymour RS. 1998. Sand-swimming moles. *Journal of the Namibia Scientific Society* 39: 20-21.
- Seymour RS. 1998. Sand-swimming moles. *Nature Australia, Australia*: 15-16.
- Seymour RS, Seely MK. 1996. The respiratory environment of the Namib Desert golden mole. *Journal of Arid Environments* 32: 453-461.
- Seymour RS, Withers PC, Weathers WW. 1998. Energetics of burrowing, running, and free-living in the Namib Desert golden mole (*Eremitalpa namibensis*). *Journal of Zoology, London* 244: 107-117.
- Sguazzin T. 1993. Focus on Gobabeb. *Flamingo, Johannesburg*: 19-21.

- Squazzin T. 1995. Environmental education in an arid land - the Enviroteach Programme. *Splash* 11: 10-12.
- Squazzin T, du Toit D. 1992. Fun with the sun. Activities to demonstrate solar power. An Enviroteach production (1<sup>st</sup> Edition) Desert Research Foundation of Namibia and Ministry of Education and Culture, Windhoek: 1-34 pp.
- Squazzin T, du Toit D. 1995. Wholly ground. Soil and soil erosion activities for Namibian learners. An Enviroteach production (1<sup>st</sup> Edition) Desert Research Foundation of Namibia and Ministry of Education and Culture, Windhoek: 1-39 pp.
- Squazzin T, du Toit D, Karita A. 1994. Enviroteach - towards a sustainable future. *Namib Bulletin*, Gobabeb: 6-7.
- Squazzin T, Ward V, du Toit D. 1996. A traveller's guide to environmental terms . . . (1<sup>st</sup> Edition) An Enviroteach production. Desert Research Foundation of Namibia and Ministry of Basic Education and Culture, Windhoek: 4-54 pp.
- Shackley M. 1980. An Acheulean industry with *Elephas recki* fauna from Namib IV, South West Africa (Namibia). *Nature* 284: 340-341.
- Shackley M. 1982. Namib IV and the Acheulean technocomplex in the central Namib Desert (South West Africa). In: Palaeoecology of Africa and the surrounding islands. Volume 15. Coetzee JA, van Zinderen Bakker EM.Sr. (Editors) A. A. Balkema, Rotterdam: 151-158.
- Shackley M. 1983. Human burials in hut circles at Sylvia Hill, S.W. Africa / Namibia. *Cimbebasia Series B*(3): 102-106.
- Shackley M. 1984. #hing - #hais: an early stoneworking site from the central Namib Desert. *Madoqua* 13: 271-279.
- Shackley M. 1984. Offsite distribution and artefact visibility in the central Namib Desert, S.W.A./Namibia. *Cimbebasia Series B* (4): 51-58.
- Shackley M. 1985. Palaeolithic archaeology of the central Namib Desert a preliminary survey of chronology, typology and site location. *Cimbebasia Memoir*: 1-84.
- Shannon LV, Seely MK, Ward JD. 1988. Proceedings of the Namib-Benguela interactions workshop. Foundation for Research Development Ecosystem Programmes. FRD Ecosystem Programmes Occasional Report Series Volume 41, Gobabeb: 1-38.
- Shannon LV, Siegfried WR, Ward JD. 1989. Namib-Benguela interactions. *South African Journal of Science* 85: 277-279.
- Shanyengana E. 1994. Walvis Bay's use of water is certainly cause for concern. *Namib Times* (8 March 1994), Walvis Bay: page 1.
- Shanyengana E. 1997. Groundwater quality in the Oshanas, Namibia: contamination and salinisation of hand-dug wells. M. Sc. Div. of Land and Water Resources Dept. of Civil and Environmental Engineering, Royal Institute of Technology, Stockholm: 2-85 pp.
- Shanyengana ES. 1997. Gobabeb Training and Research Centre programme: appropriate technology for arid lands. Desert Research Foundation of Namibia, Windhoek: 1-56 pp.
- Shanyengana ES. 2002. Groundwater chemistry and supplementary sources of freshwater in arid environments: groundwater salinisation, solar desalination & fog collection. Ph. D. Chemistry Department University of Stellenbosch, Stellenbosch: 1-186 pp.
- Shanyengana ES, Henschel JR, Mtuleni VS, Mwenya E, Seely MK. 2001. Exploring fog as a supplementary water source in Namibia. Proceedings: 2nd International Conference on Fog and Fog Collection. Schemenauer RS, Puxbaum H. (Editors) St. John's, Canada: 273-276.
- Shanyengana ES, Henschel JR, Seely MK, Sanderson RD. 2002. Exploring fog as a supplementary water source in Namibia. *Atmospheric Research* 64: 251-259.

- Shanyengana ES, Sanderson RD, Seely MK, Schemenauer RS. 2003. Testing greenhouse shade nets in collection of fog for water supply. *Journal of Water Supply: Research and Technology - AQUA* 52: 237-241.
- Shanyengana ES, Seely MK, Sanderson RD. 2004. Major-ion chemistry and ground-water salinization in ephemeral floodplains in some arid regions of Namibia. *Journal of Arid Environments* 57: 211-223.
- Shapi D. 2005. Mapping invasive species in the Klein Windhoek River. B. Tech. Polytechnic of Namibia and Desert Research Foundation of Namibia, Windhoek: 1-28 pp.
- Sharon D. 1981. The distribution in space of local rainfall in the Namib Desert. *Journal of Climatology* 1: 69-75.
- Shelley RM, Crawford CS. 1996. *Cnemodesmus riparius*, n. sp., riparian millipede from the Namib Desert, Africa (Polydesmida: Paradoxosomatidae). *Myriapodologica* 4: 1-8.
- Shigwedha A. 2006. Poverty, too much cattle lead to desertification. *The Namibian* (6 Juli 2006), Windhoek: page 7.
- Shilomboleni A. 1998. The Inara and factors that lead to its decline in productivity. Gobabeb Training and Research Centre (In-house training report) and Polytechnic of Namibia, Windhoek: 1-17 pp.
- Shilomboleni A, Lubanda P, Masheshel L, Muharukua V, Nawa R, Nickanor N, Noongo E, Persson J, Shiponeni N, Shimali P. 1999. Potential value of land and water resources in northeast Otjozondjupa. A study for the Namibian Ministry of Lands, Resettlement and Rehabilitation by the Summer Desertification Project VII. (Occasional paper no. 9) Desert Research Foundation of Namibia, Windhoek & Gobabeb Training and Research Centre: 1-94 pp.
- Shilunga B, Fröhlich G, Klintonberg E, Murray S. 2000. The Namibian Environmental Education Certificate course (NEEC) (abstract). Proceedings: Alternative ways to combat desertification: connecting community action with science and common sense. Ward V. (Editor) Desert Research Foundation of Namibia (8-20 April 2002), Cape Town, Gobabeb: 1-60.
- Siegfried WR. 1993. A 'north-south' discussion of biodiversity at Gobabeb. *South African Journal of Science* 89: 414-415.
- Siteketa V. 2003. Interaction of livestock and vegetation in the lower Kuiseb River. Gobabeb Training and Research Centre (In-house training report) and Polytechnic of Namibia, Windhoek: 1-13 pp.
- Skinner JR, Henschel JR, van Jaarsveld AS. 1986. Bone-collecting habits of spotted hyaenas *Crocuta crocuta* in the Kruger National Park. *South African Journal of Zoology* 21: 303-308.
- Slotow R, Goodfriend W. 1996. Ecogeographic variation in body size and shape of Cape sparrows (*Passer melanurus*) in southern Africa. *Journal of Zoology, London* 238: 279-286.
- Smith RMH, Mason TR. 1998. Sedimentary environments and trace fossils of Tertiary oasis deposits in the central Namib Desert, Namibia. *Palaios* 13: 547-559.
- Smith RMH, Mason TR, Ward JD. 1993. Flash-flood sediments and ichnofacies of the Late Pleistocene Homeb Silts, Kuiseb River, Namibia. *Sedimentary Geology* 85: 579-599.
- Southgate RI, Masters P, Seely MK. 1996. Precipitation and biomass changes in the Namib Desert dune ecosystem. *Journal of Arid Environments* 33: 267-280.
- Stengel HW. 1964. Das Abkommen des Kuiseb und Swakop für die Zeit von 1898 - 1938. Water Affairs Branch, S.W.A. Administration, Ministry of Water Affairs, Windhoek: 1-14.
- Stengel HW. 1964. The rivers of the Namib and their discharge into the Atlantic. Scientific Papers of the Namib Desert Research Station, Gobabeb.
- Stengel HW. 1964. The source of drinking water at Gobabeb. Water Affairs Branch, S.W.A. Administration, Ministry of Water Affairs, Windhoek: 1-17.

- Stuart CT. 1974. The Namib Desert Park - South West Africa. *The Eastern Cape Naturalist* 53: 9-11.
- Stuart CT. 1975. Marine fauna collected at Sandwich Harbour, Namib Desert Park, South West Africa. *Madoqua Series II* 4: 101-102.
- Stuart CT. 1975. Preliminary notes on the mammals of the Namib Desert Park. *Madoqua Series II* 4: 5-68.
- Stuart CT. 1975. The sex ratio of steenbok *Raphicerus campestris* Thunberg in the Namib Desert Park, South West Africa. *Madoqua Series II* 4: 93-94.
- Stuart CT. 1975. A short note on the diet of *Tyto alba* at Sandwich Harbour, Namib Desert Park, South West Africa. *Madoqua Series II* 4: 103.
- Stuart CT. 1976. Diet of the black-backed jackal *Canis mesomelas* in the Central Namib Desert, South West Africa. *Zoologica Africana* 11: 193-205.
- Stuart CT. 1976. Hyaenas - plant food in the diet of the spotted hyaena. *South African Journal of Science* 72: 148.
- Stuart CT. 1976. A note of *Pythonodipsas carinata* Günther (Western keeled snake) in South West Africa, with new distribution records. *Madoqua* 9: 63-64.
- Stuart CT. 1976. Rainfall and small mammals in the Namib Desert. *South West African Annual Yearbook*, Windhoek: 64.
- Stuart CT. 1977. Analysis of *Felis libyca* and *Genetta genetta* scats from the central Namib Desert, South West Africa. *Zoologica Africana* 12: 239-241.
- Stuart CT. 1980. An annotated preliminary list of amphibians and reptiles known to occur in the Namib Desert Park, Namibia. *Journal of the Herpetological Association of Africa* 24: 4-13.
- Stuart CT. 1980. A note on tail regeneration in a sample of *Meroles cuneirostris* from the central Namib Desert. *Journal of the Herpetological Association of Africa* 23: 13.
- Sweeting MM, Lancaster N. 1982. Solutional and wind erosion forms on limestone in the central Namib Desert. *Zeitschrift für Geomorphologie N.F.* 26: 197-207.
- Taljaard JJ. 1979. Low-level atmospheric circulation over the Namib. *Newsletter (South Africa. Weather Bureau). Weather Bureau Department of Transport, Pretoria*: 65-67.
- Tarr J. 1999. An overview of Namibia's vulnerability to climate change. *Namibia's country study on climate change (March 1999)*. Desert Research Foundation of Namibia, Windhoek: 1-161 pp.
- Taylor S. 2004. Demystifying the desert. *The Big Issue (March 2004)*, Windhoek: 24-26.
- Teller JT, Lancaster N. 1986. History of sediments at Khommabes, central Namib Desert. *Madoqua* 14: 409-420.
- Teller JT, Lancaster N. 1986. Lacustrine sediments at Narabeb in the central Namib Desert, Namibia. *Palaeogeography, Palaeoclimatology, Palaeoecology* 56: 177-195.
- Teller JT, Lancaster N. 1987. Description of Late Cenozoic sediments of Narabeb, central Namib Desert. *Madoqua* 15: 163-167.
- Teller JT, Rutter N, Lancaster N. 1990. Sedimentology and paleohydrology of late Quaternary lake deposits in the northern Namib sand sea, Namibia. *Quaternary Science Reviews* 9: 343-364.
- Teller JT, Rybak M, Rybak I, Lancaster N, Rutter NW, Ward JD. 1988. Diatoms and other fossil remains in calcareous lacustrine sediments of the northern Namib Sand Sea, South West Africa/Namibia. *Proceedings: The symposium on the geomorphology of southern Africa. Geomorphological studies in southern Africa (8-11 April 1988)* Dardis GF, Moon BP. (Editors) *Transkei: A. A. Balkema*: 159-174.
- Theron GK, van Rooyen N, van Rooyen MW. 1980. Vegetation of the lower Kuiseb River. *Madoqua* 11: 327-345.

- Theron GK, van Rooyen N, van Rooyen MW. 1985. Vegetation of the lower Kuiseb River. The Kuiseb environment: the development of a monitoring baseline. Huntley BJ. (Editor) South African National Scientific Programmes Report no. 106, Pretoria: 73-80 pp.
- Theron GK, van Rooyen N, van Rooyen MW, Jankowitz WJ. 1985. Vegetation structure and vitality in the lower Kuiseb. The Kuiseb environment: the development of a monitoring baseline. Huntley BJ. (Editor) South African National Scientific Programmes Report no. 106, Pretoria: 81-91 pp.
- Therond J. 1963. About a small collection of Histeridae (Coleoptera) from the sandy dunes of the northern Namib Desert. Scientific Papers of the Namib Desert Research Station: 1-3.
- Thibaud J-M, Massoud Z. 1988. Research on the aerial interstitial fauna of fine sand: *Collembola*. II - Namib Desert. Annls. Soc. ent. Fr. (N.S.) 24: 211-214.
- Thomas DH, Maclean GL. 1981. Comparison of physiological and behavioural thermoregulation and osmoregulation in two sympatric sandgrouse species (Aves: Pteroclididae). Journal of Arid Environments 4: 335-358.
- Thompson RT. 1988. Revision of the weevil genus *Leptostethus* Waterhouse, 1853 (Coleoptera: Curculionidae: Entiminae). Cimbebasia Memoir: 1-80.
- Thorstensson, A.-K., Neij J. 2003. Namibias öknar växer. Naturvetaren, Sweden: 5-7.
- Tilson R. 1980. Klipspringer (*Oreotragus oreotragus*) social structure and predator avoidance in a desert canyon. Madoqua 11: 303-314.
- Tilson R. 1981. A dry river in a thirsty land. Rössing Magazine, Windhoek: 7-11.
- Tilson R. 1982. Maligned morticians of the African savannah. Zoosounds: 5.
- Tilson R, Henschel J. 1987. The spotted hyaena - predator of the Namib night. African Wildlife, Johannesburg: 50-56.
- Tilson R, von Blottnitz F, Henschel J. 1980. Prey selection by spotted hyaena (*Crocuta crocuta*) in the Namib Desert. Madoqua 12: 41-49.
- Tilson RL. 1977. Duetting in Namib Desert klipspringers. South African Journal of Science 73: 314-315.
- Tilson RL. 1977. Palewinged starlings and klipspringers in the Kuiseb Canyon, Namib Desert Park. Ostrich 48: 110-111.
- Tilson RL. 1983. Carcass protocol. Natural History 3: 42-48.
- Tilson RL, Hamilton WJ.III. 1984. Social dominance and feeding patterns of spotted hyaenas. Animal Behaviour 32: 715-724.
- Tilson RL, Henschel JR. 1984. Spotted hyaenas in the central Namib Desert. South African Journal of Science 80: 185.
- Tilson RL, Henschel JR. 1986. Spatial arrangement of spotted hyaena groups in a desert environment, Namibia. African Journal of Ecology 24: 173-180.
- Tilson RL, Kok OB. 1980. Habitat ecology of black storks in the Kuiseb River. Madoqua 11: 347-349.
- Tilson RL, LeRoux P. 1983. Resource partitioning in coexisting Namib Desert owls, *Bubo africanus* and *Tyto alba*. Madoqua 13: 221-227.
- Tilson RL, Norton PM. 1981. Alarm duetting and pursuit deterrence in an African antelope. The American Naturalist 118: 455-462.
- Tilson RL, Tilson JW. 1986. Population turnover in a monogamous antelope (*Madoqua kirki*) in Namibia. Journal of Mammalogy 67: 610-613.
- Tjikurunda H. 2002. Productivity of camel thorn (*Acacia erioloba*) and Ana tree (*Acacia albida*) species and the factors that may limit maximum production: an index. Gobabeb Training and Research Centre (In-house training report) and Polytechnic of Namibia, Windhoek: 1-15 pp.
- Tschinkel WR. 1973. The sorption of water vapor by windborne plant debris in the Namib Desert. Madoqua Series II 2: 21-24.

- Tunnington D, Bornman CH, Abbott J, Botha CEJ. 1972. Fern discovered in Namib. *Madoqua Series II* 1: 141.
- Turner JS, Henschel JR, Lubin YD. 1993. Thermal constraints on prey-capture behavior of a burrowing spider in a hot environment. *Behavioral Ecology and Sociobiology* 33: 35-43.
- Turner JS, Lombard AT. 1990. Body colour and body temperature in white and black Namib desert beetles. *Journal of Arid Environments* 19: 303-315.
- Turner JS, Picker MD. 1993. Thermal ecology of an embedded dwarf succulent from southern Africa (*Lithops* spp: Mesembryanthemaceae). *Journal of Arid Environments* 24: 361-385.
- Tyson PD, Seely MK. 1980. Local winds over the central Namib. *South African Geographical Journal* 62: 135-150.
- Ulbrich K, Henschel J. 1999. Modelling behavioural strategies in social spiders (abstract). *Proceedings: 6th Colloquium of the African Arachnological Society (April 1999)*. Swakopmund, Namibia.
- Ulbrich K, Henschel JR. 1999. Intraspecific competition in a social spider. *Ecological Modelling* 115: 243-251.
- Ulbrich K, Henschel JR. 2001. Modelling behavioural strategies in social spiders *Stegodyphus dumicola* (Eresidae). *Proceedings: 15th International Congress of Arachnology, Badplaas, South Africa: 1. (Conference paper)*
- Ulbrich K, Henschel JR. 2006. Modelling reproductive strategies in social spiders *Stegodyphus dumicola* Pocock (Araneae: Eresidae). *Journal of the Namibia Scientific Society* 54: 5-17.
- Ulbrich K, Henschel JR, Jeltsch F, Wissel C. 1996. Modelling individual variability in a social spider colony (*Stegodyphus dumicola*: Eresidae) in relation to food abundance and its allocation. *Revue Suisse de Zoologie hors série*: 661-670.
- Uno D. 2005. Farmer's selection of local and improved pearl millet varieties in Ovamboland, northern Namibia. *African Study Monographs Suppl.* 30: 107-117.
- Van den Eynden V, Vernemmen P, Van Damme P. 1992. Ethnobotanical survey of the Namib Desert. Final report no. B7-5040/91/005 (01/10/1991-30/09/1992) Faculty Agricultural and Applied Biological Sciences, University of Gent, Gent: 1-293 pp.
- Van den Eynden V, Vernemmen P, Van Damme P. 1992. The ethnobotany of the Topnaar. (1<sup>st</sup> Edition) Universiteit Gent, Gent, Belgium: 1-145 pp.
- Van der Wateren FM, Dunai TJ. 2001. Late Neogene passive margin denudation history - cosmogenic isotope measurements from the central Namib desert. *Global and Planetary Change* 30: 271-307.
- Van Graan I. 1990. Creative children: a recent art competition aimed to enhance the youth's awareness of Namibia's natural environment. *Flamingo, Johannesburg*: 23-29.
- Van Jaarsveld AS, Henschel JR, Skinner JD. 1987. Improved age estimation in spotted hyaenas (*Crocuta crocuta*). *Journal of Zoology, London* 213: 758-762.
- Van Zinderen Bakker EM. 1975. The origin and palaeoenvironment of the Namib Desert biome. *Journal of Biogeography* 2: 65-73.
- Van Zinderen Bakker EM. 1977. Palynological research on the origin of the Namib Desert. *Namib Bulletin, Gobabeb*: 8.
- Van Zinderen Bakker EM. 1984. Aridity along the Namibian coast. In: *Palaeoecology of Africa and the surrounding islands*. Volume 16. Coetzee JA, van Zinderen Bakker EM.Sr. (Editors) A. A. Balkema, Rotterdam: 149-160.

- Van Zinderen Bakker EM. 1984. A late- and post-glacial pollen record from the Namib Desert. In: Palaeoecology of Africa and the surrounding islands. Volume 16. Coetzee JA, van Zinderen Bakker EM.Sr. (Editors) A. A. Balkema, Rotterdam: 421-428 pp.
- Van Zinderen Bakker EM, Müller M. 1987. Pollen studies in the Namib Desert. *Pollen et Spores* 29: 185-206.
- VanderPost C, Ringrose S, Seely M. 2005. Preliminary land-use and land-cover mapping in the Upper Okavango Basin and implications for the Okavango Delta. *Botswana Notes & Records* 37: 236-252.
- Vendrig M. 1990. Fog occurrence and measurement in Namibia. Unpubl. Honours Research Project, Department of Geography and Environmental Studies. University of the Witwatersrand, Johannesburg: 1-32.
- Venter HJT, Verhoeven RL. 1996. *Raphionacme haeneliae* (Periplocaceae), a new species from the Namib Desert, Namibia. *South African Journal of Botany* 62: 316-320.
- Verdonck F, Bosteels S, Desmet J, Moerman L, Noppe W, Willems J, Tytgat J, van der Walt J. 2000. A novel class of pore-forming peptides in the venom of *Parabuthus schlechteri* Purcell (Scorpions: Buthidae). *Cimbebasia* (16): 247-260.
- Vergnani L. 2000. Tenebrionids, 'Inara', and the secret solitude of the Namib Desert. *The Chronicle of Higher Education* (May 26, 2000) Volume 66(38): page B2.
- Verlinden A, Dayot B. 2005. A comparison between indigenous environmental knowledge and a conventional vegetation analysis in north central Namibia. *Journal of Arid Environments* 62: 143-175.
- Verlinden A, Laamanen R. 2006. Modeling woody vegetation resources using Landsat TM imagery in northern Namibia. *Southern African Forestry Journal*: 27-39.
- Verlinden A, Seely MK, Hillyer A. 2006. Settlement, trees and termites in central north Namibia: a case on indigenous resource management. *Journal of Arid Environments* 66: 307-335.
- Veste M, Mohr M. 2005. Vegetation der Lineardünen der zentralen Namib und deren Ionenhaushalt. In: *Ökologische Forschung im globalen Kontext*. Veste M, Wucherer W, Homeier J. (Editors) Cuvillier Verlag, Göttingen: 93-108.
- Viles H. 2005. Microclimate and weathering in the central Namib Desert, Namibia. *Geomorphology* 67: 189-209.
- Viles H, Goudie A. 2000. Weathering, geomorphology and climatic variability in the Central Namib Desert. In: *Linking climate change to land surface change*. McLaren SJ, Kniveton DR. (Editors) Kluwer, Dordrecht: 65-82.
- Viles HA, Goudie AS. 2007. Rapid salt weathering in the coastal Namib desert: implications for landscape development. *Geomorphology* 85: 49-62.
- Visser M. 1998. Nara fruit. *Flamingo*, Johannesburg: 9-13.
- Visser M, Retief K. 1998. Nara of the Namib. *Living Africa*, Johannesburg: 66-75.
- Vogel JC. 1982. The age of the Kuiseb River silt terrace at Homeb. In: *Palaeoecology of Africa and the surrounding islands*. Coetzee JA, van Zinderen Bakker EMSr. (Editors) A. A. Balkema, Rotterdam: 201-210.
- Vogel JC. 1989. Evidence of past climatic change in the Namib Desert. *Palaeogeography, Palaeoclimatology, Palaeoecology* 70: 355-366.
- Vogel JC. 2003. The age of dead trees at Sossusvlei and Tsondabvlei, Namib Desert, Namibia. *Cimbebasia* (18): 247-251.
- Vogel JC, Rogers J, Seely MK. 1981. Ancient climates and the age of the Namib. *South African Journal of Science* 77: 435-436.
- Vogel JC, Seely MK. 1977. Occurrence of C-4 plants in the central Namib Desert. *Madoqua* 10: 75-78.
- Vrba ES. 1985. (Editor) *Species and speciation*. (1<sup>st</sup> Edition) Transvaal Museum Monograph Volume 4. Transvaal Museum, Pretoria: 3-176 pp.

- Walboom GJ. 1961. The Namib Desert Research Station. Journal S.W.A. Scientific Society, Windhoek 15: 71-75.
- Walden J, White K. 1997. Investigation of the controls on dune colour in the Namib Sand Sea using mineral magnetic analyses. Earth and Planetary Science Letters 152: 187-201.
- Walden J, White K, Drake NA. 1996. Controls on dune colour in the Namib sand sea: preliminary results. Journal of African Earth Sciences 22: 349-353.
- Walden J, White KH, Kilcoyne SH, Bentley PM. 2000. Analyses of iron oxide assemblages within Namib dune sediments using high field remanence measurements (9T) and Mossbauer analysis. Journal of Quaternary Science 15: 185-195.
- Walter H. 1986. The Namib Desert. In Ecosystems of the world 12B Hot Deserts and Arid Shrublands. Evenary M, Noy-Meir I, Goodall DW. (Editors) With contributions by: Giess W, Scholz H, Von Schwind H, Seely MK, Walter E. Elsevier, Amsterdam: 245-282.
- Walter R. 1993. Soil structure as an indicator of denudation intensity on the gravel plains of the Namib desert. Diploma. University of Regensburg, Regensburg.
- Walter R. 1994. Beziehungen zwischen Krustenböden (Gips, Kalk) und der Morphologie der Flächennamib (Relationships between soil crusts (gypsum, calcium carbonate) and the morphology of the Namib plains). M. Sc. Institut für Geographie, Lehrstuhl für Physische Geographie, Universität Regensburg, Regensburg: 1-84 pp.
- Ward D. 1991. A test of the 'maxithermy' hypothesis with three species of tenebrionid beetles. Journal of Arid Environments 21: 331-336.
- Ward D. 1993. Book review: Seely MK. (Editor) 1990. Namib ecology: 25 years of Namib research. Transvaal Museum Monograph 7. Transvaal Museum, Pretoria. Madoqua 18: 189-190.
- Ward D. 1999. Rangeland vegetation: overgrazing and recovery Namibia. Final report submitted to the Office of the Science Advisor U.S. Agency for International Development, Ben Gurion University of the Negev. (Grant Number: TA-MOU-94-C13-149). Desert Research Foundation of Namibia, Windhoek.
- Ward D, B.T. N, Kathena J, Samuels R, Ofran Y. 1998. Land degradation is not a necessary outcome of communal pastoralism in arid Namibia. Journal of Arid Environments 40: 357-371.
- Ward D, Henschel JR. 1992. Experimental evidence that a desert parasitoid keeps its host cool. Ethology 92: 135-142.
- Ward D, Henschel JR. 1993. A wasp keeps its zombie-like victims cool. Natural History 102: 42.
- Ward D, Ngairorue BT. 2000. Are Namibia's grasslands desertifying? Journal of Range Management 53: 138-144.
- Ward D, Ngairorue BT, Apollus A, Tjiveze H. 2000. Perceptions and realities of land degradation in arid Otjimbingwe, Namibia. Journal of Arid Environments 45: 337-356.
- Ward D, Ngairorue BT, Japhet K, Kapofi I, Samuels R, Ofran Y. 2000. Effects of communal pastoralism on vegetation and soil in a semi-arid and in an arid region of Namibia. Proceedings: IAVS symposium: vegetation science in retrospect & perspective. Opulus Press, Uppsala: 344-347.
- Ward D, Saltz D, Ngairorue BT. 2004. Spatio-temporal rainfall variation and stock management in arid Namibia. Journal of Range Management 57: 130-140.
- Ward D, Seely MK. 1996. Adaptation and constraint in the evolution of the physiology and behavior of the Namib Desert tenebrionid beetle genus *Onymacris*. Evolution 50: 1231-1240.
- Ward D, Seely MK. 1996. Behavioral thermoregulation of six Namib Desert tenebrionid beetle species (Coleoptera). Behavior 89: 442-451
- Ward D, Seely MK. 1996. Competition and habitat selection in Namib desert tenebrionid beetles. Evolutionary Ecology 10: 341-359.

- Ward J, Seely M. 1990. Dune sands, ocean currents and man: Namibia's dynamic coastline. *Rössing Magazine*, Windhoek: 12-17.
- Ward JD. 1982. Aspects of a suite of Quaternary conglomeratic sediments in the Kuiseb Valley, Namibia. In: *Palaeoecology of Africa and the surrounding islands*. Volume 15. Coetzee JA, van Zinderen Bakker EMSr. (Editors) A. A. Balkema, Rotterdam: 211-216 pp.
- Ward JD. 1984. Aspects of the Cenozoic geology in the Kuiseb Valley, central Namib desert. Ph. D. Department of Geology, University of Natal, Pietermaritzburg. 1-310 pp.
- Ward JD. 1984. A reappraisal of the cenozoic stratigraphy in the Kuiseb valley of the central Namib Desert. In: *Late Cainozoic palaeoclimates of the Southern Hemisphere*. Proceedings of an International Symposium by the South African Society for Quaternary Research. Vogel JC. (Editor) A. A. Balkema, Rotterdam: 455-464.
- Ward JD. 1986. Dune dynamics along the northern boundary of the main Namib Sand Sea, central Namib Desert. *Proceedings: Structure and function of sand dune ecosystems*. (19 January-22 January 1986) Van der Merwe D, McLachlan A, Hesp P. (Editors) Institute for Coastal Research, Port Elizabeth: 23-24.
- Ward JD. 1987. The Cenozoic succession in the Kuiseb Valley, central Namib Desert. Geological Survey of South West Africa/Namibia, Geological Survey of South West Africa/Namibia & Department of Economic Affairs, Windhoek: 5-124 pp.
- Ward JD. 1987. Tsondab Sandstone formation - extensive Tertiary desert deposits in the central Namib. *South African Journal of Science* 83: 507.
- Ward JD. 1988. Eolian, fluvial and pan (playa) facies of the tertiary Tsondab Sandstone formation in the central Namib Desert, Namibia. *Sedimentary Geology* 55: 143-162.
- Ward JD. 1988. On an interpretation of the Oswater Conglomerate Formation, Kuiseb Valley, Namib Desert. In: *Palaeoecology of Africa and the surrounding islands*. Heine K. (Editor) A. A. Balkema, Rotterdam: 119-125.
- Ward JD. 1989. Aeolianites of the Mesozoic Etjo Formation, Damaraland and contemporary dunes of the Skeleton Coast. *Dunes '89 excursion 4B field guide*, Desert Ecological Research Unit, Gobabeb: 1-43 pp.
- Ward JD, Breen CM. 1983. Drought stress and the demise of *Acacia albida* along the lower Kuiseb River, central Namib Desert: preliminary findings. *South African Journal of Science* 79: 444-447.
- Ward JD, Corbett I. 1990. Towards an age for the Namib. In: *Namib ecology 25 years of Namib research*. Seely MK. (Editor) Transvaal Museum, Pretoria: 17-26.
- Ward JD, Martin H. 1987. A terrestrial conglomerate of Cretaceous age - a new record from the Skeleton Coast, Namib Desert. *Communications of the Geological Survey of South West Africa/Namibia* 3: 57-58.
- Ward JD, Seely MK. 1989. Geomorphological aspects of dunes in the central Namib Desert. *Dunes '89 excursion 1A field guide*, Desert Ecological Research Unit, Gobabeb: 1-95 pp.
- Ward JD, Seely MK. 1989. Namib dunes - patterns in space and time. *Rössing Magazine*, Windhoek: 6-11.
- Ward JD, Seely MK, Lancaster N. 1983. On the antiquity of the Namib. *South African Journal of Science* 79: 175-183.
- Ward JD, van Wyk AJ. 1985. Topnaar (#Aonin) place names along the lower Kuiseb River, central Namib Desert. *Namib Bulletin*, Gobabeb: 3-8.
- Ward JD, von Brunn V. 1985. Geological history of the Kuiseb Valley west of the escarpment. In: *The Kuiseb environment: the development of a monitoring baseline*. Huntley BJ. (Editor) South African National Scientific Programmes Report no. 106, Pretoria: 21-25 pp.

- Ward JD, von Brunn V. 1985. Sand dynamics along the lower Kuiseb River. In: The Kuiseb environment: the development of a monitoring baseline. Huntley BJ. (Editor) South African National Scientific Programmes Report no. 106, Pretoria: 51-72 pp.
- Ward V. 1992. Water in Namibia. A resource package to develop awareness of water. (1<sup>st</sup> Edition) Volume 1. Desert Research Foundation of Namibia, Windhoek: 1-13 pp.
- Ward V. 1994. More about water in Namibia. Part two of a resource package to develop awareness of water. (1<sup>st</sup> Edition) Volume 2. Desert Research Foundation of Namibia, Windhoek: 1-61 pp.
- Ward, V. (Editor). 2002. Proceedings: Alternative ways to combat desertification. Connecting community action with science and common sense. Cape Town & Gobabeb. (8 to 20 April 2002). Desert Research Foundation of Namibia: 1-166 pp.
- Ward V, Forbes Irving T. 1999. Karas and Hardap. (1<sup>st</sup> Edition) Managing water points and grazing areas in Namibia. Seely M, Dentlinger L. (Editors) Desert Research Foundation of Namibia (DRFN), Ministry of Agriculture, Water and Rural Development (MAWRD), Windhoek: 8-93 pp.
- Ward V, Forbes Irving T. 1999. Omaheke. (1<sup>st</sup> Edition) Managing water points and grazing areas in Namibia. Seely M, Dentlinger L. (Editors) Desert Research Foundation of Namibia (DRFN), Ministry of Agriculture, Water and Rural Development (MAWRD), Windhoek: 1-92 pp.
- Ward V, Forbes Irving T. 1999. Southern Kunene. (1<sup>st</sup> Edition) Managing water points and grazing areas in Namibia. Seely M, Dentlinger L. (Editors) Desert Research Foundation of Namibia (DRFN), Ministry of Agriculture, Water and Rural Development (MAWRD), Windhoek: 3-98 pp.
- Ward V, Forbes Irving T. 2000. Caprivi. (1<sup>st</sup> Edition) Managing water points and grazing areas in Namibia. Seely M, Dentlinger L. (Editors) Desert Research Foundation of Namibia (DRFN), Ministry of Agriculture, Water and Rural Development (MAWRD), Windhoek: 1-106 pp.
- Ward V, Malan L. 1990. Desert Ecological Research Unit of Namibia: bibliography of research at Gobabeb. In: Namib ecology 25 years of Namib research. Seely MK. (Editor) Transvaal Museum, Pretoria: 211-222.
- Warkocz M. 2006. Starnbergerin spürt Käfern in der Wüste nach. Süddeutsche Zeitung (19 Juni 2006), Starnberg, Germany: page R3.
- Watson A. 1979. Gypsum crusts in deserts. *Journal of Arid Environments* 2: 3-21.
- Watson A. 1980. Vegetation polygons in the central Namib Desert near Gobabeb. *Madoqua* 11: 315-325.
- Watson A. 1985. Structure, chemistry and origins of gypsum crusts in southern Tunisia and the central Namib Desert. *Sedimentology* 32: 855-875.
- Watson A. 1986. Grain-size variations on a longitudinal dune and a barchan dune. *Sedimentary Geology* 46: 49-66.
- Watson A. 1988. Desert gypsum crusts as palaeoenvironmental indicators: a micropetrographic study of crusts from southern Tunisia and the central Namib Desert. *Journal of Arid Environments* 15: 19-42.
- Watson RT. 1986. Detritivores of the Namib Dunes: Thysanura - an autecological approach. Proceedings: Structure and Function of sand dune ecosystems. (19 January-22 January 1986) Van der Merwe D, McLachlan A, Hesp P. (Editors) Institute for Coastal Research, Port Elizabeth: 60-63.
- Watson RT. 1987. Psammophilous Lepismatidae of the Namib Desert. *Namib Bulletin, Gobabeb*: 7-8.
- Watson RT. 1989. Niche separation in Namib Desert dune Lepismatidae (Thysanura: Insecta): detritivores in an allochthonous detritus ecosystem. *Journal of Arid Environments* 17: 37-48.

- Watson RT, Anelich R, Schutte AL. 1990. Fungi in the gut contents of Namib Desert dune Lepismatidae (Thysanura: Insecta). *Madoqua* 17: 53-54.
- Watson RT, Irish J. 1988. An introduction to the Lepismatidae (Thysanura: Insecta) of the Namib Desert sand dunes. *Madoqua* 15: 285-293.
- Wehner R. 1987. Spatial organization of foraging behavior in individually searching desert ants, *Cataglyphis* (Sahara Desert) and *Ocymyrmex* (Namib Desert). In: Behavior in Social Insects. Pasteels JM, Deneubourg J-L. (Editors) Birkhäuser Verlag, Basel/Boston: 15-42.
- Weibel D. 2004. Foraging ecology of the Namibian desert ant *Ocymyrmex robustior* in the Kuiseb River. M. Sc. University of Zürich, Zürich: 1-79 pp.
- Werner W. 2003. Livelihoods among the Topnaar of the Lower Kuiseb. Environmental Learning and Action in the Kuiseb (ELAK). Programme report. Desert Research Foundation of Namibia, Windhoek: 2-36 pp.
- Werner YL. 1977. Ecological comments on some gekkonid lizards of the Namib Desert, South West Africa. *Madoqua* 10: 157-169.
- Wessel Pettersen S. 2004. Summer Desertification Programme (poster presentation). In: 5th Waternet / Warfsa. (2-4 November 2004) Global Water Partnership, Windhoek: 164.
- Westergaard E. 2003. The Gobabeb Centre: oasis of learning. *Namib Times* (March 2003), Walvis Bay: page 4.
- Westergaard E. 2003. New insights about indigenous fruit trees. Conservation and the environment in Namibia, Windhoek: 22-23.
- Wharton RA. 1980. Colouration and diurnal activity patterns in some Namib Desert Zophosini (Coleoptera: Tenebrionidae). *Journal of Arid Environments* 3: 309-317.
- Wharton RA. 1980. Insects and arachnids associated with *Zygophyllum simplex* (Zygophyllaceae) in the central Namib Desert. *Madoqua* 12: 131-139.
- Wharton RA. 1981. Namibian Solifugae (Arachnida). *Cimbebasia Memoir*: 1-87.
- Wharton RA. 1982. Observations on the behaviour, phenology and habitat preferences of mydas flies in the central Namib Desert (Diptera: Mydidae). *Annals of the Transvaal Museum, Pretoria* 33: 146-151.
- Wharton RA. 1983. Dispersal, diel periodicity, and longevity of *Stips stali* (Haag) (Coleoptera: Tenebrionidae). *The Coleopterists' Bulletin* 37: 27-33.
- Wharton RA. 1987. Biology of the diurnal *Metasolpuga picta* (Kraepelin) (Solifugae, Solpugidae) compared with that of nocturnal species. *Journal of Arachnology* 14: 363-383.
- Wharton RA, Seely MK. 1982. Species composition of and biological notes on Tenebrionidae of the lower Kuiseb River and adjacent gravel plain. *Madoqua* 13: 5-25.
- Wharton RA, Tilson JW, Tilson RL. 1980. Asynchrony in a wild population of *Ficus sycomorus* L. *South African Journal of Science* 76: 478-480.
- Whitaker C, Berjak P. 2006. Field observations from a study of the infection of the cones and seeds of *Welwitschia mirabilis* by *Aspergillus niger* in the Namib-Naukluft Park. Plant Germplasm Conservation Research Laboratory, University of KwaZulu-Natal, Durban: 2-26 pp. (Preliminary report)
- Whitaker C, Berjak P. 2006. Observations of the infection of *Welwitschia mirabilis* seeds by *Aspergillus niger*. Proceedings: Annual Conference of the Microscopy Society of Southern Africa & Annual Congress of the South African Association of Botanists (award of best poster in seed biology) Pretoria.
- Whitaker C, Berjak P, Kolberg H, Pammenter NW. 2004. Responses to various manipulations, and storage potential, of seeds of the unique desert gymnosperm, *Welwitschia mirabilis* Hook. fil. *South African Journal of Botany* 70: 621-629.
- White K, Walden J, Drake N, Eckardt F, Settle J. 1997. Mapping the iron oxide content of dune sands, Namib Sand Sea, Namibia, using Landsat Thematic Mapper data. *Remote Sens. Environ.* 62: 30-39.

- Widlök T. 1996. !Nara harvesting, a thing of the past? Desert Ecological Research Unit, Gobabeb: 1-2 pp. (Preliminary report)
- Widlök T. 1998. Unearthing culture Khoisan funerals and social change. *Anthropos* 93: 115-126.
- Widlök T. 2004. !Nara property relations. In: !NARA fruit for development of the !Khuseb Topnaar. Henschel J, Dausab R, Moser P, Pallett J. (Editors). Namibia Scientific Society, Windhoek: 99-106.
- Wieneke F, Rust U. 1973. Klimageomorphologische Phasen in der Zentralen Namib (Südwestafrika). *Mitteilungen der Geographischen Gesellschaft München* 58: 79-96.
- Wilkinson MJ. 1988. Arid landscapes. In: *The geomorphology of southern Africa*. Moon BP, Dardis GF. (Editors) Southern Book Publishers (Pty) Ltd, Halfway House: 78-102.
- Wilkinson MJ. 1988. Linear dunes in the central Namib Desert: theoretical and chronological perspectives from wind streaks. In: *Geomorphological studies in southern Africa. Proceedings of the Symposium on the geomorphology of southern Africa*. Dardis GF, Moon BP. (Editors) A. A. Balkema, Rotterdam: 85-113.
- Wilkinson MJ. 1988. Tertiary events in the Tumas River Basin, central Namib Desert: geology and geomorphology of the Naarip plain. *Proceedings: Southern African landscapes: a geomorphological field guide*. Beckedahl HR, Moon BP, Dardis GF. (Editors) (11-25 April 1988) Transkei: 137-164.
- Wilkinson MJ. 1988. The Tumas Sandstone Formation of the central Namib Desert - palaeoenvironmental implications. In: *Palaeoecology of Africa and the surrounding islands*. Heine K. (Editor) A. A. Balkema, Rotterdam: 139-150.
- Wilkinson MJ. 1990. Palaeoenvironments in the Namib Desert. The Lower Tumas Basin in the Late Cenozoic. *Geography research paper*. (1<sup>st</sup> Edition) The University of Chicago, Chicago: 1-196 pp.
- Williams JB. 1999. Heat production and evaporative water loss of dune larks from the Namib Desert. *The Condor* 101: 432-438.
- Williams JB. 2001. Energy expenditure and water flux of free-living dune larks in the Namib: a test of the reallocation hypothesis on a desert bird. *Functional Ecology* 15: 175-185.
- Willoughby EJ. 1967. Desert adaptations of larks of the central Namib Desert, South West Africa. Ph. D. Syracuse University, Syracuse, New York: 1-151 pp.
- Willoughby EJ. 1968. Water economy of the Stark's lark and grey-backed finch-lark from the Namib Desert of South West Africa. *Comparative Biochemistry and Physiology* 27: 723-745.
- Willoughby EJ. 1969. Desert coloration in birds of the central Namib Desert. *Scientific Papers of the Namib Desert Research Station*: 59-68.
- Willoughby EJ. 1971. Biology of larks (Aves: Alaudidae) in the central Namib Desert. *Zoologica Africana* 6: 133-176.
- Willoughby EJ, Cade TJ. 1967. Drinking habits of birds in the central Namib Desert of South West Africa. *Scientific Papers of the Namib Desert Research Station*: 1-35.
- Withers PC. 1979. Ecology of a small mammal community on a rocky outcrop in the Namib Desert. *Madoqua* 11: 229-246.
- Withers PC. 1983. Seasonal reproduction by small mammals of the Namib Desert. *Mammalia* 47: 195-204.
- Withers PC, Louw GN, Henschel J. 1980. Energetics and water relations in Namib Desert rodents. *South African Journal of Zoology* 15: 131-137.
- Wittenberger JF, Tilson RL. 1980. The evolution of monogamy: hypotheses and evidence. *Annual Review of Ecology and Systematics* 11: 197-232.
- Wolters S. 1994. DRFN archives. *Namib Bulletin, Gobabeb*: page 12.
- Wolters S. 1994. The DRFN in the nineties. *Namib Bulletin, Gobabeb*: page 3-4.

- Wolters S. 1994. Proceedings of Namibia's national workshop to combat desertification. National Workshop to Combat Desertification. Desert Ecological Research Unit of Namibia, Windhoek: 2-214.
- Wolters S. 1995. Overview of the first phase of Namibia's programme to combat desertification, Desert Research Foundation of Namibia, Windhoek: 1-25 pp.
- Yaalon DH, Ward JD. 1982. Observations on calcrete and recent calcic horizons in relation to landforms, central Namib Desert. In: Palaeoecology of Africa and the surrounding islands. Coetzee JA, van Zinderen Bakker EMSr. (Editors) A. A. Balkema, Rotterdam: 183-186.
- Yamagata K, Mizuno K. 2005. Landform development along the middle course of the Kuiseb River in the Namib Desert, Namibia. African Study Monographs Suppl. 30: 15-25.
- Yeaton RI. 1988. Structure and function of the Namib dune grasslands: characteristics of the environmental gradients and species distributions. *Journal of Ecology* 76: 744-758.
- Yeaton RI. 1990. The structure and function of the Namib dune grasslands: species interactions. *Journal of Arid Environments* 18: 343-350.
- Yoshida T. 2005. Observation of riparian vegetation in western Namibia by using NDVI and NDWI derived from SPOT-vegetation. African Study Monographs Suppl. 30: 153-163.
- Zakaapi N. 2006. Potential enhancement of goat manure as an organic soil amendment practice in desert agriculture. Gobabeb Training and Research Centre (In-house training report) and Polytechnic of Namibia, Windhoek: 79-93 pp.
- Zeidler J. 1993. Lichens of the Namib. Flamingo, Johannesburg: 26-27.
- Zeidler J. 1994. The value of applied education. Namib Bulletin, Gobabeb: page 4.
- Zeidler J. 1995. Biology of ticks in the Kuiseb region (Namibia) with emphasis on chronobiological aspects. M. Sc. Johann Wolfgang Goethe Universität, Frankfurt/Main: 1-55 pp.
- Zeidler J. 1996. Die Desert Research Foundation of Namibia (DRFN) an der Forschungsstation Gobabeb, Namib-Naukluft Park, Namibia. Desert Ecological Research Unit & Desert Research Foundation of Namibia, Gobabeb: 1-7.
- Zeidler J. 1997. Distribution of termites (Isoptera) throughout Namibia - environmental connections. M. Sc. University of the Witwatersrand, Johannesburg: 1-91 pp.
- Zeidler J. 1999. Establishing indicators of biological integrity in western Namibian rangelands. Ph. D. University of the Witwatersrand, Johannesburg: 1-182 pp.
- Zeidler J. 2000. Communities take the lead. Proceedings: Conference of the Parties to the Convention to Combat Desertification. (December 2000) Gemmill B. (Editor) United Nations Convention to Combat Desertification, Bonn: 27-29.
- Zeidler J, Hanrahan S, Scholes M. 2002. Land-use intensity affects range condition in arid to semi-arid Namibia. *Journal of Arid Environments* 52: 389-403.
- Zeidler J, Hanrahan S, Scholes M. 2002. Termite species richness, composition and diversity on five farms in southern Kunene region, Namibia. *African Zoology* 37: 7-11.
- Zeidler J, Hanrahan S, Scholes M. 2004. Determining termite diversity in arid Namibian rangelands - a comparison of sampling methods. *African Zoology* 39: 285-292.
- Zeidler J, Seely M, Parenzee L. 2000. Environmental indicators for community management (abstract). Proceedings: 13th Congress of the German Society for Tropical Ecology. (1-3 March 2000) Gesellschaft für Tropenökologie, Würzburg, Germany: 53.
- Zeidler J, Seely M, Rahmin A, Bruzak G. 2000. Case study at Olifantputs northwestern Namibia. (Occasional paper no. 10) Desert Research Foundation of Namibia, Windhoek: 1-45 pp.

- Zeidler J, Seely MK, Hanrahan S, Scholes M. 1999. An index of biological integrity for habitat assessment by Namibian farmers. Proceedings: VI International Rangeland Congress. International Rangeland Congress Inc, Townsville, Australia: 772-774.
- Zeitler U. 1999. Untersuchungen zum Ruf des Bellgeckos (*Ptenopus garrulus maculatus*) und der Ökologie seines Einsatzes. Biology Diploma. Humboldt University, Berlin: 1-83 pp.